

# **Linux From Scratch**

**Version 6.2**

**Gerard Beekmans**

# Linux From Scratch: Version 6.2

by Gerard Beekmans

Copyright © 1999–2006 Gerard Beekmans

Copyright (c) 1999–2006, Gerard Beekmans

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions in any form must retain the above copyright notice, this list of conditions and the following disclaimer
- Neither the name of “Linux From Scratch” nor the names of its contributors may be used to endorse or promote products derived from this material without specific prior written permission
- Any material derived from Linux From Scratch must contain a reference to the “Linux From Scratch” project

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Table of Contents

Preface .....	vii
1. Foreword .....	vii
2. Audience .....	viii
3. Prerequisites .....	x
4. Host System Requirements .....	xi
5. Typography .....	xiii
6. Structure .....	xiv
7. Errata .....	xv
I. Introduction .....	1
1. Introduction .....	2
1.1. How to Build an LFS System .....	2
1.2. Resources .....	3
1.3. Help .....	4
II. Preparing for the Build .....	7
2. Preparing a New Partition .....	8
2.1. Introduction .....	8
2.2. Creating a New Partition .....	9
2.3. Creating a File System on the Partition .....	10
2.4. Mounting the New Partition .....	11
3. Packages and Patches .....	12
3.1. Introduction .....	12
3.2. All Packages .....	13
3.3. Needed Patches .....	20
4. Final Preparations .....	24
4.1. About \$LFS .....	24
4.2. Creating the \$LFS/tools Directory .....	25
4.3. Adding the LFS User .....	26
4.4. Setting Up the Environment .....	27
4.5. About SBUs .....	29
4.6. About the Test Suites .....	30
5. Constructing a Temporary System .....	31
5.1. Introduction .....	31
5.2. Toolchain Technical Notes .....	32
5.3. Binutils-2.16.1 - Pass 1 .....	34
5.4. GCC-4.0.3 - Pass 1 .....	36
5.5. Linux-Libc-Headers-2.6.12.0 .....	38
5.6. Glibc-2.3.6 .....	39
5.7. Adjusting the Toolchain .....	42
5.8. Tcl-8.4.13 .....	44
5.9. Expect-5.43.0 .....	46
5.10. DejaGNU-1.4.4 .....	48
5.11. GCC-4.0.3 - Pass 2 .....	49
5.12. Binutils-2.16.1 - Pass 2 .....	52
5.13. Ncurses-5.5 .....	53

5.14. Bash-3.1 .....	54
5.15. Bzip2-1.0.3 .....	55
5.16. Coreutils-5.96 .....	56
5.17. Diffutils-2.8.1 .....	57
5.18. Findutils-4.2.27 .....	58
5.19. Gawk-3.1.5 .....	59
5.20. Gettext-0.14.5 .....	60
5.21. Grep-2.5.1a .....	61
5.22. Gzip-1.3.5 .....	62
5.23. M4-1.4.4 .....	63
5.24. Make-3.80 .....	64
5.25. Patch-2.5.4 .....	65
5.26. Perl-5.8.8 .....	66
5.27. Sed-4.1.5 .....	67
5.28. Tar-1.15.1 .....	68
5.29. Texinfo-4.8 .....	69
5.30. Util-linux-2.12r .....	70
5.31. Stripping .....	71
5.32. Changing Ownership .....	72
III. Building the LFS System .....	73
6. Installing Basic System Software .....	74
6.1. Introduction .....	74
6.2. Preparing Virtual Kernel File Systems .....	75
6.3. Package Management .....	76
6.4. Entering the Chroot Environment .....	79
6.5. Creating Directories .....	80
6.6. Creating Essential Files and Symlinks .....	81
6.7. Linux-Libc-Headers-2.6.12.0 .....	83
6.8. Man-pages-2.34 .....	84
6.9. Glibc-2.3.6 .....	85
6.10. Re-adjusting the Toolchain .....	92
6.11. Binutils-2.16.1 .....	94
6.12. GCC-4.0.3 .....	97
6.13. Berkeley DB-4.4.20 .....	101
6.14. Coreutils-5.96 .....	103
6.15. Iana-Etc-2.10 .....	108
6.16. M4-1.4.4 .....	109
6.17. Bison-2.2 .....	110
6.18. Ncurses-5.5 .....	111
6.19. Procps-3.2.6 .....	114
6.20. Sed-4.1.5 .....	116
6.21. Libtool-1.5.22 .....	117
6.22. Perl-5.8.8 .....	118
6.23. Readline-5.1 .....	121
6.24. Zlib-1.2.3 .....	123
6.25. Autoconf-2.59 .....	125
6.26. Automake-1.9.6 .....	127
6.27. Bash-3.1 .....	129
6.28. Bzip2-1.0.3 .....	131

6.29. Diffutils-2.8.1 .....	133
6.30. E2fsprogs-1.39 .....	134
6.31. File-4.17 .....	137
6.32. Findutils-4.2.27 .....	138
6.33. Flex-2.5.33 .....	140
6.34. GRUB-0.97 .....	142
6.35. Gawk-3.1.5 .....	144
6.36. Gettext-0.14.5 .....	146
6.37. Grep-2.5.1a .....	148
6.38. Groff-1.18.1.1 .....	149
6.39. Gzip-1.3.5 .....	152
6.40. Inetutils-1.4.2 .....	154
6.41. IPRoute2-2.6.16-060323 .....	156
6.42. Kbd-1.12 .....	158
6.43. Less-394 .....	161
6.44. Make-3.80 .....	162
6.45. Man-DB-2.4.3 .....	163
6.46. Mktmp-1.5 .....	167
6.47. Module-Init-Tools-3.2.2 .....	168
6.48. Patch-2.5.4 .....	170
6.49. Psmisc-22.2 .....	171
6.50. Shadow-4.0.15 .....	173
6.51. Sysklogd-1.4.1 .....	177
6.52. Sysvinit-2.86 .....	179
6.53. Tar-1.15.1 .....	182
6.54. Texinfo-4.8 .....	183
6.55. Udev-096 .....	185
6.56. Util-linux-2.12r .....	188
6.57. Vim-7.0 .....	192
6.58. About Debugging Symbols .....	196
6.59. Stripping Again .....	197
6.60. Cleaning Up .....	198
7. Setting Up System Bootscripts .....	199
7.1. Introduction .....	199
7.2. LFS-Bootscripts-6.2 .....	200
7.3. How Do These Bootscripts Work? .....	202
7.4. Device and Module Handling on an LFS System .....	204
7.5. Configuring the setclock Script .....	208
7.6. Configuring the Linux Console .....	209
7.7. Configuring the sysklogd script .....	212
7.8. Creating the /etc/inputrc File .....	213
7.9. The Bash Shell Startup Files .....	215
7.10. Configuring the localnet Script .....	218
7.11. Customizing the /etc/hosts File .....	219
7.12. Creating custom symlinks to devices .....	220
7.13. Configuring the network Script .....	222
8. Making the LFS System Bootable .....	225
8.1. Introduction .....	225
8.2. Creating the /etc/fstab File .....	226

8.3. Linux-2.6.16.27 .....	228
8.4. Making the LFS System Bootable .....	231
9. The End .....	233
9.1. The End .....	233
9.2. Get Counted .....	234
9.3. Rebooting the System .....	235
9.4. What Now? .....	236
IV. Appendices .....	237
A. Acronyms and Terms .....	238
B. Acknowledgments .....	241
C. Dependencies .....	244
Index .....	253

# Preface

## 1. Foreword

My adventures in Linux began in 1998 when I downloaded and installed my first distribution. After working with it for a while, I discovered issues I definitely would have liked to see improved upon. For example, I didn't like the arrangement of the bootscripts or the way programs were configured by default. I tried a number of alternative distributions to address these issues, yet each had its pros and cons. Finally, I realized that if I wanted full satisfaction from my Linux system, I would have to build my own from scratch.

What does this mean? I resolved not to use pre-compiled packages of any kind, nor CD-ROMs or boot disks that would install basic utilities. I would use my current Linux system to develop my own customized system. This “perfect” Linux system would then have the strengths of various systems without their associated weaknesses. In the beginning, the idea was rather daunting, but I remained committed to the idea that a system could be built that would conform to my needs and desires rather than to a standard that just did not fit what I was looking for.

After sorting through issues such as circular dependencies and compile-time errors, I created a custom-built Linux system that was fully operational and suitable to individual needs. This process also allowed me to create compact and streamlined Linux systems which are faster and take up less space than traditional operating systems. I called this system a Linux From Scratch system, or an LFS system for short.

As I shared my goals and experiences with other members of the Linux community, it became apparent that there was sustained interest in the ideas set forth in my Linux adventures. Such custom-built LFS systems serve not only to meet user specifications and requirements, but also serve as an ideal learning opportunity for programmers and system administrators to enhance their Linux skills. Out of this broadened interest, the Linux From Scratch Project was born.

This *Linux From Scratch* book provides readers with the background and instruction to design and build custom Linux systems. This book highlights the Linux from Scratch project and the benefits of using this system. Users can dictate all aspects of their system, including directory layout, script setup, and security. The resulting system will be compiled completely from the source code, and the user will be able to specify where, why, and how programs are installed. This book allows readers to fully customize Linux systems to their own needs and allows users more control over their system.

I hope you will have a great time working on your own LFS system, and enjoy the numerous benefits of having a system that is truly *your own*.

--

Gerard Beekmans  
gerard@linuxfromscratch.org

## 2. Audience

There are many reasons why somebody would want to read this book. The principal reason is to install a Linux system from the source code. A question many people raise is, “why go through all the hassle of manually building a Linux system from scratch when you can just download and install an existing one?” That is a good question and is the impetus for this section of the book.

One important reason for LFS's existence is to help people learn how a Linux system works from the inside out. Building an LFS system helps demonstrate what makes Linux tick, and how things work together and depend on each other. One of the best things that this learning experience provides is the ability to customize Linux to your own tastes and needs.

A key benefit of LFS is that it allows users to have more control over the system without relying on someone else's Linux implementation. With LFS, *you* are in the driver's seat and dictate every aspect of the system, such as the directory layout and bootscript setup. You also dictate where, why, and how programs are installed.

Another benefit of LFS is the ability to create a very compact Linux system. When installing a regular distribution, one is often forced to include several programs which are probably never used. These programs waste disk space, or worse, CPU cycles. It is not difficult to build an LFS system of less than 100 megabytes (MB), which is substantially smaller than the majority of existing installations. Does this still sound like a lot of space? A few of us have been working on creating a very small embedded LFS system. We successfully built a system that was specialized to run the Apache web server with approximately 8MB of disk space used. Further stripping could bring this down to 5 MB or less. Try that with a regular distribution! This is only one of the many benefits of designing your own Linux implementation.

We could compare Linux distributions to a hamburger purchased at a fast-food restaurant—you have no idea what might be in what you are eating. LFS, on the other hand, does not give you a hamburger. Rather, LFS provides the recipe to make the exact hamburger desired. This allows users to review the recipe, omit unwanted ingredients, and add your own ingredients to enhance the flavor of the burger. When you are satisfied with the recipe, move on to preparing it. It can be made to exact specifications—broil it, bake it, deep-fry it, or barbecue it.

Another analogy that we can use is that of comparing LFS with a finished house. LFS provides the skeletal plan of a house, but it is up to you to build it. LFS maintains the freedom to adjust plans throughout the process, customizing it to the user's needs and preferences.

An additional advantage of a custom built Linux system is security. By compiling the entire system from source code, you are empowered to audit everything and apply all the security patches desired. It is no longer necessary to wait for somebody else to compile binary packages that fix a security hole. Unless you examine the patch and implement it yourself, you have no guarantee that the new binary package was built correctly and adequately fixes the problem.

The goal of Linux From Scratch is to build a complete and usable foundation-level system. Readers who do not wish to build their own Linux system from scratch may not benefit from the information in this book. If you only want to know what happens while the computer boots, we recommend the “From Power Up To Bash Prompt” HOWTO located at <http://axiom.anu.edu.au/~okeefe/p2b/> or on The Linux Documentation Project's (TLDP) website at <http://www.tldp.org/HOWTO/From-PowerUp-To-Bash-Prompt-HOWTO.html>. The HOWTO builds a system which is similar to that of this book, but it focuses strictly on creating a system capable of booting to a BASH prompt. Consider your objective. If you wish to build a Linux system while learning along the way, then this book is your best choice.

There are too many good reasons to build your own LFS system to list them all here. This section is only the tip of the iceberg. As you continue in your LFS experience, you will find the power that information and knowledge truly bring.

### 3. Prerequisites

Building an LFS system is not a simple task. It requires a certain level of existing knowledge of Unix system administration in order to resolve problems, and correctly execute the commands listed. In particular, as an absolute minimum, the reader should already have the ability to use the command line (shell) to copy or move files and directories, list directory and file contents, and change the current directory. It is also expected that the reader has a reasonable knowledge of using and installing Linux software.

Because the LFS book assumes *at least* this basic level of skill, the various LFS support forums are unlikely to be able to provide you with much assistance; you will find that your questions regarding such basic knowledge will likely go unanswered, or you will simply be referred to the LFS essential pre-reading list.

Before building an LFS system, we recommend reading the following HOWTOs:

- Software-Building-HOWTO  
<http://www.tldp.org/HOWTO/Software-Building-HOWTO.html>  
This is a comprehensive guide to building and installing “generic” Unix software packages under Linux.
- The Linux Users' Guide  
<http://www.linuxhq.com/guides/LUG/guide.html>  
This guide covers the usage of assorted Linux software.
- The Essential Pre-Reading Hint  
[http://www.linuxfromscratch.org/hints/downloads/files/essential\\_prereading.txt](http://www.linuxfromscratch.org/hints/downloads/files/essential_prereading.txt)

This is an LFS Hint written specifically for users new to Linux. It includes a list of links to excellent sources of information on a wide range of topics. Anyone attempting to install LFS should have an understanding of many of the topics in this hint.

## 4. Host System Requirements

Your host system should have the following software with the minimum versions indicated. This should not be an issue for most modern Linux distributions. Also note that many distributions will place software headers into separate packages, often in the form of “<package-name>-devel” or “<package-name>-dev”. Be sure to install those if your distribution provides them.

- **Bash-2.05a**
- **Binutils-2.12** (Versions greater than 2.16.1 are not recommended as they have not been tested)
- **Bzip2-1.0.2**
- **Coreutils-5.0** (or Sh-Utils-2.0, Textutils-2.0, and Fileutils-4.1)
- **Diffutils-2.8**
- **Findutils-4.1.20**
- **Gawk-3.0**
- **Gcc-2.95.3** (Versions greater than 4.0.3 are not recommended as they have not been tested)
- **Glibc-2.2.5** (Versions greater than 2.3.6 are not recommended as they have not been tested)
- **Grep-2.5**
- **Gzip-1.2.4**
- **Linux Kernel-2.6.x** (having been compiled with GCC-3.0 or greater)

The reason for the kernel version requirement is that thread-local storage support in Binutils will not be built and the Native POSIX Threading Library (NPTL) test suite will segfault if the host's kernel isn't at least a 2.6.x version compiled with a 3.0 or later release of GCC.

If the host kernel is either earlier than 2.6.x, or it was not compiled using a GCC-3.0 (or later) compiler, you will have to replace the kernel with one adhering to the specifications. There are two methods you can take to solve this. First, see if your Linux vendor provides a 2.6 kernel package. If so, you may wish to install it. If your vendor doesn't offer a 2.6 kernel package, or you would prefer not to install it, then you can compile a 2.6 kernel yourself. Instructions for compiling the kernel and configuring the boot loader (assuming the host uses GRUB) are located in Chapter 8.

- **Make-3.79.1**
- **Patch-2.5.4**
- **Sed-3.0.2**
- **Tar-1.14**

To see whether your host system has all the appropriate versions, run the following:

```
cat > version-check.sh << "EOF"
#!/bin/bash

# Simple script to list version numbers of critical development tools

bash --version | head -n1 | cut -d" " -f2-4
echo -n "Binutils: "; ld --version | head -n1 | cut -d" " -f3-4
bzip2 --version 2>&1 < /dev/null | head -n1 | cut -d" " -f1,6-
echo -n "Coreutils: "; chown --version | head -n1 | cut -d")" -f2
diff --version | head -n1
find --version | head -n1
gawk --version | head -n1
gcc --version | head -n1
/lib/libc.so.6 | head -n1 | cut -d" " -f1-7
grep --version | head -n1
gzip --version | head -n1
cat /proc/version | head -n1 | cut -d" " -f1-3,5-7
make --version | head -n1
patch --version | head -n1
sed --version | head -n1
tar --version | head -n1

EOF

bash version-check.sh
```

## 5. Typography

To make things easier to follow, there are a few typographical conventions used throughout this book. This section contains some examples of the typographical format found throughout Linux From Scratch.

```
./configure --prefix=/usr
```

This form of text is designed to be typed exactly as seen unless otherwise noted in the surrounding text. It is also used in the explanation sections to identify which of the commands is being referenced.

```
install-info: unknown option '--dir-file=/mnt/lfs/usr/info/dir'
```

This form of text (fixed-width text) shows screen output, probably as the result of commands issued. This format is also used to show filenames, such as `/etc/ld.so.conf`.

### *Emphasis*

This form of text is used for several purposes in the book. Its main purpose is to emphasize important points or items.

<http://www.linuxfromscratch.org/>

This format is used for hyperlinks both within the LFS community and to external pages. It includes HOWTOs, download locations, and websites.

```
cat > $LFS/etc/group << "EOF"
root:x:0:
bin:x:1:
.....
EOF
```

This format is used when creating configuration files. The first command tells the system to create the file `$LFS/etc/group` from whatever is typed on the following lines until the sequence end of file (EOF) is encountered. Therefore, this entire section is generally typed as seen.

*<REPLACED TEXT>*

This format is used to encapsulate text that is not to be typed as seen.

*[OPTIONAL TEXT]*

This format is used to encapsulate text that is optional.

`passwd(5)`

This format is used to refer to a specific manual page (hereinafter referred to simply as a “man” page). The number inside parentheses indicates a specific section inside of **man**. For example, **passwd** has two man pages. Per LFS installation instructions, those two man pages will be located at `/usr/share/man/man1/passwd.1` and `/usr/share/man/man5/passwd.5`. Both man pages have different information in them. When the book uses `passwd(5)` it is specifically referring to `/usr/share/man/man5/passwd.5`. **man passwd** will print the first man page it finds that matches “passwd”, which will be `/usr/share/man/man1/passwd.1`. For this example, you will need to run **man 5 passwd** in order to read the specific page being referred to. It should be noted that most man pages do not have duplicate page names in different sections. Therefore, **man <program name>** is generally sufficient.

## 6. Structure

This book is divided into the following parts.

### 6.1. Part I - Introduction

Part I explains a few important notes on how to proceed with the LFS installation. This section also provides meta-information about the book.

### 6.2. Part II - Preparing for the Build

Part II describes how to prepare for the building process—making a partition, downloading the packages, and compiling temporary tools.

### 6.3. Part III - Building the LFS System

Part III guides the reader through the building of the LFS system—compiling and installing all the packages one by one, setting up the boot scripts, and installing the kernel. The resulting Linux system is the foundation on which other software can be built to expand the system as desired. At the end of this book, there is an easy to use reference listing all of the programs, libraries, and important files that have been installed.

## 7. Errata

The software used to create an LFS system is constantly being updated and enhanced. Security warnings and bug fixes may become available after the LFS book has been released. To check whether the package versions or instructions in this release of LFS need any modifications to accommodate security vulnerabilities or other bug fixes, please visit <http://www.linuxfromscratch.org/lfs/errata/6.2/> before proceeding with your build. You should note any changes shown and apply them to the relevant section of the book as you progress with building the LFS system.

# Part I. Introduction

# Chapter 1. Introduction

## 1.1. How to Build an LFS System

The LFS system will be built by using a previously installed Linux distribution (such as Debian, Mandriva, Red Hat, or SUSE). This existing Linux system (the host) will be used as a starting point to provide necessary programs, including a compiler, linker, and shell, to build the new system. Select the “development” option during the distribution installation to be able to access these tools.

As an alternative to installing a separate distribution onto your machine, you may wish to use the Linux From Scratch LiveCD. The CD works well as a host system, providing all the tools you need to successfully follow the instructions in this book. Additionally, it contains all the source packages, patches and a copy of this book. So once you have the CD, no network connection or additional downloads are necessary. For more information about the LFS LiveCD or to download a copy, visit <http://www.linuxfromscratch.org/livecd/>.

Chapter 2 of this book describes how to create a new Linux native partition and file system, the place where the new LFS system will be compiled and installed. Chapter 3 explains which packages and patches need to be downloaded to build an LFS system and how to store them on the new file system. Chapter 4 discusses the setup of an appropriate working environment. Please read Chapter 4 carefully as it explains several important issues the reader should be aware of before beginning to work through Chapter 5 and beyond.

Chapter 5 explains the installation of a number of packages that will form the basic development suite (or toolchain) which is used to build the actual system in Chapter 6. Some of these packages are needed to resolve circular dependencies—for example, to compile a compiler, you need a compiler.

Chapter 5 also shows the user how to build a first pass of the toolchain, including Binutils and GCC (first pass basically means these two core packages will be reinstalled). The next step is to build Glibc, the C library. Glibc will be compiled by the toolchain programs built in the first pass. Then, a second pass of the toolchain will be built. This time, the toolchain will be dynamically linked against the newly built Glibc. The remaining Chapter 5 packages are built using this second pass toolchain. When this is done, the LFS installation process will no longer depend on the host distribution, with the exception of the running kernel.

This effort to isolate the new system from the host distribution may seem excessive, but a full technical explanation is provided in Section 5.2, “Toolchain Technical Notes”.

In Chapter 6, the full LFS system is built. The **chroot** (change root) program is used to enter a virtual environment and start a new shell whose root directory will be set to the LFS partition. This is very similar to rebooting and instructing the kernel to mount the LFS partition as the root partition. The system does not actually reboot, but instead **chroot**'s because creating a bootable system requires additional work which is not necessary just yet. The major advantage is that “chrooting” allows the builder to continue using the host while LFS is being built. While waiting for package compilation to complete, a user can switch to a different virtual console (VC) or X desktop and continue using the computer as normal.

To finish the installation, the LFS-Bootscripts are set up in Chapter 7, and the kernel and boot loader are set up in Chapter 8. Chapter 9 contains information on furthering the LFS experience beyond this book. After the steps in this book have been implemented, the computer will be ready to reboot into the new LFS system.

This is the process in a nutshell. Detailed information on each step is discussed in the following chapters and package descriptions. Items that may seem complicated will be clarified, and everything will fall into place as the reader embarks on the LFS adventure.

## 1.2. Resources

### 1.2.1. FAQ

If during the building of the LFS system you encounter any errors, have any questions, or think there is a typo in the book, please start by consulting the Frequently Asked Questions (FAQ) that is located at <http://www.linuxfromscratch.org/faq/>.

### 1.2.2. Mailing Lists

The `linuxfromscratch.org` server hosts a number of mailing lists used for the development of the LFS project. These lists include the main development and support lists, among others. If the FAQ does not solve the problem you are having, the next step would be to search the mailing lists at <http://www.linuxfromscratch.org/search.html>.

For information on the different lists, how to subscribe, archive locations, and additional information, visit <http://www.linuxfromscratch.org/mail.html>.

### 1.2.3. IRC

Several members of the LFS community offer assistance on our community Internet Relay Chat (IRC) network. Before using this support, please make sure that your question is not already answered in the LFS FAQ or the mailing list archives. You can find the IRC network at `irc.linuxfromscratch.org`. The support channel is named `#LFS-support`.

### 1.2.4. References

For additional information on the packages, useful tips are available in the LFS Package Reference page located at <http://www.linuxfromscratch.org/~matthew/LFS-references.html>.

### 1.2.5. Mirror Sites

The LFS project has a number of world-wide mirrors to make accessing the website and downloading the required packages more convenient. Please visit the LFS website at <http://www.linuxfromscratch.org/mirrors.html> for a list of current mirrors.

### 1.2.6. Contact Information

Please direct all your questions and comments to one of the LFS mailing lists (see above).

## 1.3. Help

If an issue or a question is encountered while working through this book, check the FAQ page at <http://www.linuxfromscratch.org/faq/#generalfaq>. Questions are often already answered there. If your question is not answered on this page, try to find the source of the problem. The following hint will give you some guidance for troubleshooting: <http://www.linuxfromscratch.org/hints/downloads/files/errors.txt>.

If you cannot find your problem listed in the FAQ, search the mailing lists at <http://www.linuxfromscratch.org/search.html>.

We also have a wonderful LFS community that is willing to offer assistance through the mailing lists and IRC (see the Section 1.2, “Resources” section of this book). However, we get several support questions every day and many of them can be easily answered by going to the FAQ and by searching the mailing lists first. So, for us to offer the best assistance possible, you need to do some research on your own first. That allows us to focus on the more unusual support needs. If your searches do not produce a solution, please include all relevant information (mentioned below) in your request for help.

### 1.3.1. Things to Mention

Apart from a brief explanation of the problem being experienced, the essential things to include in any request for help are:

- The version of the book being used (in this case 6.2)
- The host distribution and version being used to create LFS
- The package or section the problem was encountered in
- The exact error message or symptom being received
- Note whether you have deviated from the book at all



#### Note

Deviating from this book does *not* mean that we will not help you. After all, LFS is about personal preference. Being upfront about any changes to the established procedure helps us evaluate and determine possible causes of your problem.

### 1.3.2. Configure Script Problems

If something goes wrong while running the **configure** script, review the `config.log` file. This file may contain errors encountered during **configure** which were not printed to the screen. Include the *relevant* lines if you need to ask for help.

### 1.3.3. Compilation Problems

Both the screen output and the contents of various files are useful in determining the cause of compilation problems. The screen output from the **configure** script and the **make** run can be helpful. It is not necessary to include the entire output, but do include enough of the relevant information. Below is an example of the type of information to include from the screen output from **make**:

```
gcc -DALIASEPATH=\"/mnt/lfs/usr/share/locale:.\"
-DLOCALEDIR=\"/mnt/lfs/usr/share/locale\"
-DLIBDIR=\"/mnt/lfs/usr/lib\"
-DINCLUDEDIR=\"/mnt/lfs/usr/include\" -DHAVE_CONFIG_H -I. -I.
-g -O2 -c getopt1.c
gcc -g -O2 -static -o make ar.o arscan.o commands.o dir.o
expand.o file.o function.o getopt.o implicit.o job.o main.o
misc.o read.o remake.o rule.o signame.o variable.o vpath.o
default.o remote-stub.o version.o opt1.o
-lutil job.o: In function `load_too_high':
/lfs/tmp/make-3.79.1/job.c:1565: undefined reference
to `getloadavg'
collect2: ld returned 1 exit status
make[2]: *** [make] Error 1
make[2]: Leaving directory `/lfs/tmp/make-3.79.1'
make[1]: *** [all-recursive] Error 1
make[1]: Leaving directory `/lfs/tmp/make-3.79.1'
make: *** [all-recursive-am] Error 2
```

In this case, many people would just include the bottom section:

```
make [2]: *** [make] Error 1
```

This is not enough information to properly diagnose the problem because it only notes that something went wrong, not *what* went wrong. The entire section, as in the example above, is what should be saved because it includes the command that was executed and the associated error message(s).

An excellent article about asking for help on the Internet is available online at <http://catb.org/~esr/faqs/smart-questions.html>. Read and follow the hints in this document to increase the likelihood of getting the help you need.



## **Part II. Preparing for the Build**

## Chapter 2. Preparing a New Partition

### 2.1. Introduction

In this chapter, the partition which will host the LFS system is prepared. We will create the partition itself, create a file system on it, and mount it.

## 2.2. Creating a New Partition

Like most other operating systems, LFS is usually installed on a dedicated partition. The recommended approach to building an LFS system is to use an available empty partition or, if you have enough unpartitioned space, to create one. However, an LFS system (in fact even multiple LFS systems) may also be installed on a partition already occupied by another operating system and the different systems will co-exist peacefully. The document [http://www.linuxfromscratch.org/hints/downloads/files/lfs\\_next\\_to\\_existing\\_systems.txt](http://www.linuxfromscratch.org/hints/downloads/files/lfs_next_to_existing_systems.txt) explains how to implement this, whereas this book discusses the method of using a fresh partition for the installation.

A minimal system requires a partition of around 1.3 gigabytes (GB). This is enough to store all the source tarballs and compile the packages. However, if the LFS system is intended to be the primary Linux system, additional software will probably be installed which will require additional space (2-3 GB). The LFS system itself will not take up this much room. A large portion of this requirement is to provide sufficient free temporary storage. Compiling packages can require a lot of disk space which will be reclaimed after the package is installed.

Because there is not always enough Random Access Memory (RAM) available for compilation processes, it is a good idea to use a small disk partition as `swap` space. This is used by the kernel to store seldom-used data and leave more memory available for active processes. The `swap` partition for an LFS system can be the same as the one used by the host system, in which case it is not necessary to create another one.

Start a disk partitioning program such as **`cdisk`** or **`fdisk`** with a command line option naming the hard disk on which the new partition will be created—for example `/dev/hda` for the primary Integrated Drive Electronics (IDE) disk. Create a Linux native partition and a `swap` partition, if needed. Please refer to `cdisk(8)` or `fdisk(8)` if you do not yet know how to use the programs.

Remember the designation of the new partition (e.g., `hda5`). This book will refer to this as the LFS partition. Also remember the designation of the `swap` partition. These names will be needed later for the `/etc/fstab` file.

## 2.3. Creating a File System on the Partition

Now that a blank partition has been set up, the file system can be created. The most widely-used system in the Linux world is the second extended file system (`ext2`), but with newer high-capacity hard disks, journaling file systems are becoming increasingly popular. The third extended filesystem (`ext3`) is a widely used enhancement to `ext2`, which adds journalling capabilities and is compatible with the E2fsprogs utilities. We will create an `ext3` file system. Instructions for creating other file systems can be found at <http://www.linuxfromscratch.org/blfs/view/svn/postlfs/filesystems.html>.

To create an `ext3` file system on the LFS partition, run the following:

```
mke2fs -jv /dev/<xxx>
```

Replace `<xxx>` with the name of the LFS partition (`hda5` in our previous example).



### Note

Some host distributions use custom features in their filesystem creation tools (E2fsprogs). This can cause problems when booting into your new LFS in Chapter 9, as those features will not be supported by the LFS-installed E2fsprogs; you will get an error similar to “unsupported filesystem features, upgrade your e2fsprogs”. To check if your host system uses custom enhancements, run the following command:

```
debugfs -R feature /dev/<xxx>
```

If the output contains features other than `has_journal`, `dir_index`, `filetype`, `large_file`, `resize_inode`, `sparse_super` or `needs_recovery`, then your host system may have custom enhancements. In that case, to avoid later problems, you should compile the stock E2fsprogs package and use the resulting binaries to re-create the filesystem on your LFS partition:

```
cd /tmp
tar -xjvf /path/to/sources/e2fsprogs-1.39.tar.bz2
cd e2fsprogs-1.39
mkdir -v build
cd build
../configure
make #note that we intentionally don't 'make install' here!
./misc/mke2fs -jv /dev/<xxx>
cd /tmp
rm -rfv e2fsprogs-1.39
```

If a swap partition was created, it will need to be initialized for use by issuing the command below. If you are using an existing swap partition, there is no need to format it.

```
mkswap /dev/<yyy>
```

Replace `<yyy>` with the name of the swap partition.

## 2.4. Mounting the New Partition

Now that a file system has been created, the partition needs to be made accessible. In order to do this, the partition needs to be mounted at a chosen mount point. For the purposes of this book, it is assumed that the file system is mounted under `/mnt/lfs`, but the directory choice is up to you.

Choose a mount point and assign it to the LFS environment variable by running:

```
export LFS=/mnt/lfs
```

Next, create the mount point and mount the LFS file system by running:

```
mkdir -pv $LFS
mount -v -t ext3 /dev/<xxx> $LFS
```

Replace `<xxx>` with the designation of the LFS partition.

If using multiple partitions for LFS (e.g., one for `/` and another for `/usr`), mount them using:

```
mkdir -pv $LFS
mount -v -t ext3 /dev/<xxx> $LFS
mkdir -v $LFS/usr
mount -v -t ext3 /dev/<yyy> $LFS/usr
```

Replace `<xxx>` and `<yyy>` with the appropriate partition names.

Ensure that this new partition is not mounted with permissions that are too restrictive (such as the `nosuid`, `nodev`, or `noatime` options). Run the **mount** command without any parameters to see what options are set for the mounted LFS partition. If `nosuid`, `nodev`, and/or `noatime` are set, the partition will need to be remounted.

If you are using a swap partition, ensure that it is enabled using the **swapon** command:

```
/sbin/swapon -v /dev/<zzz>
```

Replace `<zzz>` with the name of the swap partition.

Now that there is an established place to work, it is time to download the packages.

## Chapter 3. Packages and Patches

### 3.1. Introduction

This chapter includes a list of packages that need to be downloaded in order to build a basic Linux system. The listed version numbers correspond to versions of the software that are known to work, and this book is based on their use. We highly recommend against using newer versions because the build commands for one version may not work with a newer version. The newest package versions may also have problems that require work-arounds. These work-arounds will be developed and stabilized in the development version of the book.

Download locations may not always be accessible. If a download location has changed since this book was published, Google (<http://www.google.com/>) provides a useful search engine for most packages. If this search is unsuccessful, try one of the alternative means of downloading discussed at <http://www.linuxfromscratch.org/lfs/packages.html>.

Downloaded packages and patches will need to be stored somewhere that is conveniently available throughout the entire build. A working directory is also required to unpack the sources and build them. `$LFS/sources` can be used both as the place to store the tarballs and patches and as a working directory. By using this directory, the required elements will be located on the LFS partition and will be available during all stages of the building process.

To create this directory, execute the following command, as user `root`, before starting the download session:

```
mkdir -v $LFS/sources
```

Make this directory writable and sticky. “Sticky” means that even if multiple users have write permission on a directory, only the owner of a file can delete the file within a sticky directory. The following command will enable the write and sticky modes:

```
chmod -v a+wt $LFS/sources
```

## 3.2. All Packages

Download or otherwise obtain the following packages:

- Autoconf (2.59) - 904 KB:  
Home page: <http://www.gnu.org/software/autoconf/>  
Download: <http://ftp.gnu.org/gnu/autoconf/autoconf-2.59.tar.bz2>  
MD5 sum: 1ee40f7a676b3cfdc0e3f7cd81551b5f
- Automake (1.9.6) - 748 KB:  
Home page: <http://www.gnu.org/software/automake/>  
Download: <http://ftp.gnu.org/gnu/automake/automake-1.9.6.tar.bz2>  
MD5 sum: c11b8100bb311492d8220378fd8bf9e0
- Bash (3.1) - 2,475 KB:  
Home page: <http://www.gnu.org/software/bash/>  
Download: <http://ftp.gnu.org/gnu/bash/bash-3.1.tar.gz>  
MD5 sum: ef5304c4b22aaa5088972c792ed45d72
- Bash Documentation (3.1) - 2,013 KB:  
Download: <http://ftp.gnu.org/gnu/bash/bash-doc-3.1.tar.gz>  
MD5 sum: a8c517c6a7b21b8b855190399c5935ae
- Berkeley DB (4.4.20) - 7,767 KB:  
Home page: <http://dev.sleepycat.com/>  
Download: <http://downloads.sleepycat.com/db-4.4.20.tar.gz>  
MD5 sum: d84dff288a19186b136b0daf7067ade3
- Binutils (2.16.1) - 12,256 KB:  
Home page: <http://sources.redhat.com/binutils/>  
Download: <http://ftp.gnu.org/gnu/binutils/binutils-2.16.1.tar.bz2>  
MD5 sum: 6a9d529efb285071dad10e1f3d2b2967
- Bison (2.2) - 1,052 KB:  
Home page: <http://www.gnu.org/software/bison/>  
Download: <http://ftp.gnu.org/gnu/bison/bison-2.2.tar.bz2>  
MD5 sum: e345a5d021db850f06ce49eba78af027
- Bzip2 (1.0.3) - 654 KB:  
Home page: <http://www.bzip.org/>  
Download: <http://www.bzip.org/1.0.3/bzip2-1.0.3.tar.gz>  
MD5 sum: 8a716bebecb6e647d2e8a29ea5d8447f
- Coreutils (5.96) - 4,948 KB:  
Home page: <http://www.gnu.org/software/coreutils/>  
Download: <http://ftp.gnu.org/gnu/coreutils/coreutils-5.96.tar.bz2>  
MD5 sum: bf55d069d82128fd754a090ce8b5acff

- DeJaGNU (1.4.4) - 1,056 KB:  
 Home page: <http://www.gnu.org/software/dejagnu/>  
 Download: <http://ftp.gnu.org/gnu/dejagnu/dejagnu-1.4.4.tar.gz>  
 MD5 sum: 053f18fd5d00873de365413cab17a666
- Diffutils (2.8.1) - 762 KB:  
 Home page: <http://www.gnu.org/software/diffutils/>  
 Download: <http://ftp.gnu.org/gnu/diffutils/diffutils-2.8.1.tar.gz>  
 MD5 sum: 71f9c5ae19b60608f6c7f162da86a428
- E2fsprogs (1.39) - 3,616 KB:  
 Home page: <http://e2fsprogs.sourceforge.net/>  
 Download: <http://prdownloads.sourceforge.net/e2fsprogs/e2fsprogs-1.39.tar.gz?download>  
 MD5 sum: 06f7806782e357797fad1d34b7ced0c6
- Expect (5.43.0) - 514 KB:  
 Home page: <http://expect.nist.gov/>  
 Download: <http://expect.nist.gov/src/expect-5.43.0.tar.gz>  
 MD5 sum: 43e1dc0e0bc9492cf2e1a6f59f276bc3
- File (4.17) - 544 KB:  
 Download: <ftp://ftp.gw.com/mirrors/pub/unix/file/file-4.17.tar.gz>  
 MD5 sum: 50919c65e0181423d66bb25d7fe7b0fd



### Note

File (4.17) may no longer be available at the listed location. The site administrators of the master download location occasionally remove older versions when new ones are released. An alternative download location that may have the correct version available can also be found at: <http://www.linuxfromscratch.org/lfs/download.html#ftp>.

- Findutils (4.2.27) - 1,097 KB:  
 Home page: <http://www.gnu.org/software/findutils/>  
 Download: <http://ftp.gnu.org/gnu/findutils/findutils-4.2.27.tar.gz>  
 MD5 sum: f1e0ddf09f28f8102ff3b90f3b5bc920
- Flex (2.5.33) - 680 KB:  
 Home page: <http://flex.sourceforge.net>  
 Download: <http://prdownloads.sourceforge.net/flex/flex-2.5.33.tar.bz2?download>  
 MD5 sum: 343374a00b38d9e39d1158b71af37150
- Gawk (3.1.5) - 1,716 KB:  
 Home page: <http://www.gnu.org/software/gawk/>  
 Download: <http://ftp.gnu.org/gnu/gawk/gawk-3.1.5.tar.bz2>  
 MD5 sum: 5703f72d0eea1d463f735aad8222655f

- GCC (4.0.3) - 32,208 KB:  
Home page: <http://gcc.gnu.org/>  
Download: <http://ftp.gnu.org/gnu/gcc/gcc-4.0.3/gcc-4.0.3.tar.bz2>  
MD5 sum: 6ff1af12c53cbb3f79b27f2d6a9a3d50
- Gettext (0.14.5) - 6,940 KB:  
Home page: <http://www.gnu.org/software/gettext/>  
Download: <http://ftp.gnu.org/gnu/gettext/gettext-0.14.5.tar.gz>  
MD5 sum: e2f6581626a22a0de66dce1d81d00de3
- Glibc (2.3.6) - 13,687 KB:  
Home page: <http://www.gnu.org/software/libc/>  
Download: <http://ftp.gnu.org/gnu/glibc/glibc-2.3.6.tar.bz2>  
MD5 sum: bfdce99f82d6dbcb64b7f11c05d6bc96
- Glibc LibIDN add-on (2.3.6) - 99 KB:  
Download: <http://ftp.gnu.org/gnu/glibc/glibc-libidn-2.3.6.tar.bz2>  
MD5 sum: 49dbe06ce830fc73874d6b38bdc5b4db
- Grep (2.5.1a) - 516 KB:  
Home page: <http://www.gnu.org/software/grep/>  
Download: <http://ftp.gnu.org/gnu/grep/grep-2.5.1a.tar.bz2>  
MD5 sum: 52202fe462770fa6be1bb667bd6cf30c
- Groff (1.18.1.1) - 2,208 KB:  
Home page: <http://www.gnu.org/software/groff/>  
Download: <http://ftp.gnu.org/gnu/groff/groff-1.18.1.1.tar.gz>  
MD5 sum: 511dbd64b67548c99805f1521f82cc5e
- GRUB (0.97) - 950 KB:  
Home page: <http://www.gnu.org/software/grub/>  
Download: <ftp://alpha.gnu.org/gnu/grub/grub-0.97.tar.gz>  
MD5 sum: cd3f3eb54446be6003156158d51f4884
- Gzip (1.3.5) - 324 KB:  
Home page: <http://www.gzip.org/>  
Download: <ftp://alpha.gnu.org/gnu/gzip/gzip-1.3.5.tar.gz>  
MD5 sum: 3d6c191dfd2bf307014b421c12dc8469
- Iana-Etc (2.10) - 184 KB:  
Home page: <http://www.sethwicklein.net/projects/iana-etc/>  
Download: <http://www.sethwicklein.net/projects/iana-etc/downloads/iana-etc-2.10.tar.bz2>  
MD5 sum: 53dea53262b281322143c744ca60ffbb
- Inetutils (1.4.2) - 1,019 KB:  
Home page: <http://www.gnu.org/software/inetutils/>  
Download: <http://ftp.gnu.org/gnu/inetutils/inetutils-1.4.2.tar.gz>  
MD5 sum: df0909a586ddac2b7a0d62795eea4206

- IPRoute2 (2.6.16-060323) - 378 KB:  
 Home page: <http://linux-net.osdl.org/index.php/Iproute2>  
 Download: <http://developer.osdl.org/dev/iproute2/download/iproute2-2.6.16-060323.tar.gz>  
 MD5 sum: f31d4516b35bbfeaa72c762f5959e97c
- Kbd (1.12) - 618 KB:  
 Download: <http://www.kernel.org/pub/linux/utils/kbd/kbd-1.12.tar.bz2>  
 MD5 sum: 069d1175b4891343b107a8ac2b4a39f6
- Less (394) - 286 KB:  
 Home page: <http://www.greenwoodsoftware.com/less/>  
 Download: <http://www.greenwoodsoftware.com/less/less-394.tar.gz>  
 MD5 sum: a9f072ccfeafa0d315b325f3e9cddb4b97
- LFS-Bootscripts (6.2) - 24 KB:  
 Download: <http://www.linuxfromscratch.org/lfs/downloads/6.2/lfs-bootscripts-6.2.tar.bz2>  
 MD5 sum: 45f9efc6b75c26751ddb74d1ad0276c1
- Libtool (1.5.22) - 2,856 KB:  
 Home page: <http://www.gnu.org/software/libtool/>  
 Download: <http://ftp.gnu.org/gnu/libtool/libtool-1.5.22.tar.gz>  
 MD5 sum: 8e0ac9797b62ba4dcc8a2fb7936412b0
- Linux (2.6.16.27) - 39,886 KB:  
 Home page: <http://www.kernel.org/>  
 Download: <http://www.kernel.org/pub/linux/kernel/v2.6/linux-2.6.16.27.tar.bz2>  
 MD5 sum: ebedfe5376efec483ce12c1629c7a5b1



### Note

The Linux kernel is updated relatively often, many times due to discoveries of security vulnerabilities. The latest available 2.6.16.x kernel version should be used, unless the errata page says otherwise. Do not use version 2.6.17 or later kernels due to potential incompatibilities of the bootscripts.

- Linux-Libc-Headers (2.6.12.0) - 2,481 KB:  
 Download: <http://ep09.pld-linux.org/~mmazur/linux-libc-headers/linux-libc-headers-2.6.12.0.tar.bz2>  
 MD5 sum: eae2f562afe224ad50f65a6acfb4252c
- M4 (1.4.4) - 376 KB:  
 Home page: <http://www.gnu.org/software/m4/>  
 Download: <http://ftp.gnu.org/gnu/m4/m4-1.4.4.tar.gz>  
 MD5 sum: 8d1d64dbecf1494690a0f3ba8db4482a
- Make (3.80) - 900 KB:  
 Home page: <http://www.gnu.org/software/make/>  
 Download: <http://ftp.gnu.org/gnu/make/make-3.80.tar.bz2>  
 MD5 sum: 0bbd1df101bc0294d440471e50feca71

- Man-DB (2.4.3) - 798 KB:  
Home page: <http://www.nongnu.org/man-db/>  
Download: <http://savannah.nongnu.org/download/man-db/man-db-2.4.3.tar.gz>  
MD5 sum: 30814a47f209f43b152659ba51fc7937
- Man-pages (2.34) - 1,760 KB:  
Download: <http://www.kernel.org/pub/linux/docs/manpages/man-pages-2.34.tar.bz2>  
MD5 sum: fb8d9f55fef19ea5ab899437159c9420
- Mktmp (1.5) - 69 KB:  
Home page: <http://www.mktmp.org/>  
Download: <ftp://ftp.mktmp.org/pub/mktmp/mktmp-1.5.tar.gz>  
MD5 sum: 9a35c59502a228c6ce2be025fc6e3ff2
- Module-Init-Tools (3.2.2) - 166 KB:  
Home page: <http://www.kerneltools.org/>  
Download: <http://www.kerneltools.org/pub/downloads/module-init-tools/module-init-tools-3.2.2.tar.bz2>  
MD5 sum: a1ad0a09d3231673f70d631f3f5040e9
- Ncurses (5.5) - 2,260 KB:  
Home page: <http://dickey.his.com/ncurses/>  
Download: <ftp://invisible-island.net/ncurses/ncurses-5.5.tar.gz>  
MD5 sum: e73c1ac10b4bfc46db43b2ddfd6244ef
- Patch (2.5.4) - 183 KB:  
Home page: <http://www.gnu.org/software/patch/>  
Download: <http://ftp.gnu.org/gnu/patch/patch-2.5.4.tar.gz>  
MD5 sum: ee5ae84d115f051d87fcaaeef3b4ae782
- Perl (5.8.8) - 9,887 KB:  
Home page: <http://www.perl.com/>  
Download: <http://ftp.funet.fi/pub/CPAN/src/perl-5.8.8.tar.bz2>  
MD5 sum: a377c0c67ab43fd96eeec29ce19e8382
- Procps (3.2.6) - 273 KB:  
Home page: <http://procps.sourceforge.net/>  
Download: <http://procps.sourceforge.net/procps-3.2.6.tar.gz>  
MD5 sum: 7ce39ea27d7b3da0e8ad74dd41d06783
- Psmisc (22.2) - 239 KB:  
Home page: <http://psmisc.sourceforge.net/>  
Download: <http://prdownloads.sourceforge.net/psmisc/psmisc-22.2.tar.gz?download>  
MD5 sum: 77737c817a40ef2c160a7194b5b64337
- Readline (5.1) - 1,983 KB:  
Home page: <http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html>  
Download: <http://ftp.gnu.org/gnu/readline/readline-5.1.tar.gz>  
MD5 sum: 7ee5a692db88b30ca48927a13fd60e46

- Sed (4.1.5) - 781 KB:  
Home page: <http://www.gnu.org/software/sed/>  
Download: <http://ftp.gnu.org/gnu/sed/sed-4.1.5.tar.gz>  
MD5 sum: 7a1cbbbbb3341287308e140bd4834c3ba
- Shadow (4.0.15) - 1,265 KB:  
Download: <ftp://ftp.pld.org.pl/software/shadow/shadow-4.0.15.tar.bz2>  
MD5 sum: a0452fa989f8ba45023cc5a08136568e



### Note

Shadow (4.0.15) may no longer be available at the listed location. The site administrators of the master download location occasionally remove older versions when new ones are released. An alternative download location that may have the correct version available can also be found at: <http://www.linuxfromscratch.org/lfs/download.html#ftp>.

- Sysklogd (1.4.1) - 80 KB:  
Home page: <http://www.infodrom.org/projects/sysklogd/>  
Download: <http://www.infodrom.org/projects/sysklogd/download/sysklogd-1.4.1.tar.gz>  
MD5 sum: d214aa40beabf7bdb0c9b3c64432c774
- Sysvinit (2.86) - 97 KB:  
Download: <ftp://ftp.cistron.nl/pub/people/miquels/sysvinit/sysvinit-2.86.tar.gz>  
MD5 sum: 7d5d61c026122ab791ac04c8a84db967
- Tar (1.15.1) - 1,574 KB:  
Home page: <http://www.gnu.org/software/tar/>  
Download: <http://ftp.gnu.org/gnu/tar/tar-1.15.1.tar.bz2>  
MD5 sum: 57da3c38f8e06589699548a34d5a5d07
- Tcl (8.4.13) - 3,432 KB:  
Home page: <http://tcl.sourceforge.net/>  
Download: <http://prdownloads.sourceforge.net/tcl/tcl8.4.13-src.tar.gz?download>  
MD5 sum: c6b655ad5db095ee73227113220c0523
- Texinfo (4.8) - 1,487 KB:  
Home page: <http://www.gnu.org/software/texinfo/>  
Download: <http://ftp.gnu.org/gnu/texinfo/texinfo-4.8.tar.bz2>  
MD5 sum: 6ba369bbfe4afaa56122e65b3ee3a68c
- Udev (096) - 190 KB:  
Home page: <http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html>  
Download: <http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev-096.tar.bz2>  
MD5 sum: f4effef7807ce1dc91ab581686ef197b
- Udev Configuration Tarball - 4 KB:  
Download: <http://www.linuxfromscratch.org/lfs/downloads/6.2/udev-config-6.2.tar.bz2>  
MD5 sum: 9ff2667ab0f7bfe8182966ef690078a0

- Util-linux (2.12r) - 1,339 KB:  
Download: <http://www.kernel.org/pub/linux/utils/util-linux/util-linux-2.12r.tar.bz2>  
MD5 sum: af9d9e03038481fbf79ea3ac33f116f9
- Vim (7.0) - 6,152 KB:  
Home page: <http://www.vim.org>  
Download: <ftp://ftp.vim.org/pub/vim/unix/vim-7.0.tar.bz2>  
MD5 sum: 4ca69757678272f718b1041c810d82d8
- Vim (7.0) language files (optional) - 1,228 KB:  
Home page: <http://www.vim.org>  
Download: <ftp://ftp.vim.org/pub/vim/extra/vim-7.0-lang.tar.gz>  
MD5 sum: 6d43efaff570b5c86e76b833ea0c6a04
- Zlib (1.2.3) - 485 KB:  
Home page: <http://www.zlib.net/>  
Download: <http://www.zlib.net/zlib-1.2.3.tar.gz>  
MD5 sum: debc62758716a169df9f62e6ab2bc634

Total size of these packages: about 180 MB

### 3.3. Needed Patches

In addition to the packages, several patches are also required. These patches correct any mistakes in the packages that should be fixed by the maintainer. The patches also make small modifications to make the packages easier to work with. The following patches will be needed to build an LFS system:

- Bash Upstream Fixes Patch - 23 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/bash-3.1-fixes-8.patch>  
MD5 sum: bc337045fa4c5839babf0306cc9df6d0
- Bzip2 Bzgrep Security Fixes Patch - 1.2 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/bzip2-1.0.3-bzgrep\\_security-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/bzip2-1.0.3-bzgrep_security-1.patch)  
MD5 sum: 4eae50e4fd690498f23d3057dfad7066
- Bzip2 Documentation Patch - 1.6 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/bzip2-1.0.3-install\\_docs-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/bzip2-1.0.3-install_docs-1.patch)  
MD5 sum: 9e5dfbf4814b71ef986b872c9af84488
- Coreutils Internationalization Fixes Patch - 101 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/coreutils-5.96-i18n-1.patch>  
MD5 sum: 3df2e6fdb1b5a5c13afedd3d3e05600f
- Coreutils Suppress Uptime, Kill, Su Patch - 13 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/coreutils-5.96-suppress\\_uptime\\_kill\\_su-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/coreutils-5.96-suppress_uptime_kill_su-1.patch)  
MD5 sum: 227d41a6d0f13c31375153eae91e913d
- Coreutils Uname Patch - 4.6 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/coreutils-5.96-uname-1.patch>  
MD5 sum: c05b735710fbd62239588c07084852a0
- Database (Berkeley) Upstream Fixes Patch - 3.8 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/db-4.4.20-fixes-1.patch>  
MD5 sum: 32b28d1d1108dfcd837fe10c4eb0fbad
- Diffutils Internationalization Fixes Patch - 18 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/diffutils-2.8.1-i18n-1.patch>  
MD5 sum: c8d481223db274a33b121fb8c25af9f7
- Expect Spawn Patch - 6.8 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/expect-5.43.0-spawn-1.patch>  
MD5 sum: ef6d0d0221c571fb420afb7033b3bbba
- Gawk Segfault Patch - 1.3 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/gawk-3.1.5-segfault\\_fix-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/gawk-3.1.5-segfault_fix-1.patch)  
MD5 sum: 7679530d88bf3eb56c42eb6aba342ddb
- GCC Specs Patch - 15 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/gcc-4.0.3-specs-1.patch>  
MD5 sum: 0aa7d4c6be50c3855fe812f6faabc306

- Glibc Linux Types Patch - 1.1 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/glibc-2.3.6-linux\\_types-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/glibc-2.3.6-linux_types-1.patch)  
MD5 sum: 30ea59ae747478aa9315455543b5bb43
- Glibc Inotify Syscall Functions Patch - 1.4 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/glibc-2.3.6-inotify-1.patch>  
MD5 sum: 94f6d26ae50a0fe6285530fdbae90bbf
- Grep RedHat Fixes Patch - 55 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/grep-2.5.1a-redhat\\_fixes-2.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/grep-2.5.1a-redhat_fixes-2.patch)  
MD5 sum: 2c67910be2d0a54714f63ce350e6d8a6
- Groff Debian Patch - 360 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/groff-1.18.1.1-debian\\_fixes-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/groff-1.18.1.1-debian_fixes-1.patch)  
MD5 sum: a47c281afdda457ba4033498f973400d
- GRUB Disk Geometry Patch - 28 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/grub-0.97-disk\\_geometry-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/grub-0.97-disk_geometry-1.patch)  
MD5 sum: bf1594e82940e25d089feca74c6f1879
- Gzip Security Patch - 2 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/gzip-1.3.5-security\\_fixes-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/gzip-1.3.5-security_fixes-1.patch)  
MD5 sum: f107844f01fc49446654ae4a8f8a0728
- Inetutils GCC-4.x Fix Patch - 1.3 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/inetutils-1.4.2-gcc4\\_fixes-3.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/inetutils-1.4.2-gcc4_fixes-3.patch)  
MD5 sum: 5204fbc503c9fb6a8e353583818db6b9
- Inetutils No-Server-Man-Pages Patch - 4.1 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/inetutils-1.4.2-no\\_server\\_man\\_pages-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/inetutils-1.4.2-no_server_man_pages-1.patch)  
MD5 sum: eb477f532bc6d26e7025fcfc4452511d
- Kbd Backspace/Delete Fix Patch - 11 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/kbd-1.12-backspace-1.patch>  
MD5 sum: 692c88bb76906d99cc20446fadfb6499
- Kbd GCC-4.x Fix Patch - 1.4 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/kbd-1.12-gcc4\\_fixes-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/kbd-1.12-gcc4_fixes-1.patch)  
MD5 sum: 615bc1e381ab646f04d8045751ed1f69
- Linux kernel UTF-8 Composing Patch - 11 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/linux-2.6.16.27-utf8\\_input-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/linux-2.6.16.27-utf8_input-1.patch)  
MD5 sum: d67b53e1e99c782bd28d879e11ee16c3
- Linux Libc Headers Inotify Patch - 4.7 KB:  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/linux-libc-headers-2.6.12.0-inotify-3.patch>  
MD5 sum: 8fd71a4bd3344380bd16caf2c430fa9b
- Mktmp Tempfile Patch - 3.5 KB:  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/mktemp-1.5-add\\_tempfile-3.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/mktemp-1.5-add_tempfile-3.patch)  
MD5 sum: 65d73faabe3f637ad79853b460d30a19

- **Module-init-tools Patch - 1.2 KB:**  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/module-init-tools-3.2.2-modprobe-1.patch>  
MD5 sum: f1e452fdf3b8d7ef60148125e390c3e8
- **Ncurses Fixes Patch - 8.2 KB:**  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/ncurses-5.5-fixes-1.patch>  
MD5 sum: 0e033185008f21578c6e4c7249f92cbb
- **Perl Libc Patch - 1.1 KB:**  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/perl-5.8.8-libc-2.patch>  
MD5 sum: 3bf8aef1fb6eb6110405e699e4141f99
- **Readline Upstream Fixes Patch - 3.8 KB:**  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/readline-5.1-fixes-3.patch>  
MD5 sum: e30963cd5c6f6a11a23344af36cfa38c
- **Sysklogd 8-Bit Cleanness Patch - 0.9 KB:**  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/sysklogd-1.4.1-8bit-1.patch>  
MD5 sum: cc0d9c3bd67a6b6357e42807cf06073e
- **Sysklogd Fixes Patch - 27 KB:**  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/sysklogd-1.4.1-fixes-1.patch>  
MD5 sum: 508104f058d1aef26b3bc8059821935f
- **Tar GCC-4.x Fix Patch - 1.2 KB:**  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/tar-1.15.1-gcc4\\_fix\\_tests-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/tar-1.15.1-gcc4_fix_tests-1.patch)  
MD5 sum: 8e286a1394e6bcf2907f13801770a72a
- **Tar Security Fixes Patch - 3.9 KB:**  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/tar-1.15.1-security\\_fixes-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/tar-1.15.1-security_fixes-1.patch)  
MD5 sum: 19876e726d9cec9ce1508e3af74dc22e
- **Tar Sparse Fix Patch - 0.9 KB:**  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/tar-1.15.1-sparse\\_fix-1.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/tar-1.15.1-sparse_fix-1.patch)  
MD5 sum: 9e3623f7c88d8766878ecb27c980d86a
- **Texinfo Multibyte Fixes Patch - 1.5 KB:**  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/texinfo-4.8-multibyte-1.patch>  
MD5 sum: 6cb5b760cfd2dd53a0430eb572a8aaa
- **Texinfo Tempfile Fix Patch - 2.2 KB:**  
Download: [http://www.linuxfromscratch.org/patches/lfs/6.2/texinfo-4.8-tempfile\\_fix-2.patch](http://www.linuxfromscratch.org/patches/lfs/6.2/texinfo-4.8-tempfile_fix-2.patch)  
MD5 sum: 559bda136a2ac7777ecb67511227af85
- **Util-linux Cramfs Patch - 2.8 KB:**  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/util-linux-2.12r-cramfs-1.patch>  
MD5 sum: 1c3f40b30e12738eb7b66a35b7374572
- **Vim Upstream Fixes Patch - 42 KB:**  
Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/vim-7.0-fixes-7.patch>  
MD5 sum: d274219566702b0bafcb83ab4685bbde

- Vim Man Directories Patch - 4.2 KB:

Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/vim-7.0-mandir-1.patch>

MD5 sum: b6426eb4192fabab1e867ddd502323f5b

- Vim Spellfile Patch - 1.2 KB:

Download: <http://www.linuxfromscratch.org/patches/lfs/6.2/vim-7.0-spellfile-1.patch>

MD5 sum: 98e59e34cb6e16a8d4671247cebd64ee

Total size of these patches: about 775.9 KB

In addition to the above required patches, there exist a number of optional patches created by the LFS community. These optional patches solve minor problems or enable functionality that is not enabled by default. Feel free to peruse the patches database located at <http://www.linuxfromscratch.org/patches/> and acquire any additional patches to suit the system needs.

## Chapter 4. Final Preparations

### 4.1. About \$LFS

Throughout this book, the environment variable `LFS` will be used several times. It is paramount that this variable is always defined. It should be set to the mount point chosen for the LFS partition. Check that the `LFS` variable is set up properly with:

```
echo $LFS
```

Make sure the output shows the path to the LFS partition's mount point, which is `/mnt/lfs` if the provided example was followed. If the output is incorrect, the variable can be set with:

```
export LFS=/mnt/lfs
```

Having this variable set is beneficial in that commands such as `mkdir $LFS/tools` can be typed literally. The shell will automatically replace “`$LFS`” with “`/mnt/lfs`” (or whatever the variable was set to) when it processes the command line.

Do not forget to check that `$LFS` is set whenever you leave and reenter the current working environment (as when doing a `su` to `root` or another user).

## 4.2. Creating the `$LFS/tools` Directory

All programs compiled in Chapter 5 will be installed under `$LFS/tools` to keep them separate from the programs compiled in Chapter 6. The programs compiled here are temporary tools and will not be a part of the final LFS system. By keeping these programs in a separate directory, they can easily be discarded later after their use. This also prevents these programs from ending up in the host production directories (easy to do by accident in Chapter 5).

Create the required directory by running the following as `root`:

```
mkdir -v $LFS/tools
```

The next step is to create a `/tools` symlink on the host system. This will point to the newly-created directory on the LFS partition. Run this command as `root` as well:

```
ln -sv $LFS/tools /
```



### Note

The above command is correct. The `ln` command has a few syntactic variations, so be sure to check **info coreutils ln** and `ln(1)` before reporting what you may think is an error.

The created symlink enables the toolchain to be compiled so that it always refers to `/tools`, meaning that the compiler, assembler, and linker will work both in this chapter (when we are still using some tools from the host) and in the next (when we are “chrooted” to the LFS partition).

## 4.3. Adding the LFS User

When logged in as user `root`, making a single mistake can damage or destroy a system. Therefore, we recommend building the packages in this chapter as an unprivileged user. You could use your own user name, but to make it easier to set up a clean working environment, create a new user called `lfs` as a member of a new group (also named `lfs`) and use this user during the installation process. As `root`, issue the following commands to add the new user:

```
groupadd lfs
useradd -s /bin/bash -g lfs -m -k /dev/null lfs
```

The meaning of the command line options:

`-s /bin/bash`

This makes **bash** the default shell for user `lfs`.

`-g lfs`

This option adds user `lfs` to group `lfs`.

`-m`

This creates a home directory for `lfs`.

`-k /dev/null`

This parameter prevents possible copying of files from a skeleton directory (default is `/etc/skel`) by changing the input location to the special null device.

`lfs`

This is the actual name for the created group and user.

To log in as `lfs` (as opposed to switching to user `lfs` when logged in as `root`, which does not require the `lfs` user to have a password), give `lfs` a password:

```
passwd lfs
```

Grant `lfs` full access to `$LFS/tools` by making `lfs` the directory owner:

```
chown -v lfs $LFS/tools
```

If a separate working directory was created as suggested, give user `lfs` ownership of this directory:

```
chown -v lfs $LFS/sources
```

Next, login as user `lfs`. This can be done via a virtual console, through a display manager, or with the following substitute user command:

```
su - lfs
```

The “-” instructs `su` to start a login shell as opposed to a non-login shell. The difference between these two types of shells can be found in detail in `bash(1)` and **info bash**.

## 4.4. Setting Up the Environment

Set up a good working environment by creating two new startup files for the **bash** shell. While logged in as user `lfs`, issue the following command to create a new `.bash_profile`:

```
cat > ~/.bash_profile << "EOF"
exec env -i HOME=$HOME TERM=$TERM PS1='\u:\w\$ ' /bin/bash
EOF
```

When logged on as user `lfs`, the initial shell is usually a *login* shell which reads the `/etc/profile` of the host (probably containing some settings and environment variables) and then `.bash_profile`. The **exec env -i.../bin/bash** command in the `.bash_profile` file replaces the running shell with a new one with a completely empty environment, except for the `HOME`, `TERM`, and `PS1` variables. This ensures that no unwanted and potentially hazardous environment variables from the host system leak into the build environment. The technique used here achieves the goal of ensuring a clean environment.

The new instance of the shell is a *non-login* shell, which does not read the `/etc/profile` or `.bash_profile` files, but rather reads the `.bashrc` file instead. Create the `.bashrc` file now:

```
cat > ~/.bashrc << "EOF"
set +h
umask 022
LFS=/mnt/lfs
LC_ALL=POSIX
PATH=/tools/bin:/bin:/usr/bin
export LFS LC_ALL PATH
EOF
```

The **set +h** command turns off **bash**'s hash function. Hashing is ordinarily a useful feature—**bash** uses a hash table to remember the full path of executable files to avoid searching the `PATH` time and again to find the same executable. However, the new tools should be used as soon as they are installed. By switching off the hash function, the shell will always search the `PATH` when a program is to be run. As such, the shell will find the newly compiled tools in `$LFS/tools` as soon as they are available without remembering a previous version of the same program in a different location.

Setting the user file-creation mask (`umask`) to `022` ensures that newly created files and directories are only writable by their owner, but are readable and executable by anyone (assuming default modes are used by the `open(2)` system call, new files will end up with permission mode `644` and directories with mode `755`).

The `LFS` variable should be set to the chosen mount point.

The `LC_ALL` variable controls the localization of certain programs, making their messages follow the conventions of a specified country. If the host system uses a version of `Glibc` older than `2.2.4`, having `LC_ALL` set to something other than “`POSIX`” or “`C`” (during this chapter) may cause issues if you exit the `chroot` environment and wish to return later. Setting `LC_ALL` to “`POSIX`” or “`C`” (the two are equivalent) ensures that everything will work as expected in the `chroot` environment.

By putting `/tools/bin` ahead of the standard `PATH`, all the programs installed in Chapter 5 are picked up by the shell immediately after their installation. This, combined with turning off hashing, limits the risk that old programs are used from the host when the same programs are available in the chapter 5 environment.

Finally, to have the environment fully prepared for building the temporary tools, source the just-created user profile:

```
source ~/.bash_profile
```

## 4.5. About SBUs

Many people would like to know beforehand approximately how long it takes to compile and install each package. Because Linux From Scratch can be built on many different systems, it is impossible to provide accurate time estimates. The biggest package (Glibc) will take approximately 20 minutes on the fastest systems, but could take up to three days on slower systems! Instead of providing actual times, the Standard Build Unit (SBU) measure will be used instead.

The SBU measure works as follows. The first package to be compiled from this book is Binutils in Chapter 5. The time it takes to compile this package is what will be referred to as the Standard Build Unit or SBU. All other compile times will be expressed relative to this time.

For example, consider a package whose compilation time is 4.5 SBUs. This means that if a system took 10 minutes to compile and install the first pass of Binutils, it will take *approximately* 45 minutes to build this example package. Fortunately, most build times are shorter than the one for Binutils.

In general, SBUs are not entirely accurate because they depend on many factors, including the host system's version of GCC. Note that on Symmetric Multi-Processor (SMP)-based machines, SBUs are even less accurate. They are provided here to give an estimate of how long it might take to install a package, but the numbers can vary by as much as dozens of minutes in some cases.

To view actual timings for a number of specific machines, we recommend The LinuxFromScratch SBU Home Page at <http://www.linuxfromscratch.org/~sbu/>.

## 4.6. About the Test Suites

Most packages provide a test suite. Running the test suite for a newly built package is a good idea because it can provide a “sanity check” indicating that everything compiled correctly. A test suite that passes its set of checks usually proves that the package is functioning as the developer intended. It does not, however, guarantee that the package is totally bug free.

Some test suites are more important than others. For example, the test suites for the core toolchain packages—GCC, Binutils, and Glibc—are of the utmost importance due to their central role in a properly functioning system. The test suites for GCC and Glibc can take a very long time to complete, especially on slower hardware, but are strongly recommended.



### Note

Experience has shown that there is little to be gained from running the test suites in Chapter 5. There can be no escaping the fact that the host system always exerts some influence on the tests in that chapter, often causing inexplicable failures. Because the tools built in Chapter 5 are temporary and eventually discarded, we do not recommend running the test suites in Chapter 5 for the average reader. The instructions for running those test suites are provided for the benefit of testers and developers, but they are strictly optional.

A common issue with running the test suites for Binutils and GCC is running out of pseudo terminals (PTYs). This can result in a high number of failing tests. This may happen for several reasons, but the most likely cause is that the host system does not have the `devpts` file system set up correctly. This issue is discussed in greater detail in Chapter 5.

Sometimes package test suites will fail, but for reasons which the developers are aware of and have deemed non-critical. Consult the logs located at <http://www.linuxfromscratch.org/lfs/build-logs/6.2/> to verify whether or not these failures are expected. This site is valid for all tests throughout this book.

# Chapter 5. Constructing a Temporary System

## 5.1. Introduction

This chapter shows how to compile and install a minimal Linux system. This system will contain just enough tools to start constructing the final LFS system in Chapter 6 and allow a working environment with more user convenience than a minimum environment would.

There are two steps in building this minimal system. The first step is to build a new and host-independent toolchain (compiler, assembler, linker, libraries, and a few useful utilities). The second step uses this toolchain to build the other essential tools.

The files compiled in this chapter will be installed under the `$LFS/tools` directory to keep them separate from the files installed in the next chapter and the host production directories. Since the packages compiled here are temporary, we do not want them to pollute the soon-to-be LFS system.



### Important

Before issuing the build instructions for a package, the package should be unpacked as user `lfs`, and a `cd` into the created directory should be performed. The build instructions assume that the `bash` shell is in use.

Several of the packages are patched before compilation, but only when the patch is needed to circumvent a problem. A patch is often needed in both this and the next chapter, but sometimes in only one or the other. Therefore, do not be concerned if instructions for a downloaded patch seem to be missing. Warning messages about *offset* or *fuzz* may also be encountered when applying a patch. Do not worry about these warnings, as the patch was still successfully applied.

During the compilation of most packages, there will be several warnings that scroll by on the screen. These are normal and can safely be ignored. These warnings are as they appear—warnings about deprecated, but not invalid, use of the C or C++ syntax. C standards change fairly often, and some packages still use the older standard. This is not a problem, but does prompt the warning.



### Important

After installing each package, delete its source and build directories, unless specifically instructed otherwise. Deleting the sources prevents mis-configuration when the same package is reinstalled later.

Check one last time that the LFS environment variable is set up properly:

```
echo $LFS
```

Make sure the output shows the path to the LFS partition's mount point, which is `/mnt/lfs`, using our example.

## 5.2. Toolchain Technical Notes

This section explains some of the rationale and technical details behind the overall build method. It is not essential to immediately understand everything in this section. Most of this information will be clearer after performing an actual build. This section can be referred back to at any time during the process.

The overall goal of Chapter 5 is to provide a temporary environment that can be chrooted into and from which can be produced a clean, trouble-free build of the target LFS system in Chapter 6. Along the way, we separate the new system from the host system as much as possible, and in doing so, build a self-contained and self-hosted toolchain. It should be noted that the build process has been designed to minimize the risks for new readers and provide maximum educational value at the same time.



### Important

Before continuing, be aware of the name of the working platform, often referred to as the target triplet. Many times, the target triplet will probably be *i686-pc-linux-gnu*. A simple way to determine the name of the target triplet is to run the **config.guess** script that comes with the source for many packages. Unpack the Binutils sources and run the script: `./config.guess` and note the output.

Also be aware of the name of the platform's dynamic linker, often referred to as the dynamic loader (not to be confused with the standard linker **ld** that is part of Binutils). The dynamic linker provided by Glibc finds and loads the shared libraries needed by a program, prepares the program to run, and then runs it. The name of the dynamic linker will usually be `ld-linux.so.2`. On platforms that are less prevalent, the name might be `ld.so.1`, and newer 64 bit platforms might be named something else entirely. The name of the platform's dynamic linker can be determined by looking in the `/lib` directory on the host system. A sure-fire way to determine the name is to inspect a random binary from the host system by running: `readelf -l <name of binary> | grep interpreter` and noting the output. The authoritative reference covering all platforms is in the `shlib-versions` file in the root of the Glibc source tree.

Some key technical points of how the Chapter 5 build method works:

- The process is similar in principle to cross-compiling, whereby tools installed in the same prefix work in cooperation, and thus utilize a little GNU “magic”
- Careful manipulation of the standard linker's library search path ensures programs are linked only against chosen libraries
- Careful manipulation of **gcc**'s `specs` file tells the compiler which target dynamic linker will be used

Binutils is installed first because the **configure** runs of both GCC and Glibc perform various feature tests on the assembler and linker to determine which software features to enable or disable. This is more important than one might first realize. An incorrectly configured GCC or Glibc can result in a subtly broken toolchain, where the impact of such breakage might not show up until near the end of the build of an entire distribution. A test suite failure will usually highlight this error before too much additional work is performed.

Binutils installs its assembler and linker in two locations, `/tools/bin` and `/tools/$TARGET_TRIPLET/bin`. The tools in one location are hard linked to the other. An important facet of the linker is its library search order. Detailed information can be obtained from **ld** by passing it the

`--verbose` flag. For example, an `ld --verbose | grep SEARCH` will illustrate the current search paths and their order. It shows which files are linked by `ld` by compiling a dummy program and passing the `--verbose` switch to the linker. For example, `gcc dummy.c -Wl,--verbose 2>&1 | grep succeeded` will show all the files successfully opened during the linking.

The next package installed is GCC. An example of what can be seen during its run of `configure` is:

```
checking what assembler to use...
    /tools/i686-pc-linux-gnu/bin/as
checking what linker to use... /tools/i686-pc-linux-gnu/bin/ld
```

This is important for the reasons mentioned above. It also demonstrates that GCC's `configure` script does not search the `PATH` directories to find which tools to use. However, during the actual operation of `gcc` itself, the same search paths are not necessarily used. To find out which standard linker `gcc` will use, run: `gcc -print-prog-name=ld`.

Detailed information can be obtained from `gcc` by passing it the `-v` command line option while compiling a dummy program. For example, `gcc -v dummy.c` will show detailed information about the preprocessor, compilation, and assembly stages, including `gcc`'s included search paths and their order.

The next package installed is Glibc. The most important considerations for building Glibc are the compiler, binary tools, and kernel headers. The compiler is generally not an issue since Glibc will always use the `gcc` found in a `PATH` directory. The binary tools and kernel headers can be a bit more complicated. Therefore, take no risks and use the available `configure` switches to enforce the correct selections. After the run of `configure`, check the contents of the `config.make` file in the `glibc-build` directory for all important details. Note the use of `CC="gcc -B/tools/bin/"` to control which binary tools are used and the use of the `-nostdinc` and `-isystem` flags to control the compiler's include search path. These items highlight an important aspect of the Glibc package—it is very self-sufficient in terms of its build machinery and generally does not rely on toolchain defaults.

After the Glibc installation, make some adjustments to ensure that searching and linking take place only within the `/tools` prefix. Install an adjusted `ld`, which has a hard-wired search path limited to `/tools/lib`. Then amend `gcc`'s specs file to point to the new dynamic linker in `/tools/lib`. This last step is vital to the whole process. As mentioned above, a hard-wired path to a dynamic linker is embedded into every Executable and Link Format (ELF)-shared executable. This can be inspected by running: `readelf -l <name of binary> | grep interpreter`. Amending `gcc`'s specs file ensures that every program compiled from here through the end of this chapter will use the new dynamic linker in `/tools/lib`.

The need to use the new dynamic linker is also the reason why the Specs patch is applied for the second pass of GCC. Failure to do so will result in the GCC programs themselves having the name of the dynamic linker from the host system's `/lib` directory embedded into them, which would defeat the goal of getting away from the host.

During the second pass of Binutils, we are able to utilize the `--with-lib-path` `configure` switch to control `ld`'s library search path. From this point onwards, the core toolchain is self-contained and self-hosted. The remainder of the Chapter 5 packages all build against the new Glibc in `/tools`.

Upon entering the chroot environment in Chapter 6, the first major package to be installed is Glibc, due to its self-sufficient nature mentioned above. Once this Glibc is installed into `/usr`, perform a quick changeover of the toolchain defaults, then proceed in building the rest of the target LFS system.

## 5.3. Binutils-2.16.1 - Pass 1

The Binutils package contains a linker, an assembler, and other tools for handling object files.

**Approximate build time:** 1 SBU

**Required disk space:** 189 MB

### 5.3.1. Installation of Binutils

It is important that Binutils be the first package compiled because both Glibc and GCC perform various tests on the available linker and assembler to determine which of their own features to enable.

The Binutils documentation recommends building Binutils outside of the source directory in a dedicated build directory:

```
mkdir -v ../binutils-build
cd ../binutils-build
```



#### Note

In order for the SBU values listed in the rest of the book to be of any use, measure the time it takes to build this package from the configuration, up to and including the first install. To achieve this easily, wrap the three commands in a **time** command like this: **time { ./configure ... && make && make install; }**.

Now prepare Binutils for compilation:

```
../binutils-2.16.1/configure --prefix=/tools --disable-nls
```

The meaning of the configure options:

*--prefix=/tools*

This tells the configure script to prepare to install the Binutils programs in the `/tools` directory.

*--disable-nls*

This disables internationalization as `i18n` is not needed for the temporary tools.

Continue with compiling the package:

```
make
```

Compilation is now complete. Ordinarily we would now run the test suite, but at this early stage the test suite framework (Tcl, Expect, and DejaGNU) is not yet in place. The benefits of running the tests at this point are minimal since the programs from this first pass will soon be replaced by those from the second.

Install the package:

```
make install
```

Next, prepare the linker for the “Adjusting” phase later on:

```
make -C ld clean
make -C ld LIB_PATH=/tools/lib
cp -v ld/ld-new /tools/bin
```

**The meaning of the make parameters:**

*-C ld clean*

This tells the make program to remove all compiled files in the `ld` subdirectory.

*-C ld LIB\_PATH=/tools/lib*

This option rebuilds everything in the `ld` subdirectory. Specifying the `LIB_PATH` Makefile variable on the command line allows us to override the default value and point it to the temporary tools location. The value of this variable specifies the linker's default library search path. This preparation is used later in the chapter.

Details on this package are located in Section 6.11.2, “Contents of Binutils.”

## 5.4. GCC-4.0.3 - Pass 1

The GCC package contains the GNU compiler collection, which includes the C and C++ compilers.

**Approximate build time:** 8.2 SBU

**Required disk space:** 514 MB

### 5.4.1. Installation of GCC

The GCC documentation recommends building GCC outside of the source directory in a dedicated build directory:

```
mkdir -v ../gcc-build
cd ../gcc-build
```

Prepare GCC for compilation:

```
../gcc-4.0.3/configure --prefix=/tools \
  --with-local-prefix=/tools --disable-nls --enable-shared \
  --enable-languages=c
```

**The meaning of the configure options:**

*--with-local-prefix=/tools*

The purpose of this switch is to remove `/usr/local/include` from `gcc`'s include search path. This is not absolutely essential, however, it helps to minimize the influence of the host system.

*--enable-shared*

This switch allows the building of `libgcc_s.so.1` and `libgcc_eh.a`. Having `libgcc_eh.a` available ensures that the configure script for Glibc (the next package we compile) produces the proper results.

*--enable-languages=c*

This option ensures that only the C compiler is built.

Continue with compiling the package:

```
make bootstrap
```

**The meaning of the make parameter:**

*bootstrap*

This target does not just compile GCC, but compiles it several times. It uses the programs compiled in a first round to compile itself a second time, and then again a third time. It then compares these second and third compiles to make sure it can reproduce itself flawlessly. This also implies that it was compiled correctly.

Compilation is now complete. At this point, the test suite would normally be run, but, as mentioned before, the test suite framework is not in place yet. The benefits of running the tests at this point are minimal since the programs from this first pass will soon be replaced.

Install the package:

```
make install
```

As a finishing touch, create a symlink. Many programs and scripts run **cc** instead of **gcc**, which is used to keep programs generic and therefore usable on all kinds of UNIX systems where the GNU C compiler is not always installed. Running **cc** leaves the system administrator free to decide which C compiler to install.

```
ln -vs gcc /tools/bin/cc
```

Details on this package are located in Section 6.12.2, “Contents of GCC.”

## 5.5. Linux-Libc-Headers-2.6.12.0

The Linux-Libc-Headers package contains the “sanitized” kernel headers.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 27 MB

### 5.5.1. Installation of Linux-Libc-Headers

For years it has been common practice to use “raw” kernel headers (straight from a kernel tarball) in `/usr/include`, but over the last few years, the kernel developers have taken a strong stance that this should not be done. This gave birth to the Linux-Libc-Headers Project, which was designed to maintain an Application Programming Interface (API) stable version of the Linux headers.

Install the header files:

```
cp -Rv include/asm-i386 /tools/include/asm
cp -Rv include/linux /tools/include
```

If your architecture is not i386 (compatible), adjust the first command accordingly.

Details on this package are located in Section 6.7.2, “Contents of Linux-Libc-Headers.”

## 5.6. Glibc-2.3.6

The Glibc package contains the main C library. This library provides the basic routines for allocating memory, searching directories, opening and closing files, reading and writing files, string handling, pattern matching, arithmetic, and so on.

**Approximate build time:** 6 SBU

**Required disk space:** 325 MB

### 5.6.1. Installation of Glibc

The Glibc documentation recommends building Glibc outside of the source directory in a dedicated build directory:

```
mkdir -v ../glibc-build
cd ../glibc-build
```

Next, prepare Glibc for compilation:

```
../glibc-2.3.6/configure --prefix=/tools \
  --disable-profile --enable-add-ons \
  --enable-kernel=2.6.0 --with-binutils=/tools/bin \
  --without-gd --with-headers=/tools/include \
  --without-selinux
```

**The meaning of the configure options:**

*--disable-profile*

This builds the libraries without profiling information. Omit this option if profiling on the temporary tools is necessary.

*--enable-add-ons*

This tells Glibc to use the NPTL add-on as its threading library.

*--enable-kernel=2.6.0*

This tells Glibc to compile the library with support for 2.6.x Linux kernels.

*--with-binutils=/tools/bin*

While not required, this switch ensures that there are no errors pertaining to which Binutils programs get used during the Glibc build.

*--without-gd*

This prevents the build of the **memusagestat** program, which insists on linking against the host's libraries (libgd, libpng, libz, etc.).

*--with-headers=/tools/include*

This tells Glibc to compile itself against the headers recently installed to the tools directory, so that it knows exactly what features the kernel has and can optimize itself accordingly.

`--without-selinux`

When building from hosts that include SELinux functionality (e.g., Fedora Core 3), Glibc will build with support for SELinux. As the LFS tools environment does not contain support for SELinux, a Glibc compiled with such support will fail to operate correctly.

During this stage the following warning might appear:

```
configure: WARNING:
*** These auxiliary programs are missing or
*** incompatible versions: msgfmt
*** some features will be disabled.
*** Check the INSTALL file for required versions.
```

The missing or incompatible **msgfmt** program is generally harmless, but it can sometimes cause issues when running the test suite. This **msgfmt** program is part of the Gettext package which the host distribution should provide. If **msgfmt** is present but deemed incompatible, upgrade the host system's Gettext package or continue without it and see if the test suite runs without problems regardless.

Compile the package:

```
make
```

Compilation is now complete. As mentioned earlier, running the test suites for the temporary tools installed in this chapter is not mandatory. To run the Glibc test suite (if desired), the following command will do so:

```
make check
```

For a discussion of test failures that are of particular importance, please see Section 6.9, “Glibc-2.3.6.”

In this chapter, some tests can be adversely affected by existing tools or environmental issues on the host system. Glibc test suite failures in this chapter are typically not worrisome. The Glibc installed in Chapter 6 is the one that will ultimately end up being used, so that is the one that needs to pass most tests (even in Chapter 6, some failures could still occur, for example, with the math tests).

When experiencing a failure, make a note of it, then continue by reissuing the **make check** command. The test suite should pick up where it left off and continue. This stop-start sequence can be circumvented by issuing a **make -k check** command. If using this option, be sure to log the output so that the log file can be examined for failures later.

The install stage of Glibc will issue a harmless warning at the end about the absence of `/tools/etc/ld.so.conf`. Prevent this warning with:

```
mkdir -v /tools/etc
touch /tools/etc/ld.so.conf
```

Install the package:

```
make install
```

Different countries and cultures have varying conventions for how to communicate. These conventions range from the format for representing dates and times to more complex issues, such as the language spoken. The “internationalization” of GNU programs works by locale.

**Note**

If the test suites are not being run in this chapter (as per the recommendation), there is no need to install the locales now. The appropriate locales will be installed in the next chapter. To install the Glibc locales anyway, use instructions from Section 6.9, “Glibc-2.3.6.”

Details on this package are located in Section 6.9.4, “Contents of Glibc.”

## 5.7. Adjusting the Toolchain

Now that the temporary C libraries have been installed, all tools compiled in the rest of this chapter should be linked against these libraries. In order to accomplish this, the linker and the compiler's specs file need to be adjusted.

The linker, adjusted at the end of the first pass of Binutils, needs to be renamed so that it can be properly found and used. First, backup the original linker, then replace it with the adjusted linker. We'll also create a link to its counterpart in `/tools/${gcc -dumpmachine}/bin`

```
mv -v /tools/bin/{ld,ld-old}
mv -v /tools/${gcc -dumpmachine}/bin/{ld,ld-old}
mv -v /tools/bin/{ld-new,ld}
ln -sv /tools/bin/ld /tools/${gcc -dumpmachine}/bin/ld
```

From this point onwards, everything will link only against the libraries in `/tools/lib`.

The next task is to point GCC to the new dynamic linker. This is done by dumping GCC's "specs" file to a location where GCC will look for it by default. A simple `sed` substitution then alters the dynamic linker that GCC will use:

```
SPECFILE=`dirname $(gcc -print-libgcc-file-name)`/specs &&
gcc -dumpspecs > $SPECFILE &&
sed 's@^/lib/ld-linux.so.2@/tools&@g' $SPECFILE > tempspecfile &&
mv -vf tempspecfile $SPECFILE &&
unset SPECFILE
```

Alternatively, the specs file can be edited by hand. This is done by replacing every occurrence of `/lib/ld-linux.so.2` with `/tools/lib/ld-linux.so.2`

Be sure to visually inspect the specs file in order to verify the intended changes have been made.



### Important

If working on a platform where the name of the dynamic linker is something other than `ld-linux.so.2`, replace `"ld-linux.so.2"` with the name of the platform's dynamic linker in the above commands. Refer back to Section 5.2, "Toolchain Technical Notes," if necessary.

During the build process, GCC runs a script (`fixincludes`) that scans the system for header files that may need to be fixed (they might contain syntax errors, for example), and installs the fixed versions in a private include directory. There is a possibility that, as a result of this process, some header files from the host system have found their way into GCC's private include directory. As the rest of this chapter only requires the headers from GCC and Glibc, which have both been installed at this point, any "fixed" headers can safely be removed. This helps to avoid any host headers polluting the build environment. Run the following commands to remove the header files in GCC's private include directory:

```
GCC_INCLUDEDIR=`dirname $(gcc -print-libgcc-file-name)`/include &&
find ${GCC_INCLUDEDIR}/* -maxdepth 0 -xtype d -exec rm -rvf '{}' \; &&
rm -vf `grep -l "DO NOT EDIT THIS FILE" ${GCC_INCLUDEDIR}/*` &&
unset GCC_INCLUDEDIR
```



## Caution

At this point, it is imperative to stop and ensure that the basic functions (compiling and linking) of the new toolchain are working as expected. To perform a sanity check, run the following commands:

```
echo 'main(){}' > dummy.c
cc dummy.c
readelf -l a.out | grep ': /tools'
```

If everything is working correctly, there should be no errors, and the output of the last command will be of the form:

```
[Requesting program interpreter:
 /tools/lib/ld-linux.so.2]
```

Note that `/tools/lib` appears as the prefix of the dynamic linker.

If the output is not shown as above or there was no output at all, then something is wrong. Investigate and retrace the steps to find out where the problem is and correct it. This issue must be resolved before continuing on. First, perform the sanity check again, using `gcc` instead of `cc`. If this works, then the `/tools/bin/cc` symlink is missing. Revisit Section 5.4, “GCC-4.0.3 - Pass 1,” and install the symlink. Next, ensure that the `PATH` is correct. This can be checked by running `echo $PATH` and verifying that `/tools/bin` is at the head of the list. If the `PATH` is wrong it could mean that you are not logged in as user `lfs` or that something went wrong back in Section 4.4, “Setting Up the Environment.” Another option is that something may have gone wrong with the specs file amendment above. In this case, redo the specs file amendment, being careful to copy-and-paste the commands.

Once all is well, clean up the test files:

```
rm -v dummy.c a.out
```



## Note

Building TCL in the next section will serve as an additional check that the toolchain has been built properly. If TCL fails to build, it is an indication that something has gone wrong with the Binutils, GCC, or Glibc installation, but not with TCL itself.

## 5.8. Tcl-8.4.13

The Tcl package contains the Tool Command Language.

**Approximate build time:** 0.3 SBU

**Required disk space:** 24 MB

### 5.8.1. Installation of Tcl

This package and the next two (Expect and DejaGNU) are installed to support running the test suites for GCC and Binutils. Installing three packages for testing purposes may seem excessive, but it is very reassuring, if not essential, to know that the most important tools are working properly. Even if the test suites are not run in this chapter (they are not mandatory), these packages are required to run the test suites in Chapter 6.

Prepare Tcl for compilation:

```
cd unix
./configure --prefix=/tools
```

Build the package:

```
make
```

To test the results, issue: **TZ=UTC make test**. The Tcl test suite is known to experience failures under certain host conditions that are not fully understood. Therefore, test suite failures here are not surprising, and are not considered critical. The *TZ=UTC* parameter sets the time zone to Coordinated Universal Time (UTC), also known as Greenwich Mean Time (GMT), but only for the duration of the test suite run. This ensures that the clock tests are exercised correctly. Details on the TZ environment variable are provided in Chapter 7.

Install the package:

```
make install
```

Install Tcl's headers. The next package, Expect, requires them to build.

```
make install-private-headers
```

Now make a necessary symbolic link:

```
ln -sv tclsh8.4 /tools/bin/tclsh
```

## 5.8.2. Contents of Tcl

**Installed programs:** tclsh (link to tclsh8.4) and tclsh8.4

**Installed library:** libtcl8.4.so

### Short Descriptions

**tclsh8.4**            The Tcl command shell

**tclsh**             A link to tclsh8.4

**libtcl8.4.so**    The Tcl library

## 5.9. Expect-5.43.0

The Expect package contains a program for carrying out scripted dialogues with other interactive programs.

**Approximate build time:** 0.1 SBU

**Required disk space:** 4 MB

### 5.9.1. Installation of Expect

First, fix a bug that can result in false failures during the GCC test suite run:

```
patch -Np1 -i ../expect-5.43.0-spawn-1.patch
```

Now prepare Expect for compilation:

```
./configure --prefix=/tools --with-tcl=/tools/lib \  
--with-tclinclude=/tools/include --with-x=no
```

**The meaning of the configure options:**

*--with-tcl=/tools/lib*

This ensures that the configure script finds the Tcl installation in the temporary tools location instead of possibly locating an existing one on the host system.

*--with-tclinclude=/tools/include*

This explicitly tells Expect where to find Tcl's internal headers. Using this option avoids conditions where **configure** fails because it cannot automatically discover the location of Tcl's headers.

*--with-x=no*

This tells the configure script not to search for Tk (the Tcl GUI component) or the X Window System libraries, both of which may reside on the host system but will not exist in the temporary environment.

Build the package:

```
make
```

To test the results, issue: **make test**. Note that the Expect test suite is known to experience failures under certain host conditions that are not within our control. Therefore, test suite failures here are not surprising and are not considered critical.

Install the package:

```
make SCRIPTS="" install
```

**The meaning of the make parameter:**

*SCRIPTS=""*

This prevents installation of the supplementary Expect scripts, which are not needed.

## 5.9.2. Contents of Expect

**Installed program:** expect

**Installed library:** libexpect-5.43.a

### Short Descriptions

<b>expect</b>	Communicates with other interactive programs according to a script
<code>libexpect-5.43.a</code>	Contains functions that allow Expect to be used as a Tcl extension or to be used directly from C or C++ (without Tcl)

## 5.10. DejaGNU-1.4.4

The DejaGNU package contains a framework for testing other programs.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 6.2 MB

### 5.10.1. Installation of DejaGNU

Prepare DejaGNU for compilation:

```
./configure --prefix=/tools
```

Build and install the package:

```
make install
```

To test the results, issue: **make check**.

### 5.10.2. Contents of DejaGNU

**Installed program:** runtest

#### Short Descriptions

**runtest**      A wrapper script that locates the proper **expect** shell and then runs DejaGNU

## 5.11. GCC-4.0.3 - Pass 2

The GCC package contains the GNU compiler collection, which includes the C and C++ compilers.

**Approximate build time:** 4.2 SBU

**Required disk space:** 443 MB

### 5.11.1. Re-installation of GCC

The tools required to test GCC and Binutils—Tcl, Expect and DejaGNU—are installed now. GCC and Binutils can now be rebuilt, linking them against the new Glibc and testing them properly (if running the test suites in this chapter). Please note that these test suites are highly dependent on properly functioning PTYs which are provided by the host. PTYs are most commonly implemented via the `devpts` file system. Check to see if the host system is set up correctly in this regard by performing a quick test:

```
expect -c "spawn ls"
```

The response might be:

```
The system has no more ptys.
Ask your system administrator to create more.
```

If the above message is received, the host does not have its PTYs set up properly. In this case, there is no point in running the test suites for GCC and Binutils until this issue is resolved. Please consult the LFS FAQ at <http://www.linuxfromscratch.org/lfs/faq.html#no-ptys> for more information on how to get PTYs working.

As previously explained in Section 5.7, “Adjusting the Toolchain”, under normal circumstances the GCC **fixincludes** script is run in order to fix potentially broken header files. As GCC-4.0.3 and Glibc-2.3.6 have already been installed at this point, and their respective header files are known to not require fixing, the **fixincludes** script is not required. As mentioned previously, the script may in fact pollute the build environment by installing fixed headers from the host system into GCC's private include directory. The running of the **fixincludes** script can be suppressed by issuing the following commands:

```
cp -v gcc/Makefile.in{,.orig} &&
sed 's@\.\/fixinc\.sh@-c true@' gcc/Makefile.in.orig > gcc/Makefile.in
```

The bootstrap build performed in Section 5.4, “GCC-4.0.3 - Pass 1” built GCC with the `-fomit-frame-pointer` compiler flag. Non-bootstrap builds omit this flag by default, so apply the following **sed** to use it in order to ensure consistent compiler builds.

```
cp -v gcc/Makefile.in{,.tmp} &&
sed 's/^XCFLAGS =$/& -fomit-frame-pointer/' gcc/Makefile.in.tmp \
> gcc/Makefile.in
```

Apply the following patch to change the location of GCC's default dynamic linker (typically `ld-linux.so.2`):

```
patch -Np1 -i ../gcc-4.0.3-specs-1.patch
```

The above patch also removes `/usr/include` from GCC's include search path. Patching now rather than adjusting the specs file after installation ensures that the new dynamic linker is used during the actual build of GCC. That is, all of the binaries created during the build will link against the new Glibc.



### Important

The above patch is critical in ensuring a successful overall build. Do not forget to apply it.

Create a separate build directory again:

```
mkdir -v ../gcc-build
cd ../gcc-build
```

Before starting to build GCC, remember to unset any environment variables that override the default optimization flags.

Now prepare GCC for compilation:

```
../gcc-4.0.3/configure --prefix=/tools \
  --with-local-prefix=/tools --enable-clocale=gnu \
  --enable-shared --enable-threads=posix \
  --enable-__cxa_atexit --enable-languages=c,c++ \
  --disable-libstdcxx-pch
```

The meaning of the new configure options:

`--enable-clocale=gnu`

This option ensures the correct locale model is selected for the C++ libraries under all circumstances. If the configure script finds the `de_DE` locale installed, it will select the correct gnu locale model. However, if the `de_DE` locale is not installed, there is the risk of building Application Binary Interface (ABI)-incompatible C++ libraries because the incorrect generic locale model may be selected.

`--enable-threads=posix`

This enables C++ exception handling for multi-threaded code.

`--enable-__cxa_atexit`

This option allows use of `__cxa_atexit`, rather than `atexit`, to register C++ destructors for local statics and global objects. This option is essential for fully standards-compliant handling of destructors. It also affects the C++ ABI, and therefore results in C++ shared libraries and C++ programs that are interoperable with other Linux distributions.

`--enable-languages=c,c++`

This option ensures that both the C and C++ compilers are built.

`--disable-libstdcxx-pch`

Do not build the pre-compiled header (PCH) for `libstdc++`. It takes up a lot of space, and we have no use for it.

Compile the package:

```
make
```

There is no need to use the *bootstrap* target now because the compiler being used to compile this GCC was built from the exact same version of the GCC sources used earlier.

Compilation is now complete. As previously mentioned, running the test suites for the temporary tools compiled in this chapter is not mandatory. To run the GCC test suite anyway, use the following command:

```
make -k check
```

The *-k* flag is used to make the test suite run through to completion and not stop at the first failure. The GCC test suite is very comprehensive and is almost guaranteed to generate a few failures.

For a discussion of test failures that are of particular importance, please see Section 6.12, “GCC-4.0.3.”

Install the package:

```
make install
```



### Caution

At this point, it is imperative to stop and ensure that the basic functions (compiling and linking) of the new toolchain are working as expected. To perform a sanity check, run the following commands:

```
echo 'main(){}' > dummy.c  
cc dummy.c  
readelf -l a.out | grep ': /tools'
```

If everything is working correctly, there should be no errors, and the output of the last command will be of the form:

```
[Requesting program interpreter:  
 /tools/lib/ld-linux.so.2]
```

Note that */tools/lib* appears as the prefix of the dynamic linker.

If the output is not shown as above or there was no output at all, then something is wrong. Investigate and retrace the steps to find out where the problem is and correct it. This issue must be resolved before continuing on. First, perform the sanity check again, using **gcc** instead of **cc**. If this works, then the */tools/bin/cc* symlink is missing. Revisit Section 5.4, “GCC-4.0.3 - Pass 1,” and install the symlink. Next, ensure that the *PATH* is correct. This can be checked by running **echo \$PATH** and verifying that */tools/bin* is at the head of the list. If the *PATH* is wrong it could mean that you are not logged in as user *lfs* or that something went wrong back in Section 4.4, “Setting Up the Environment.” Another option is that something may have gone wrong with the specs file amendment above. In this case, redo the specs file amendment, being careful to copy-and-paste the commands.

Once all is well, clean up the test files:

```
rm -v dummy.c a.out
```

Details on this package are located in Section 6.12.2, “Contents of GCC.”

## 5.12. Binutils-2.16.1 - Pass 2

The Binutils package contains a linker, an assembler, and other tools for handling object files.

**Approximate build time:** 1.1 SBU

**Required disk space:** 154 MB

### 5.12.1. Re-installation of Binutils

Create a separate build directory again:

```
mkdir -v ../binutils-build
cd ../binutils-build
```

Prepare Binutils for compilation:

```
../binutils-2.16.1/configure --prefix=/tools \
  --disable-nls --with-lib-path=/tools/lib
```

**The meaning of the new configure options:**

*--with-lib-path=/tools/lib*

This tells the configure script to specify the library search path during the compilation of Binutils, resulting in `/tools/lib` being passed to the linker. This prevents the linker from searching through library directories on the host.

Compile the package:

```
make
```

Compilation is now complete. As discussed earlier, running the test suite is not mandatory for the temporary tools here in this chapter. To run the Binutils test suite anyway, issue the following command:

```
make check
```

Install the package:

```
make install
```

Now prepare the linker for the “Re-adjusting” phase in the next chapter:

```
make -C ld clean
make -C ld LIB_PATH=/usr/lib:/lib
cp -v ld/ld-new /tools/bin
```

Details on this package are located in Section 6.11.2, “Contents of Binutils.”

## 5.13. Ncurses-5.5

The Ncurses package contains libraries for terminal-independent handling of character screens.

**Approximate build time:** 0.7 SBU

**Required disk space:** 30 MB

### 5.13.1. Installation of Ncurses

Prepare Ncurses for compilation:

```
./configure --prefix=/tools --with-shared \  
--without-debug --without-ada --enable-overwrite
```

The meaning of the configure options:

*--without-ada*

This ensures that Ncurses does not build support for the Ada compiler which may be present on the host but will not be available once we enter the **chroot** environment.

*--enable-overwrite*

This tells Ncurses to install its header files into `/tools/include`, instead of `/tools/include/ncurses`, to ensure that other packages can find the Ncurses headers successfully.

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Details on this package are located in Section 6.18.2, “Contents of Ncurses.”

## 5.14. Bash-3.1

The Bash package contains the Bourne-Again SHell.

**Approximate build time:** 0.4 SBU

**Required disk space:** 22 MB

### 5.14.1. Installation of Bash

Upstream developers have fixed several issues since the initial release of Bash-3.1. Apply those fixes:

```
patch -Np1 -i ../bash-3.1-fixes-8.patch
```

Prepare Bash for compilation:

```
./configure --prefix=/tools --without-bash-malloc
```

**The meaning of the configure option:**

*--without-bash-malloc*

This option turns off the use of Bash's memory allocation (`malloc`) function which is known to cause segmentation faults. By turning this option off, Bash will use the `malloc` functions from Glibc which are more stable.

Compile the package:

```
make
```

To test the results, issue: **make tests.**

Install the package:

```
make install
```

Make a link for the programs that use **sh** for a shell:

```
ln -vs bash /tools/bin/sh
```

Details on this package are located in Section 6.27.2, “Contents of Bash.”

## 5.15. Bzip2-1.0.3

The Bzip2 package contains programs for compressing and decompressing files. Compressing text files with **bzip2** yields a much better compression percentage than with the traditional **gzip**.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 4.2 MB

### 5.15.1. Installation of Bzip2

The Bzip2 package does not contain a **configure** script. Compile and test it with:

```
make
```

Install the package:

```
make PREFIX=/tools install
```

Details on this package are located in Section 6.28.2, “Contents of Bzip2.”

## 5.16. Coreutils-5.96

The Coreutils package contains utilities for showing and setting the basic system characteristics.

**Approximate build time:** 0.6 SBU

**Required disk space:** 56.1 MB

### 5.16.1. Installation of Coreutils

Prepare Coreutils for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

To test the results, issue: **make RUN\_EXPENSIVE\_TESTS=yes check**. The *RUN\_EXPENSIVE\_TESTS=yes* parameter tells the test suite to run several additional tests that are considered relatively expensive (in terms of CPU power and memory usage) on some platforms, but generally are not a problem on Linux.

Install the package:

```
make install
```

Details on this package are located in Section 6.14.2, “Contents of Coreutils.”

## 5.17. Diffutils-2.8.1

The Diffutils package contains programs that show the differences between files or directories.

**Approximate build time:** 0.1 SBU

**Required disk space:** 6.2 MB

### 5.17.1. Installation of Diffutils

Prepare Diffutils for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Details on this package are located in Section 6.29.2, “Contents of Diffutils.”

## 5.18. Findutils-4.2.27

The Findutils package contains programs to find files. These programs are provided to recursively search through a directory tree and to create, maintain, and search a database (often faster than the recursive find, but unreliable if the database has not been recently updated).

**Approximate build time:** 0.2 SBU

**Required disk space:** 12 MB

### 5.18.1. Installation of Findutils

Prepare Findutils for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Details on this package are located in Section 6.32.2, “Contents of Findutils.”

## 5.19. Gawk-3.1.5

The Gawk package contains programs for manipulating text files.

**Approximate build time:** 0.2 SBU

**Required disk space:** 18.2 MB

### 5.19.1. Installation of Gawk

Prepare Gawk for compilation:

```
./configure --prefix=/tools
```

Due to a bug in the **configure** script, Gawk fails to detect certain aspects of locale support in Glibc. This bug leads to, e.g., Gettext testsuite failures. Work around this issue by appending the missing macro definitions to `config.h`:

```
cat >>config.h <<"EOF"  
#define HAVE_LANGINFO_CODESET 1  
#define HAVE_LC_MESSAGES 1  
EOF
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Details on this package are located in Section 6.35.2, “Contents of Gawk.”

## 5.20. Gettext-0.14.5

The Gettext package contains utilities for internationalization and localization. These allow programs to be compiled with NLS (Native Language Support), enabling them to output messages in the user's native language.

**Approximate build time:** 0.4 SBU

**Required disk space:** 43 MB

### 5.20.1. Installation of Gettext

For our temporary set of tools, we only need to build and install one binary from Gettext.

Prepare Gettext for compilation:

```
cd gettext-tools
./configure --prefix=/tools --disable-shared
```

The meaning of the `configure` option:

*--disable-shared*

We do not need to install any of the shared Gettext libraries at this time, therefore there is no need to build them.

Compile the package:

```
make -C lib
make -C src msgfmt
```

As only one binary has been compiled, it is not possible to run the testsuite without compiling additional support libraries from the Gettext package. It is therefore not recommended to attempt to run the testsuite at this stage.

Install the `msgfmt` binary:

```
cp -v src/msgfmt /tools/bin
```

Details on this package are located in Section 6.36.2, “Contents of Gettext.”

## 5.21. Grep-2.5.1a

The Grep package contains programs for searching through files.

**Approximate build time:** 0.1 SBU

**Required disk space:** 4.8 MB

### 5.21.1. Installation of Grep

Prepare Grep for compilation:

```
./configure --prefix=/tools \  
--disable-perl-regexp
```

The meaning of the configure option:

*--disable-perl-regexp*

This ensures that the **grep** program does not get linked against a Perl Compatible Regular Expression (PCRE) library that may be present on the host but will not be available once we enter the **chroot** environment.

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Details on this package are located in Section 6.37.2, “Contents of Grep.”

## 5.22. Gzip-1.3.5

The Gzip package contains programs for compressing and decompressing files.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 2.2 MB

### 5.22.1. Installation of Gzip

Prepare Gzip for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Details on this package are located in Section 6.39.2, “Contents of Gzip.”

## 5.23. M4-1.4.4

The M4 package contains a macro processor.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 3 MB

### 5.23.1. Installation of M4

Prepare M4 for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Details on this package are located in Section 6.16.2, “Contents of M4.”

## 5.24. Make-3.80

The Make package contains a program for compiling packages.

**Approximate build time:** 0.1 SBU

**Required disk space:** 7.8 MB

### 5.24.1. Installation of Make

Prepare Make for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Details on this package are located in Section 6.44.2, “Contents of Make.”

## 5.25. Patch-2.5.4

The Patch package contains a program for modifying or creating files by applying a “patch” file typically created by the **diff** program.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 1.6 MB

### 5.25.1. Installation of Patch

Prepare Patch for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Details on this package are located in Section 6.48.2, “Contents of Patch.”

## 5.26. Perl-5.8.8

The Perl package contains the Practical Extraction and Report Language.

**Approximate build time:** 0.7 SBU

**Required disk space:** 84 MB

### 5.26.1. Installation of Perl

First adapt some hard-wired paths to the C library by applying the following patch:

```
patch -Np1 -i ../perl-5.8.8-libc-2.patch
```

Prepare Perl for compilation (make sure to get the 'Data/Dumper Fcntl IO POSIX' part of the command correct—they are all letters):

```
./configure.gnu --prefix=/tools -Dstatic_ext='Data/Dumper Fcntl IO POSIX'
```

**The meaning of the configure options:**

*-Dstatic\_ext='Data/Dumper Fcntl IO POSIX'*

This tells Perl to build the minimum set of static extensions needed for installing and testing the Coreutils and Glibc packages in the next chapter.

Only a few of the utilities contained in this package need to be built:

```
make perl utilities
```

Although Perl comes with a test suite, it is not recommended to run it at this point. Only part of Perl was built and running **make test** now will cause the rest of Perl to be built as well, which is unnecessary at this point. The test suite can be run in the next chapter if desired.

Install these tools and their libraries:

```
cp -v perl pod/pod2man /tools/bin
mkdir -pv /tools/lib/perl5/5.8.8
cp -Rv lib/* /tools/lib/perl5/5.8.8
```

Details on this package are located in Section 6.22.2, “Contents of Perl.”

## 5.27. Sed-4.1.5

The Sed package contains a stream editor.

**Approximate build time:** 0.1 SBU

**Required disk space:** 6.1 MB

### 5.27.1. Installation of Sed

Prepare Sed for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Details on this package are located in Section 6.20.2, “Contents of Sed.”

## 5.28. Tar-1.15.1

The Tar package contains an archiving program.

**Approximate build time:** 0.2 SBU

**Required disk space:** 13.7 MB

### 5.28.1. Installation of Tar

If you wish to run the test suite, apply the following patch to fix some issues with GCC-4.0.3:

```
patch -Np1 -i ../tar-1.15.1-gcc4_fix_tests-1.patch
```

Prepare Tar for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Details on this package are located in Section 6.53.2, “Contents of Tar.”

## 5.29. Texinfo-4.8

The Texinfo package contains programs for reading, writing, and converting info pages.

**Approximate build time:** 0.2 SBU

**Required disk space:** 16.3 MB

### 5.29.1. Installation of Texinfo

Prepare Texinfo for compilation:

```
./configure --prefix=/tools
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Details on this package are located in Section 6.54.2, “Contents of Texinfo.”

## 5.30. Util-linux-2.12r

The Util-linux package contains miscellaneous utility programs. Among them are utilities for handling file systems, consoles, partitions, and messages.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 8.9 MB

### 5.30.1. Installation of Util-linux

Util-linux does not use the freshly installed headers and libraries from the `/tools` directory by default. This is fixed by altering the configure script:

```
sed -i 's@/usr/include@/tools/include@g' configure
```

Prepare Util-linux for compilation:

```
./configure
```

Compile some support routines:

```
make -C lib
```

Only a few of the utilities contained in this package need to be built:

```
make -C mount mount umount  
make -C text-utils more
```

This package does not come with a test suite.

Copy these programs to the temporary tools directory:

```
cp mount/{,u}mount text-utils/more /tools/bin
```

Details on this package are located in Section 6.56.3, “Contents of Util-linux.”

## 5.31. Stripping

The steps in this section are optional, but if the LFS partition is rather small, it is beneficial to learn that unnecessary items can be removed. The executables and libraries built so far contain about 70 MB of unneeded debugging symbols. Remove those symbols with:

```
strip --strip-debug /tools/lib/*
strip --strip-unneeded /tools/{,s}bin/*
```

The last of the above commands will skip some twenty files, reporting that it does not recognize their file format. Most of these are scripts instead of binaries.

Take care *not* to use `--strip-unneeded` on the libraries. The static ones would be destroyed and the toolchain packages would need to be built all over again.

To save nearly 20 MB more, remove the documentation:

```
rm -rf /tools/{info,man}
```

At this point, you should have at least 850 MB of free space in `$LFS` that can be used to build and install Glibc in the next phase. If you can build and install Glibc, you can build and install the rest too.

## 5.32. Changing Ownership



### Note

The commands in the remainder of this book must be performed while logged in as user `root` and no longer as user `lfs`. Also, double check that `$LFS` is set in `root`'s environment.

Currently, the `$LFS/tools` directory is owned by the user `lfs`, a user that exists only on the host system. If the `$LFS/tools` directory is kept as is, the files are owned by a user ID without a corresponding account. This is dangerous because a user account created later could get this same user ID and would own the `$LFS/tools` directory and all the files therein, thus exposing these files to possible malicious manipulation.

To avoid this issue, you could add the `lfs` user to the new LFS system later when creating the `/etc/passwd` file, taking care to assign it the same user and group IDs as on the host system. Better yet, change the ownership of the `$LFS/tools` directory to user `root` by running the following command:

```
chown -R root:root $LFS/tools
```

Although the `$LFS/tools` directory can be deleted once the LFS system has been finished, it can be retained to build additional LFS systems *of the same book version*. How best to backup `$LFS/tools` is a matter of personal preference and is left as an exercise for the reader.

## **Part III. Building the LFS System**

# Chapter 6. Installing Basic System Software

## 6.1. Introduction

In this chapter, we enter the building site and start constructing the LFS system in earnest. That is, we chroot into the temporary mini Linux system, make a few final preparations, and then begin installing the packages.

The installation of this software is straightforward. Although in many cases the installation instructions could be made shorter and more generic, we have opted to provide the full instructions for every package to minimize the possibilities for mistakes. The key to learning what makes a Linux system work is to know what each package is used for and why the user (or the system) needs it. For every installed package, a summary of its contents is given, followed by concise descriptions of each program and library the package installed.

If using compiler optimizations, please review the optimization hint at <http://www.linuxfromscratch.org/hints/downloads/files/optimization.txt>. Compiler optimizations can make a program run slightly faster, but they may also cause compilation difficulties and problems when running the program. If a package refuses to compile when using optimization, try to compile it without optimization and see if that fixes the problem. Even if the package does compile when using optimization, there is the risk it may have been compiled incorrectly because of the complex interactions between the code and build tools. Also note that the `-march` and `-mtune` options may cause problems with the toolchain packages (Binutils, GCC and Glibc). The small potential gains achieved in using compiler optimizations are often outweighed by the risks. First-time builders of LFS are encouraged to build without custom optimizations. The subsequent system will still run very fast and be stable at the same time.

The order that packages are installed in this chapter needs to be strictly followed to ensure that no program accidentally acquires a path referring to `/tools` hard-wired into it. For the same reason, do not compile packages in parallel. Compiling in parallel may save time (especially on dual-CPU machines), but it could result in a program containing a hard-wired path to `/tools`, which will cause the program to stop working when that directory is removed.

Before the installation instructions, each installation page provides information about the package, including a concise description of what it contains, approximately how long it will take to build, and how much disk space is required during this building process. Following the installation instructions, there is a list of programs and libraries (along with brief descriptions of these) that the package installs.

## 6.2. Preparing Virtual Kernel File Systems

Various file systems exported by the kernel are used to communicate to and from the kernel itself. These file systems are virtual in that no disk space is used for them. The content of the file systems resides in memory.

Begin by creating directories onto which the file systems will be mounted:

```
mkdir -pv $LFS/{dev,proc,sys}
```

### 6.2.1. Creating Initial Device Nodes

When the kernel boots the system, it requires the presence of a few device nodes, in particular the `console` and `null` devices. The device nodes will be created on the hard disk so that they are available before `udev` has been started, and additionally when Linux is started with `init=/bin/bash`. Create the devices by running the following commands:

```
mknod -m 600 $LFS/dev/console c 5 1
mknod -m 666 $LFS/dev/null c 1 3
```

### 6.2.2. Mounting and Populating /dev

The recommended method of populating the `/dev` directory with devices is to mount a virtual filesystem (such as `tmpfs`) on the `/dev` directory, and allow the devices to be created dynamically on that virtual filesystem as they are detected or accessed. This is generally done during the boot process by Udev. Since this new system does not yet have Udev and has not yet been booted, it is necessary to mount and populate `/dev` manually. This is accomplished by bind mounting the host system's `/dev` directory. A bind mount is a special type of mount that allows you to create a mirror of a directory or mount point to some other location. Use the following command to achieve this:

```
mount --bind /dev $LFS/dev
```

### 6.2.3. Mounting Virtual Kernel File Systems

Now mount the remaining virtual kernel filesystems:

```
mount -vt devpts devpts $LFS/dev/pts
mount -vt tmpfs shm $LFS/dev/shm
mount -vt proc proc $LFS/proc
mount -vt sysfs sysfs $LFS/sys
```

## 6.3. Package Management

Package Management is an often requested addition to the LFS Book. A Package Manager allows tracking the installation of files making it easy to remove and upgrade packages. Before you begin to wonder, NO—this section will not talk about nor recommend any particular package manager. What it provides is a roundup of the more popular techniques and how they work. The perfect package manager for you may be among these techniques or may be a combination of two or more of these techniques. This section briefly mentions issues that may arise when upgrading packages.

Some reasons why no package manager is mentioned in LFS or BLFS include:

- Dealing with package management takes the focus away from the goals of these books—teaching how a Linux system is built.
- There are multiple solutions for package management, each having its strengths and drawbacks. Including one that satisfies all audiences is difficult.

There are some hints written on the topic of package management. Visit the *Hints subproject* and see if one of them fits your need.

### 6.3.1. Upgrade Issues

A Package Manager makes it easy to upgrade to newer versions when they are released. Generally the instructions in the LFS and BLFS Book can be used to upgrade to the newer versions. Here are some points that you should be aware of when upgrading packages, especially on a running system.

- If one of the toolchain packages (Glibc, GCC or Binutils) needs to be upgraded to a newer minor version, it is safer to rebuild LFS. Though you *may* be able to get by rebuilding all the packages in their dependency order, we do not recommend it. For example, if glibc-2.2.x needs to be updated to glibc-2.3.x, it is safer to rebuild. For micro version updates, a simple reinstallation usually works, but is not guaranteed. For example, upgrading from glibc-2.3.4 to glibc-2.3.5 will not usually cause any problems.
- If a package containing a shared library is updated, and if the name of the library changes, then all the packages dynamically linked to the library need to be recompiled to link against the newer library. (Note that there is no correlation between the package version and the name of the library.) For example, consider a package foo-1.2.3 that installs a shared library with name `libfoo.so.1`. Say you upgrade the package to a newer version foo-1.2.4 that installs a shared library with name `libfoo.so.2`. In this case, all packages that are dynamically linked to `libfoo.so.1` need to be recompiled to link against `libfoo.so.2`. Note that you should not remove the previous libraries until the dependent packages are recompiled.

### 6.3.2. Package Management Techniques

The following are some common package management techniques. Before making a decision on a package manager, do some research on the various techniques, particularly the drawbacks of the particular scheme.

### 6.3.2.1. It is All in My Head!

Yes, this is a package management technique. Some folks do not find the need for a package manager because they know the packages intimately and know what files are installed by each package. Some users also do not need any package management because they plan on rebuilding the entire system when a package is changed.

### 6.3.2.2. Install in Separate Directories

This is a simplistic package management that does not need any extra package to manage the installations. Each package is installed in a separate directory. For example, package `foo-1.1` is installed in `/usr/pkg/foo-1.1` and a symlink is made from `/usr/pkg/foo` to `/usr/pkg/foo-1.1`. When installing a new version `foo-1.2`, it is installed in `/usr/pkg/foo-1.2` and the previous symlink is replaced by a symlink to the new version.

Environment variables such as `PATH`, `LD_LIBRARY_PATH`, `MANPATH`, `INFOPATH` and `CPPFLAGS` need to be expanded to include `/usr/pkg/foo`. For more than a few packages, this scheme becomes unmanageable.

### 6.3.2.3. Symlink Style Package Management

This is a variation of the previous package management technique. Each package is installed similar to the previous scheme. But instead of making the symlink, each file is symlinked into the `/usr` hierarchy. This removes the need to expand the environment variables. Though the symlinks can be created by the user to automate the creation, many package managers have been written using this approach. A few of the popular ones include `Stow`, `Epkg`, `Graft`, and `Depot`.

The installation needs to be faked, so that the package thinks that it is installed in `/usr` though in reality it is installed in the `/usr/pkg` hierarchy. Installing in this manner is not usually a trivial task. For example, consider that you are installing a package `libfoo-1.1`. The following instructions may not install the package properly:

```
./configure --prefix=/usr/pkg/libfoo/1.1
make
make install
```

The installation will work, but the dependent packages may not link to `libfoo` as you would expect. If you compile a package that links against `libfoo`, you may notice that it is linked to `/usr/pkg/libfoo/1.1/lib/libfoo.so.1` instead of `/usr/lib/libfoo.so.1` as you would expect. The correct approach is to use the `DESTDIR` strategy to fake installation of the package. This approach works as follows:

```
./configure --prefix=/usr
make
make DESTDIR=/usr/pkg/libfoo/1.1 install
```

Most packages support this approach, but there are some which do not. For the non-compliant packages, you may either need to manually install the package, or you may find that it is easier to install some problematic packages into `/opt`.

#### 6.3.2.4. Timestamp Based

In this technique, a file is timestamped before the installation of the package. After the installation, a simple use of the **find** command with the appropriate options can generate a log of all the files installed after the timestamp file was created. A package manager written with this approach is `install-log`.

Though this scheme has the advantage of being simple, it has two drawbacks. If, during installation, the files are installed with any timestamp other than the current time, those files will not be tracked by the package manager. Also, this scheme can only be used when one package is installed at a time. The logs are not reliable if two packages are being installed on two different consoles.

#### 6.3.2.5. LD\_PRELOAD Based

In this approach, a library is preloaded before installation. During installation, this library tracks the packages that are being installed by attaching itself to various executables such as **cp**, **install**, **mv** and tracking the system calls that modify the filesystem. For this approach to work, all the executables need to be dynamically linked without the `suid` or `sgid` bit. Preloading the library may cause some unwanted side-effects during installation. Therefore, it is advised that one performs some tests to ensure that the package manager does not break anything and logs all the appropriate files.

#### 6.3.2.6. Creating Package Archives

In this scheme, the package installation is faked into a separate tree as described in the Symlink style package management. After the installation, a package archive is created using the installed files. This archive is then used to install the package either on the local machine or can even be used to install the package on other machines.

This approach is used by most of the package managers found in the commercial distributions. Examples of package managers that follow this approach are RPM (which, incidentally, is required by the *Linux Standard Base Specification*), `pkg-utils`, Debian's `apt`, and Gentoo's Portage system. A hint describing how to adopt this style of package management for LFS systems is located at <http://www.linuxfromscratch.org/hints/downloads/files/fakeroot.txt>.

#### 6.3.2.7. User Based Management

This scheme, unique to LFS, was devised by Matthias Benkmann, and is available from the *Hints Project*. In this scheme, each package is installed as a separate user into the standard locations. Files belonging to a package are easily identified by checking the user ID. The features and shortcomings of this approach are too complex to describe in this section. For the details please see the hint at [http://www.linuxfromscratch.org/hints/downloads/files/more\\_control\\_and\\_pkg\\_man.txt](http://www.linuxfromscratch.org/hints/downloads/files/more_control_and_pkg_man.txt).

## 6.4. Entering the Chroot Environment

It is time to enter the chroot environment to begin building and installing the final LFS system. As user `root`, run the following command to enter the realm that is, at the moment, populated with only the temporary tools:

```
chroot "$LFS" /tools/bin/env -i \
  HOME=/root TERM="$TERM" PS1='\u:\w\$ ' \
  PATH=/bin:/usr/bin:/sbin:/usr/sbin:/tools/bin \
  /tools/bin/bash --login +h
```

The `-i` option given to the `env` command will clear all variables of the chroot environment. After that, only the `HOME`, `TERM`, `PS1`, and `PATH` variables are set again. The `TERM=$TERM` construct will set the `TERM` variable inside chroot to the same value as outside chroot. This variable is needed for programs like `vim` and `less` to operate properly. If other variables are needed, such as `CFLAGS` or `CXXFLAGS`, this is a good place to set them again.

From this point on, there is no need to use the `LFS` variable anymore, because all work will be restricted to the LFS file system. This is because the Bash shell is told that `$LFS` is now the root (`/`) directory.

Notice that `/tools/bin` comes last in the `PATH`. This means that a temporary tool will no longer be used once its final version is installed. This occurs when the shell does not “remember” the locations of executed binaries—for this reason, hashing is switched off by passing the `+h` option to `bash`.

Note that the `bash` prompt will say `I have no name!` This is normal because the `/etc/passwd` file has not been created yet.



### Note

It is important that all the commands throughout the remainder of this chapter and the following chapters are run from within the chroot environment. If you leave this environment for any reason (rebooting for example), ensure that the virtual kernel filesystems are mounted as explained in Section 6.2.2, “Mounting and Populating `/dev`” and Section 6.2.3, “Mounting Virtual Kernel File Systems” and enter chroot again before continuing with the installation.

## 6.5. Creating Directories

It is time to create some structure in the LFS file system. Create a standard directory tree by issuing the following commands:

```
mkdir -pv /{bin,boot,etc,opt,home,lib,mnt,opt}
mkdir -pv /{media/{floppy,cdrom},sbin,src,var}
install -dv -m 0750 /root
install -dv -m 1777 /tmp /var/tmp
mkdir -pv /usr/{,local/}{bin,include,lib,sbin,src}
mkdir -pv /usr/{,local/}share/{doc,info,locale,man}
mkdir -v /usr/{,local/}share/{misc,terminfo,zoneinfo}
mkdir -pv /usr/{,local/}share/man/man{1..8}
for dir in /usr /usr/local; do
    ln -sv share/{man,doc,info} $dir
done
mkdir -v /var/{lock,log,mail,run,spool}
mkdir -pv /var/{opt,cache,lib/{misc,locate},local}
```

Directories are, by default, created with permission mode 755, but this is not desirable for all directories. In the commands above, two changes are made—one to the home directory of user `root`, and another to the directories for temporary files.

The first mode change ensures that not just anybody can enter the `/root` directory—the same as a normal user would do with his or her home directory. The second mode change makes sure that any user can write to the `/tmp` and `/var/tmp` directories, but cannot remove another user's files from them. The latter is prohibited by the so-called “sticky bit,” the highest bit (1) in the 1777 bit mask.

### 6.5.1. FHS Compliance Note

The directory tree is based on the Filesystem Hierarchy Standard (FHS) (available at <http://www.pathname.com/fhs/>). In addition to the FHS, we create compatibility symlinks for the `man`, `doc`, and `info` directories since many packages still try to install their documentation into `/usr/<directory>` or `/usr/local/<directory>` as opposed to `/usr/share/<directory>` or `/usr/local/share/<directory>`. The FHS also stipulates the existence of `/usr/local/games` and `/usr/share/games`. The FHS is not precise as to the structure of the `/usr/local/share` subdirectory, so we create only the directories that are needed. However, feel free to create these directories if you prefer to conform more strictly to the FHS.

## 6.6. Creating Essential Files and Symlinks

Some programs use hard-wired paths to programs which do not exist yet. In order to satisfy these programs, create a number of symbolic links which will be replaced by real files throughout the course of this chapter after the software has been installed.

```
ln -sv /tools/bin/{bash,cat,grep,pwd,stty} /bin
ln -sv /tools/bin/perl /usr/bin
ln -sv /tools/lib/libgcc_s.so{,.1} /usr/lib
ln -sv bash /bin/sh
```

A proper Linux system maintains a list of the mounted file systems in the file `/etc/mtab`. Normally, this file would be created when we mount a new file system. Since we will not be mounting any file systems inside our chroot environment, create an empty file for utilities that expect the presence of `/etc/mtab`:

```
touch /etc/mtab
```

In order for user `root` to be able to login and for the name “`root`” to be recognized, there must be relevant entries in the `/etc/passwd` and `/etc/group` files.

Create the `/etc/passwd` file by running the following command:

```
cat > /etc/passwd << "EOF"
root:x:0:0:root:/root:/bin/bash
EOF
```

The actual password for `root` (the “`x`” used here is just a placeholder) will be set later.

Create the `/etc/group` file by running the following command:

```
cat > /etc/group << "EOF"
root:x:0:
bin:x:1:
sys:x:2:
kmem:x:3:
tty:x:4:
tape:x:5:
daemon:x:6:
floppy:x:7:
disk:x:8:
lp:x:9:
dialout:x:10:
audio:x:11:
video:x:12:
utmp:x:13:
usb:x:14:
cdrom:x:15:
EOF
```

The created groups are not part of any standard—they are groups decided on in part by the requirements of the Udev configuration in this chapter, and in part by common convention employed by a number of existing Linux distributions. The Linux Standard Base (LSB, available at <http://www.linuxbase.org>) recommends only that, besides the group `root` with a Group ID (GID) of 0, a group `bin` with a GID of 1 be present. All other group names and GIDs can be chosen freely by the system administrator since well-written programs do not depend on GID numbers, but rather use the group's name.

To remove the “I have no name!” prompt, start a new shell. Since a full Glibc was installed in Chapter 5 and the `/etc/passwd` and `/etc/group` files have been created, user name and group name resolution will now work.

```
exec /tools/bin/bash --login +h
```

Note the use of the `+h` directive. This tells **bash** not to use its internal path hashing. Without this directive, **bash** would remember the paths to binaries it has executed. To ensure the use of the newly compiled binaries as soon as they are installed, the `+h` directive will be used for the duration of this chapter.

The **login**, **agetty**, and **init** programs (and others) use a number of log files to record information such as who was logged into the system and when. However, these programs will not write to the log files if they do not already exist. Initialize the log files and give them proper permissions:

```
touch /var/run/utmp /var/log/{btmp,lastlog,wtmp}
chgrp -v utmp /var/run/utmp /var/log/lastlog
chmod -v 664 /var/run/utmp /var/log/lastlog
```

The `/var/run/utmp` file records the users that are currently logged in. The `/var/log/wtmp` file records all logins and logouts. The `/var/log/lastlog` file records when each user last logged in. The `/var/log/btmp` file records the bad login attempts.

## 6.7. Linux-Libc-Headers-2.6.12.0

The Linux-Libc-Headers package contains the “sanitized” kernel headers.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 27 MB

### 6.7.1. Installation of Linux-Libc-Headers

For years it has been common practice to use “raw” kernel headers (straight from a kernel tarball) in `/usr/include`, but over the last few years, the kernel developers have taken a strong stance that this should not be done. This gave birth to the Linux-Libc-Headers Project, which was designed to maintain an API stable version of the Linux headers.

Add a userspace header and syscall support for the inotify feature available in newer Linux kernels:

```
patch -Np1 -i ../linux-libc-headers-2.6.12.0-inotify-3.patch
```

Install the header files:

```
install -dv /usr/include/asm
cp -Rv include/asm-i386/* /usr/include/asm
cp -Rv include/linux /usr/include
```

Ensure that all the headers are owned by root:

```
chown -Rv root:root /usr/include/{asm,linux}
```

Make sure the users can read the headers:

```
find /usr/include/{asm,linux} -type d -exec chmod -v 755 {} \;
find /usr/include/{asm,linux} -type f -exec chmod -v 644 {} \;
```

### 6.7.2. Contents of Linux-Libc-Headers

**Installed headers:** `/usr/include/{asm,linux}/*.h`

#### Short Descriptions

`/usr/include/{asm,linux}/*.h` The Linux API headers

## 6.8. Man-pages-2.34

The Man-pages package contains over 1,200 man pages.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 18.4 MB

### 6.8.1. Installation of Man-pages

Install Man-pages by running:

```
make install
```

### 6.8.2. Contents of Man-pages

**Installed files:** various man pages

#### Short Descriptions

man pages	Describe C programming language functions, important device files, and significant configuration files
-----------	--------------------------------------------------------------------------------------------------------

## 6.9. Glibc-2.3.6

The Glibc package contains the main C library. This library provides the basic routines for allocating memory, searching directories, opening and closing files, reading and writing files, string handling, pattern matching, arithmetic, and so on.

**Approximate build time:** 13.5 SBU testsuite included

**Required disk space:** 510 MB testsuite included

### 6.9.1. Installation of Glibc



#### Note

Some packages outside of LFS suggest installing GNU libiconv in order to translate data from one encoding to another. The project's home page (<http://www.gnu.org/software/libiconv/>) says “This library provides an `iconv()` implementation, for use on systems which don't have one, or whose implementation cannot convert from/to Unicode.” Glibc provides an `iconv()` implementation and can convert from/to Unicode, therefore libiconv is not required on an LFS system.

The Glibc build system is self-contained and will install perfectly, even though the compiler specs file and linker are still pointing at `/tools`. The specs and linker cannot be adjusted before the Glibc install because the Glibc autoconf tests would give false results and defeat the goal of achieving a clean build.

The `glibc-libidn` tarball adds support for internationalized domain names (IDN) to Glibc. Many programs that support IDN require the full `libidn` library, not this add-on (see <http://www.linuxfromscratch.org/blfs/view/svn/general/libidn.html>). Unpack the tarball from within the Glibc source directory:

```
tar -xf ../glibc-libidn-2.3.6.tar.bz2
```

Apply the following patch to fix build errors in packages that include `linux/types.h` after `sys/kd.h`:

```
patch -Np1 -i ../glibc-2.3.6-linux_types-1.patch
```

Add a header to define syscall functions for the inotify feature available in newer Linux kernels:

```
patch -Np1 -i ../glibc-2.3.6-inotify-1.patch
```

In the `vi_VN.TCVN` locale, `bash` enters an infinite loop at startup. It is unknown whether this is a `bash` bug or a Glibc problem. Disable installation of this locale in order to avoid the problem:

```
sed -i '/vi_VN.TCVN/d' localedata/SUPPORTED
```

When running `make install`, a script called `test-installation.pl` performs a small sanity test on our newly installed Glibc. However, because our toolchain still points to the `/tools` directory, the sanity test would be carried out against the wrong Glibc. We can force the script to check the Glibc we have just installed with the following:

```
sed -i \
's|libs -o|libs -L/usr/lib -Wl,-dynamic-linker=/lib/ld-linux.so.2 -o|' \
scripts/test-installation.pl
```

The Glibc documentation recommends building Glibc outside of the source directory in a dedicated build directory:

```
mkdir -v ../glibc-build
cd ../glibc-build
```

Prepare Glibc for compilation:

```
../glibc-2.3.6/configure --prefix=/usr \
--disable-profile --enable-add-ons \
--enable-kernel=2.6.0 --libexecdir=/usr/lib/glibc
```

The meaning of the new configure options:

```
--libexecdir=/usr/lib/glibc
```

This changes the location of the **pt\_chown** program from its default of `/usr/libexec` to `/usr/lib/glibc`.

Compile the package:

```
make
```



### Important

In this section, the test suite for Glibc is considered critical. Do not skip it under any circumstance.

Test the results:

```
make -k check 2>&1 | tee glibc-check-log
grep Error glibc-check-log
```

You will probably see an expected (ignored) failure in the *posix/annexc* test. In addition the Glibc test suite is somewhat dependent on the host system. This is a list of the most common issues:

- The *nptl/tst-clock2* and *tst-attr3* tests sometimes fail. The reason is not completely understood, but indications are that a heavy system load can trigger these failures.
- The math tests sometimes fail when running on systems where the CPU is not a relatively new genuine Intel or authentic AMD processor.
- If you have mounted the LFS partition with the *noatime* option, the *atime* test will fail. As mentioned in Section 2.4, “Mounting the New Partition”, do not use the *noatime* option while building LFS.
- When running on older and slower hardware or on systems under load, some tests can fail because of test timeouts being exceeded.

Though it is a harmless message, the install stage of Glibc will complain about the absence of `/etc/ld.so.conf`. Prevent this warning with:

```
touch /etc/ld.so.conf
```

Install the package:

```
make install
```

Install the inotify header to the system header location:

```
cp -v ../glibc-2.3.6/sysdeps/unix/sysv/linux/inotify.h \
  /usr/include/sys
```

The locales that can make the system respond in a different language were not installed by the above command. None of the locales are required, but if some of them are missing, test suites of the future packages would skip important testcases.

Individual locales can be installed using the **localedef** program. E.g., the first **localedef** command below combines the `/usr/share/i18n/locales/de_DE` charset-independent locale definition with the `/usr/share/i18n/charmaps/ISO-8859-1.gz` charmap definition and appends the result to the `/usr/lib/locale/locale-archive` file. The following instructions will install the minimum set of locales necessary for the optimal coverage of tests:

```
mkdir -pv /usr/lib/locale
localedef -i de_DE -f ISO-8859-1 de_DE
localedef -i de_DE@euro -f ISO-8859-15 de_DE@euro
localedef -i en_HK -f ISO-8859-1 en_HK
localedef -i en_PH -f ISO-8859-1 en_PH
localedef -i en_US -f ISO-8859-1 en_US
localedef -i en_US -f UTF-8 en_US.UTF-8
localedef -i es_MX -f ISO-8859-1 es_MX
localedef -i fa_IR -f UTF-8 fa_IR
localedef -i fr_FR -f ISO-8859-1 fr_FR
localedef -i fr_FR@euro -f ISO-8859-15 fr_FR@euro
localedef -i fr_FR -f UTF-8 fr_FR.UTF-8
localedef -i it_IT -f ISO-8859-1 it_IT
localedef -i ja_JP -f EUC-JP ja_JP
```

In addition, install the locale for your own country, language and character set.

Alternatively, install all locales listed in the `glibc-2.3.6/localedata/SUPPORTED` file (it includes every locale listed above and many more) at once with the following time-consuming command:

```
make localedata/install-locales
```

Then use the **localedef** command to create and install locales not listed in the `glibc-2.3.6/localedata/SUPPORTED` file in the unlikely case if you need them.

## 6.9.2. Configuring Glibc

The `/etc/nsswitch.conf` file needs to be created because, although Glibc provides defaults when this file is missing or corrupt, the Glibc defaults do not work well in a networked environment. The time zone also needs to be configured.

Create a new file `/etc/nsswitch.conf` by running the following:

```
cat > /etc/nsswitch.conf << "EOF"
# Begin /etc/nsswitch.conf

passwd: files
group: files
shadow: files

hosts: files dns
networks: files

protocols: files
services: files
ethers: files
rpc: files

# End /etc/nsswitch.conf
EOF
```

One way to determine the local time zone, run the following script:

```
tzselect
```

After answering a few questions about the location, the script will output the name of the time zone (e.g., *America/Edmonton*). There are also some other possible timezones listed in `/usr/share/zoneinfo` such as *Canada/Eastern* or *EST5EDT* that are not identified by the script but can be used.

Then create the `/etc/localtime` file by running:

```
cp -v --remove-destination /usr/share/zoneinfo/<xxx> \
  /etc/localtime
```

Replace `<xxx>` with the name of the time zone selected (e.g., *Canada/Eastern*).

**The meaning of the `cp` option:**

`--remove-destination`

This is needed to force removal of the already existing symbolic link. The reason for copying the file instead of using a symlink is to cover the situation where `/usr` is on a separate partition. This could be important when booted into single user mode.

### 6.9.3. Configuring the Dynamic Loader

By default, the dynamic loader (`/lib/ld-linux.so.2`) searches through `/lib` and `/usr/lib` for dynamic libraries that are needed by programs as they are run. However, if there are libraries in directories other than `/lib` and `/usr/lib`, these need to be added to the `/etc/ld.so.conf` file in order for the dynamic loader to find them. Two directories that are commonly known to contain additional libraries are `/usr/local/lib` and `/opt/lib`, so add those directories to the dynamic loader's search path.

Create a new file `/etc/ld.so.conf` by running the following:

```
cat > /etc/ld.so.conf << "EOF"
# Begin /etc/ld.so.conf

/usr/local/lib
/opt/lib

# End /etc/ld.so.conf
EOF
```

### 6.9.4. Contents of Glibc

**Installed programs:** `catchsegv`, `gencat`, `getconf`, `getent`, `iconv`, `iconvconfig`, `ldconfig`, `ldd`, `lddlibc4`, `locale`, `localedef`, `mtrace`, `nscd`, `nscd_nischeck`, `pcprofiledump`, `pt_chown`, `rpcgen`, `rpcinfo`, `sln`, `sprof`, `tzselect`, `xtrace`, `zdump`, and `zic`

**Installed libraries:** `ld.so`, `libBrokenLocale.{a,so}`, `libSegFault.so`, `libanl.{a,so}`, `libbsd-compat.a`, `libc.{a,so}`, `libcidn.so`, `libcrypt.{a,so}`, `libdl.{a,so}`, `libg.a`, `libieee.a`, `libm.{a,so}`, `libmcheck.a`, `libmemusage.so`, `libnsl.a`, `libnss_compat.so`, `libnss_dns.so`, `libnss_files.so`, `libnss_hesiod.so`, `libnss_nis.so`, `libnss_nisplus.so`, `libpcprofile.so`, `libpthread.{a,so}`, `libresolv.{a,so}`, `librpcsvc.a`, `librt.{a,so}`, `libthread_db.so`, and `libutil.{a,so}`

### Short Descriptions

<b>catchsegv</b>	Can be used to create a stack trace when a program terminates with a segmentation fault
<b>gencat</b>	Generates message catalogues
<b>getconf</b>	Displays the system configuration values for file system specific variables
<b>getent</b>	Gets entries from an administrative database
<b>iconv</b>	Performs character set conversion
<b>iconvconfig</b>	Creates fastloading <b>iconv</b> module configuration files
<b>ldconfig</b>	Configures the dynamic linker runtime bindings
<b>ldd</b>	Reports which shared libraries are required by each given program or shared library
<b>lddlibc4</b>	Assists <b>ldd</b> with object files
<b>locale</b>	Prints various information about the current locale
<b>localedef</b>	Compiles locale specifications

<b>mtrace</b>	Reads and interprets a memory trace file and displays a summary in human-readable format
<b>nscd</b>	A daemon that provides a cache for the most common name service requests
<b>nscd_nischeck</b>	Checks whether or not secure mode is necessary for NIS+ lookup
<b>pcprofiledump</b>	Dumps information generated by PC profiling
<b>pt_chown</b>	A helper program for <b>grantpt</b> to set the owner, group and access permissions of a slave pseudo terminal
<b>rpcgen</b>	Generates C code to implement the Remote Procedure Call (RPC) protocol
<b>rpcinfo</b>	Makes an RPC call to an RPC server
<b>sln</b>	A statically linked <b>ln</b> program
<b>sprof</b>	Reads and displays shared object profiling data
<b>tzselect</b>	Asks the user about the location of the system and reports the corresponding time zone description
<b>xtrace</b>	Traces the execution of a program by printing the currently executed function
<b>zdump</b>	The time zone dumper
<b>zic</b>	The time zone compiler
<b>ld.so</b>	The helper program for shared library executables
<b>libBrokenLocale</b>	Used internally by Glibc as a gross hack to get broken programs (e.g., some Motif applications) running. See comments in <code>glibc-2.3.6/locale/broken_cur_max.c</code> for more information
<b>libSegFault</b>	The segmentation fault signal handler, used by <b>catchsegv</b>
<b>libanl</b>	An asynchronous name lookup library
<b>libbsd-compat</b>	Provides the portability needed in order to run certain Berkeley Software Distribution (BSD) programs under Linux
<b>libc</b>	The main C library
<b>libcidn</b>	Used internally by Glibc for handling internationalized domain names in the <code>getaddrinfo()</code> function
<b>libcrypt</b>	The cryptography library
<b>libdl</b>	The dynamic linking interface library
<b>libg</b>	Dummy library containing no functions. Previously was a runtime library for <b>g++</b>
<b>libieee</b>	Linking in this module forces error handling rules for math functions as defined by the Institute of Electrical and Electronic Engineers (IEEE). The default is POSIX.1 error handling
<b>libm</b>	The mathematical library

<code>libmcheck</code>	Turns on memory allocation checking when linked to
<code>libmemusage</code>	Used by <b>memusage</b> to help collect information about the memory usage of a program
<code>libnsl</code>	The network services library
<code>libnss</code>	The Name Service Switch libraries, containing functions for resolving host names, user names, group names, aliases, services, protocols, etc.
<code>libpcprofile</code>	Contains profiling functions used to track the amount of CPU time spent in specific source code lines
<code>libpthread</code>	The POSIX threads library
<code>libresolv</code>	Contains functions for creating, sending, and interpreting packets to the Internet domain name servers
<code>librpcsvc</code>	Contains functions providing miscellaneous RPC services
<code>librt</code>	Contains functions providing most of the interfaces specified by the POSIX.1b Realtime Extension
<code>libthread_db</code>	Contains functions useful for building debuggers for multi-threaded programs
<code>libutil</code>	Contains code for “standard” functions used in many different Unix utilities

## 6.10. Re-adjusting the Toolchain

Now that the final C libraries have been installed, it is time to adjust the toolchain again. The toolchain will be adjusted so that it will link any newly compiled program against these new libraries. This is a similar process used in the “Adjusting” phase in the beginning of Chapter 5, but with the adjustments reversed. In Chapter 5, the chain was guided from the host's `{,usr/}lib` directories to the new `/tools/lib` directory. Now, the chain will be guided from that same `/tools/lib` directory to the LFS `{,usr/}lib` directories.

First, backup the `/tools` linker, and replace it with the adjusted linker we made in chapter 5. We'll also create a link to its counterpart in `/tools/$(gcc -dumpmachine)/bin`.

```
mv -v /tools/bin/{ld,ld-old}
mv -v /tools/$(gcc -dumpmachine)/bin/{ld,ld-old}
mv -v /tools/bin/{ld-new,ld}
ln -sv /tools/bin/ld /tools/$(gcc -dumpmachine)/bin/ld
```

Next, amend the GCC specs file so that it points to the new dynamic linker, and so that GCC knows where to find its start files. A `perl` command accomplishes this:

```
gcc -dumpspecs | \
perl -p -e 's@/tools/lib/ld-linux.so.2@/lib/ld-linux.so.2@g;' \
-e 's@`startfile_prefix_spec`:\n@$_/usr/lib/ @g;' > \
`dirname $(gcc --print-libgcc-file-name)`/specs
```

It is a good idea to visually inspect the specs file to verify the intended change was actually made.



### Important

If working on a platform where the name of the dynamic linker is something other than `ld-linux.so.2`, substitute “`ld-linux.so.2`” with the name of the platform's dynamic linker in the above commands. Refer back to Section 5.2, “Toolchain Technical Notes,” if necessary.

It is imperative at this point to ensure that the basic functions (compiling and linking) of the adjusted toolchain are working as expected. To do this, perform the following sanity checks:

```
echo 'main(){}' > dummy.c
cc dummy.c -Wl,--verbose &> dummy.log
readelf -l a.out | grep ': /lib'
```

If everything is working correctly, there should be no errors, and the output of the last command will be (allowing for platform-specific differences in dynamic linker name):

```
[Requesting program interpreter: /lib/ld-linux.so.2]
```

Note that `/lib` is now the prefix of our dynamic linker.

Now make sure that we're setup to use the correct startfiles:

```
grep -o '/usr/lib./crt[lin].* .*' dummy.log
```

If everything is working correctly, there should be no errors, and the output of the last command will be:

```
/usr/lib/crt1.o succeeded
/usr/lib/crti.o succeeded
/usr/lib/crtn.o succeeded
```

Next, verify that the new linker is being used with the correct search paths:

```
grep 'SEARCH.*usr/lib' dummy.log | sed 's|; |\n|g'
```

If everything is working correctly, there should be no errors, and the output of the last command will be:

```
SEARCH_DIR("/tools/i686-pc-linux-gnu/lib")
SEARCH_DIR("/usr/lib")
SEARCH_DIR("/lib");
```

Next make sure that we're using the correct libc:

```
grep "/lib/libc.so.6 " dummy.log
```

If everything is working correctly, there should be no errors, and the output of the last command will be:

```
attempt to open /lib/libc.so.6 succeeded
```

Lastly, make sure GCC is using the correct dynamic linker:

```
grep found dummy.log
```

If everything is working correctly, there should be no errors, and the output of the last command will be (allowing for platform-specific differences in dynamic linker name):

```
found ld-linux.so.2 at /lib/ld-linux.so.2
```

If the output does not appear as shown above or is not received at all, then something is seriously wrong. Investigate and retrace the steps to find out where the problem is and correct it. The most likely reason is that something went wrong with the specs file adjustment. Any issues will need to be resolved before continuing on with the process.

Once everything is working correctly, clean up the test files:

```
rm -v dummy.c a.out dummy.log
```

## 6.11. Binutils-2.16.1

The Binutils package contains a linker, an assembler, and other tools for handling object files.

**Approximate build time:** 1.5 SBU testsuite included

**Required disk space:** 172 MB testsuite included

### 6.11.1. Installation of Binutils

Verify that the PTYs are working properly inside the chroot environment. Check that everything is set up correctly by performing a simple test:

```
expect -c "spawn ls"
```

If the following message shows up, the chroot environment is not set up for proper PTY operation:

```
The system has no more ptys.
Ask your system administrator to create more.
```

This issue needs to be resolved before running the test suites for Binutils and GCC.

The Binutils documentation recommends building Binutils outside of the source directory in a dedicated build directory:

```
mkdir -v ../binutils-build
cd ../binutils-build
```

Prepare Binutils for compilation:

```
../binutils-2.16.1/configure --prefix=/usr \
  --enable-shared
```

Compile the package:

```
make tooldir=/usr
```

**The meaning of the make parameter:**

*tooldir=/usr*

Normally, the tooldir (the directory where the executables will ultimately be located) is set to `$(exec_prefix)/$(target_alias)`. For example, i686 machines would expand that to `/usr/i686-pc-linux-gnu`. Because this is a custom system, this target-specific directory in `/usr` is not required. `$(exec_prefix)/$(target_alias)` would be used if the system was used to cross-compile (for example, compiling a package on an Intel machine that generates code that can be executed on PowerPC machines).

**Important**

The test suite for Binutils in this section is considered critical. Do not skip it under any circumstances.

Test the results:

```
make check
```

Install the package:

```
make tooldir=/usr install
```

Install the `libiberty` header file that is needed by some packages:

```
cp -v ../binutils-2.16.1/include/libiberty.h /usr/include
```

## 6.11.2. Contents of Binutils

**Installed programs:** `addr2line`, `ar`, `as`, `c++filt`, `gprof`, `ld`, `nm`, `objcopy`, `objdump`, `ranlib`, `readelf`, `size`, `strings`, and `strip`

**Installed libraries:** `libiberty.a`, `libbfd.{a,so}`, and `libopcodes.{a,so}`

### Short Descriptions

<b>addr2line</b>	Translates program addresses to file names and line numbers; given an address and the name of an executable, it uses the debugging information in the executable to determine which source file and line number are associated with the address
<b>ar</b>	Creates, modifies, and extracts from archives
<b>as</b>	An assembler that assembles the output of <code>gcc</code> into object files
<b>c++filt</b>	Used by the linker to de-mangle C++ and Java symbols and to keep overloaded functions from clashing
<b>gprof</b>	Displays call graph profile data
<b>ld</b>	A linker that combines a number of object and archive files into a single file, relocating their data and tying up symbol references
<b>nm</b>	Lists the symbols occurring in a given object file
<b>objcopy</b>	Translates one type of object file into another
<b>objdump</b>	Displays information about the given object file, with options controlling the particular information to display; the information shown is useful to programmers who are working on the compilation tools
<b>ranlib</b>	Generates an index of the contents of an archive and stores it in the archive; the index lists all of the symbols defined by archive members that are relocatable object files
<b>readelf</b>	Displays information about ELF type binaries

<b>size</b>	Lists the section sizes and the total size for the given object files
<b>strings</b>	Outputs, for each given file, the sequences of printable characters that are of at least the specified length (defaulting to four); for object files, it prints, by default, only the strings from the initializing and loading sections while for other types of files, it scans the entire file
<b>strip</b>	Discards symbols from object files
<code>libiberty</code>	Contains routines used by various GNU programs, including <b>getopt</b> , <b>obstack</b> , <b>strerror</b> , <b>strtol</b> , and <b>strtoul</b>
<code>libbfd</code>	The Binary File Descriptor library
<code>libopcodes</code>	A library for dealing with opcodes—the “readable text” versions of instructions for the processor; it is used for building utilities like <b>objdump</b> .

## 6.12. GCC-4.0.3

The GCC package contains the GNU compiler collection, which includes the C and C++ compilers.

**Approximate build time:** 22 SBU testsuite included

**Required disk space:** 566 MB testsuite included

### 6.12.1. Installation of GCC

Apply a `sed` substitution that will suppress the installation of `libiberty.a`. The version of `libiberty.a` provided by Binutils will be used instead:

```
sed -i 's/install_to_${INSTALL_DEST} //' libiberty/Makefile.in
```

The bootstrap build performed in Section 5.4, “GCC-4.0.3 - Pass 1” built GCC with the `-fomit-frame-pointer` compiler flag. Non-bootstrap builds omit this flag by default, so apply the following `sed` to use it in order to ensure consistent compiler builds.

```
sed -i 's/^XCFLAGS =$/& -fomit-frame-pointer/' gcc/Makefile.in
```

The `fixincludes` script is known to occasionally erroneously attempt to “fix” the system headers installed so far. As the headers installed by GCC-4.0.3 and Glibc-2.3.6 are known to not require fixing, issue the following command to prevent the `fixincludes` script from running:

```
sed -i 's@\.\/fixinc\.sh@-c true@' gcc/Makefile.in
```

GCC provides a `gccbug` script which detects at compile time whether `mktemp` is present, and hardcodes the result in a test. This will cause the script to fall back to using less random names for temporary files. We will be installing `mktemp` later, so the following `sed` will simulate its presence.

```
sed -i 's/@have_mktemp_command@/yes/' gcc/gccbug.in
```

The GCC documentation recommends building GCC outside of the source directory in a dedicated build directory:

```
mkdir -v ../gcc-build
cd ../gcc-build
```

Prepare GCC for compilation:

```
../gcc-4.0.3/configure --prefix=/usr \
  --libexecdir=/usr/lib --enable-shared \
  --enable-threads=posix --enable-__cxa_atexit \
  --enable-clocale=gnu --enable-languages=c,c++
```

Compile the package:

```
make
```

**Important**

In this section, the test suite for GCC is considered critical. Do not skip it under any circumstance.

Test the results, but do not stop at errors:

```
make -k check
```

To receive a summary of the test suite results, run:

```
../gcc-4.0.3/contrib/test_summary
```

For only the summaries, pipe the output through **grep -A7 Summ.**

Results can be compared with those located at <http://www.linuxfromscratch.org/lfs/build-logs/6.2/>.

A few unexpected failures cannot always be avoided. The GCC developers are usually aware of these issues, but have not resolved them yet. In particular, the `libmudflap` tests are known to be particularly problematic as a result of a bug in GCC ([http://gcc.gnu.org/bugzilla/show\\_bug.cgi?id=20003](http://gcc.gnu.org/bugzilla/show_bug.cgi?id=20003)). Unless the test results are vastly different from those at the above URL, it is safe to continue.

Install the package:

```
make install
```

Some packages expect the C preprocessor to be installed in the `/lib` directory. To support those packages, create this symlink:

```
ln -sv ../usr/bin/cpp /lib
```

Many packages use the name `cc` to call the C compiler. To satisfy those packages, create a symlink:

```
ln -sv gcc /usr/bin/cc
```

Now that our final toolchain is in place, it is important to again ensure that compiling and linking will work as expected. We do this by performing the same sanity checks as we did earlier in the chapter:

```
echo 'main(){}' > dummy.c  
cc dummy.c -Wl,--verbose &> dummy.log  
readelf -l a.out | grep ': /lib'
```

If everything is working correctly, there should be no errors, and the output of the last command will be (allowing for platform-specific differences in dynamic linker name):

```
[Requesting program interpreter: /lib/ld-linux.so.2]
```

Now make sure that we're setup to use the correct startfiles:

```
grep -o '/usr/lib.*/crt[lin].* .*' dummy.log
```

If everything is working correctly, there should be no errors, and the output of the last command will be:

```
/usr/lib/gcc/i686-pc-linux-gnu/4.0.3/../../../../crt1.o succeeded
/usr/lib/gcc/i686-pc-linux-gnu/4.0.3/../../../../crti.o succeeded
/usr/lib/gcc/i686-pc-linux-gnu/4.0.3/../../../../crtn.o succeeded
```

Next, verify that the new linker is being used with the correct search paths:

```
grep 'SEARCH.*usr/lib' dummy.log | sed 's|; |\n|g'
```

If everything is working correctly, there should be no errors, and the output of the last command will be:

```
SEARCH_DIR( "/usr/i686-pc-linux-gnu/lib" )
SEARCH_DIR( "/usr/local/lib" )
SEARCH_DIR( "/lib" )
SEARCH_DIR( "/usr/lib" );
```

Next make sure that we're using the correct libc:

```
grep "/lib/libc.so.6 " dummy.log
```

If everything is working correctly, there should be no errors, and the output of the last command will be:

```
attempt to open /lib/libc.so.6 succeeded
```

Lastly, make sure GCC is using the correct dynamic linker:

```
grep found dummy.log
```

If everything is working correctly, there should be no errors, and the output of the last command will be (allowing for platform-specific differences in dynamic linker name):

```
found ld-linux.so.2 at /lib/ld-linux.so.2
```

If the output does not appear as shown above or is not received at all, then something is seriously wrong. Investigate and retrace the steps to find out where the problem is and correct it. The most likely reason is that something went wrong with the specs file adjustment. Any issues will need to be resolved before continuing on with the process.

Once everything is working correctly, clean up the test files:

```
rm -v dummy.c a.out dummy.log
```

## 6.12.2. Contents of GCC

**Installed programs:** `c++`, `cc` (link to `gcc`), `cpp`, `g++`, `gcc`, `gccbug`, and `gcov`

**Installed libraries:** `libgcc.a`, `libgcc_eh.a`, `libgcc_s.so`, `libstdc++.{a,so}`, and `libsupc++.a`

### Short Descriptions

<code>cc</code>	The C compiler
<code>cpp</code>	The C preprocessor; it is used by the compiler to expand the <code>#include</code> , <code>#define</code> , and similar statements in the source files
<code>c++</code>	The C++ compiler
<code>g++</code>	The C++ compiler
<code>gcc</code>	The C compiler
<code>gccbug</code>	A shell script used to help create useful bug reports
<code>gcov</code>	A coverage testing tool; it is used to analyze programs to determine where optimizations will have the most effect
<code>libgcc</code>	Contains run-time support for <code>gcc</code>
<code>libstdc++</code>	The standard C++ library
<code>libsupc++</code>	Provides supporting routines for the C++ programming language

## 6.13. Berkeley DB-4.4.20

The Berkeley DB package contains programs and utilities used by many other applications for database related functions.

**Approximate build time:** 1.2 SBU

**Required disk space:** 77 MB



### Other Installation Possibilities

There are instructions to build this package in the BLFS book if you need to build the RPC server or additional language bindings. The additional language bindings will require additional packages to be installed. See <http://www.linuxfromscratch.org/blfs/view/svn/server/databases.html#db> for suggested installation instructions.

Also, GDBM *could* be used in place of Berkeley DB to satisfy Man-DB. However, since Berkeley DB is considered a core part of the LFS build, it will not be listed as a dependency for any package in the BLFS book. Likewise, many hours go into testing LFS with Berkeley DB installed, not with GDBM. If you fully understand the risks versus benefits of using GDBM and wish to use it anyway, see the BLFS instructions located at <http://www.linuxfromscratch.org/blfs/view/svn/general/gdbm.html>

### 6.13.1. Installation of Berkeley DB

Patch the package to eliminate potential trap events:

```
patch -Np1 -i ../db-4.4.20-fixes-1.patch
```

Prepare Berkeley DB for compilation:

```
cd build_unix &&
../dist/configure --prefix=/usr --enable-compat185 --enable-cxx
```

The meaning of the configure options:

`--enable-compat185`

This option enables building Berkeley DB 1.85 compatibility API.

`--enable-cxx`

This option enables building C++ API libraries.

Compile the package:

```
make
```

It is not possible to test the package meaningfully, because that would involve building TCL bindings. TCL bindings cannot be built properly now because TCL is linked against Glibc in `/tools`, not against Glibc in `/usr`.

Install the package:

```
make docdir=/usr/share/doc/db-4.4.20 install
```

The meaning of the make parameter:

*docdir=...*

This variable specifies the correct place for the documentation.

Fix the ownerships of the installed files:

```
chown -v root:root /usr/bin/db_* \
    /usr/lib/libdb* /usr/include/db* &&
chown -Rv root:root /usr/share/doc/db-4.4.20
```

## 6.13.2. Contents of Berkeley DB

**Installed programs:** `db_archive`, `db_checkpoint`, `db_deadlock`, `db_dump`, `db_hotbackup`, `db_load`, `db_printlog`, `db_recover`, `db_stat`, `db_upgrade`, and `db_verify`

**Installed libraries:** `libdb.{so,ar}` and `libdb_cxx.r{o,ar}`

### Short Descriptions

<b>db_archive</b>	Prints the pathnames of log files that are no longer in use
<b>db_checkpoint</b>	A daemon used to monitor and checkpoint database logs
<b>db_deadlock</b>	A daemon used to abort lock requests when deadlocks are detected
<b>db_dump</b>	Converts database files to a plain-text file format readable by <b>db_load</b>
<b>db_hotbackup</b>	Creates “hot backup” or “hot failover” snapshots of Berkeley DB databases
<b>db_load</b>	Is used to create database files from plain-text files
<b>db_printlog</b>	Converts database log files to human readable text
<b>db_recover</b>	Is used to restore a database to a consistent state after a failure
<b>db_stat</b>	Displays statistics for Berkeley databases
<b>db_upgrade</b>	Is used to upgrade database files to a newer version of Berkeley DB
<b>db_verify</b>	Is used to run consistency checks on database files
<code>libdb.{so,a}</code>	Contains functions to manipulate database files from C programs
<code>libdb_cxx.{so,a}</code>	Contains functions to manipulate database files from C++ programs

## 6.14. Coreutils-5.96

The Coreutils package contains utilities for showing and setting the basic system characteristics.

**Approximate build time:** 1.1 SBU

**Required disk space:** 58.3 MB

### 6.14.1. Installation of Coreutils

A known issue with the **uname** program from this package is that the `-p` switch always returns unknown. The following patch fixes this behavior for Intel architectures:

```
patch -Np1 -i ../coreutils-5.96-uname-1.patch
```

Prevent Coreutils from installing binaries that will be installed by other packages later:

```
patch -Np1 -i ../coreutils-5.96-suppress_uptime_kill_su-1.patch
```

POSIX requires that programs from Coreutils recognize character boundaries correctly even in multibyte locales. The following patch fixes this non-compliance and other internationalization-related bugs:

```
patch -Np1 -i ../coreutils-5.96-i18n-1.patch
```

In order for the tests added by this patch to pass, the permissions for the test file have to be changed:

```
chmod +x tests/sort/sort-mb-tests
```



#### Note

In the past, many bugs were found in this patch. When reporting new bugs to Coreutils maintainers, please check first if they are reproducible without this patch.

It has been found that translated messages sometimes overflow a buffer in the **who -Hu** command. Increase the buffer size:

```
sed -i 's/_LEN 6/_LEN 20/' src/who.c
```

Now prepare Coreutils for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

The test suite of Coreutils makes several assumptions about the presence of system users and groups that are not valid within the minimal environment that exists at the moment. Therefore, additional items need to be set up before running the tests. Skip down to “Install the package” if not running the test suite.

Create two dummy groups and a dummy user:

```
echo "dummy1:x:1000:" >> /etc/group
echo "dummy2:x:1001:dummy" >> /etc/group
echo "dummy:x:1000:1000::/root:/bin/bash" >> /etc/passwd
```

Now the test suite is ready to be run. First, run the tests that are meant to be run as user `root`:

```
make NON_ROOT_USERNAME=dummy check-root
```

Then run the remainder of the tests as the dummy user:

```
src/su dummy -c "make RUN_EXPENSIVE_TESTS=yes check"
```

When testing is complete, remove the dummy user and groups:

```
sed -i '/dummy/d' /etc/passwd /etc/group
```

Install the package:

```
make install
```

Move programs to the locations specified by the FHS:

```
mv -v /usr/bin/{cat,chgrp,chmod,chown,cp,date,dd,df,echo} /bin
mv -v /usr/bin/{false,hostname,ln,ls,mkdir,mknod,mv,pwd,rm} /bin
mv -v /usr/bin/{rmdir,stty,sync,true,uname} /bin
mv -v /usr/bin/chroot /usr/sbin
```

Some of the scripts in the LFS-Bootscripts package depend on **head**, **sleep**, and **nice**. As `/usr` may not be available during the early stages of booting, those binaries need to be on the root partition:

```
mv -v /usr/bin/{head,sleep,nice} /bin
```

## 6.14.2. Contents of Coreutils

**Installed programs:** `basename`, `cat`, `chgrp`, `chmod`, `chown`, `chroot`, `cksum`, `comm`, `cp`, `csplit`, `cut`, `date`, `dd`, `df`, `dir`, `dircolors`, `dirname`, `du`, `echo`, `env`, `expand`, `expr`, `factor`, `false`, `fmt`, `fold`, `groups`, `head`, `hostid`, `hostname`, `id`, `install`, `join`, `link`, `ln`, `logname`, `ls`, `md5sum`, `mkdir`, `mkfifo`, `mknod`, `mv`, `nice`, `nl`, `nohup`, `od`, `paste`, `pathchk`, `pinky`, `pr`, `printenv`, `printf`, `ptx`, `pwd`, `readlink`, `rm`, `rmdir`, `seq`, `sha1sum`, `shred`, `sleep`, `sort`, `split`, `stat`, `stty`, `sum`, `sync`, `tac`, `tail`, `tee`, `test`, `touch`, `tr`, `true`, `tsort`, `tty`, `uname`, `unexpand`, `uniq`, `unlink`, `users`, `vdir`, `wc`, `who`, `whoami`, and `yes`

### Short Descriptions

<b>basename</b>	Strips any path and a given suffix from a file name
<b>cat</b>	Concatenates files to standard output
<b>chgrp</b>	Changes the group ownership of files and directories
<b>chmod</b>	Changes the permissions of each file to the given mode; the mode can be either a symbolic representation of the changes to make or an octal number representing the new permissions

<b>chown</b>	Changes the user and/or group ownership of files and directories
<b>chroot</b>	Runs a command with the specified directory as the / directory
<b>cksum</b>	Prints the Cyclic Redundancy Check (CRC) checksum and the byte counts of each specified file
<b>comm</b>	Compares two sorted files, outputting in three columns the lines that are unique and the lines that are common
<b>cp</b>	Copies files
<b>csplit</b>	Splits a given file into several new files, separating them according to given patterns or line numbers and outputting the byte count of each new file
<b>cut</b>	Prints sections of lines, selecting the parts according to given fields or positions
<b>date</b>	Displays the current time in the given format, or sets the system date
<b>dd</b>	Copies a file using the given block size and count, while optionally performing conversions on it
<b>df</b>	Reports the amount of disk space available (and used) on all mounted file systems, or only on the file systems holding the selected files
<b>dir</b>	Lists the contents of each given directory (the same as the <b>ls</b> command)
<b>dircolors</b>	Outputs commands to set the <code>LS_COLOR</code> environment variable to change the color scheme used by <b>ls</b>
<b>dirname</b>	Strips the non-directory suffix from a file name
<b>du</b>	Reports the amount of disk space used by the current directory, by each of the given directories (including all subdirectories) or by each of the given files
<b>echo</b>	Displays the given strings
<b>env</b>	Runs a command in a modified environment
<b>expand</b>	Converts tabs to spaces
<b>expr</b>	Evaluates expressions
<b>factor</b>	Prints the prime factors of all specified integer numbers
<b>false</b>	Does nothing, unsuccessfully; it always exits with a status code indicating failure
<b>fmt</b>	Reformats the paragraphs in the given files
<b>fold</b>	Wraps the lines in the given files
<b>groups</b>	Reports a user's group memberships
<b>head</b>	Prints the first ten lines (or the given number of lines) of each given file
<b>hostid</b>	Reports the numeric identifier (in hexadecimal) of the host
<b>hostname</b>	Reports or sets the name of the host
<b>id</b>	Reports the effective user ID, group ID, and group memberships of the current user or specified user

<b>install</b>	Copies files while setting their permission modes and, if possible, their owner and group
<b>join</b>	Joins the lines that have identical join fields from two separate files
<b>link</b>	Creates a hard link with the given name to a file
<b>ln</b>	Makes hard links or soft (symbolic) links between files
<b>logname</b>	Reports the current user's login name
<b>ls</b>	Lists the contents of each given directory
<b>md5sum</b>	Reports or checks Message Digest 5 (MD5) checksums
<b>mkdir</b>	Creates directories with the given names
<b>mkfifo</b>	Creates First-In, First-Outs (FIFOs), a “named pipe” in UNIX parlance, with the given names
<b>mknod</b>	Creates device nodes with the given names; a device node is a character special file, a block special file, or a FIFO
<b>mv</b>	Moves or renames files or directories
<b>nice</b>	Runs a program with modified scheduling priority
<b>nl</b>	Numbers the lines from the given files
<b>nohup</b>	Runs a command immune to hangups, with its output redirected to a log file
<b>od</b>	Dumps files in octal and other formats
<b>paste</b>	Merges the given files, joining sequentially corresponding lines side by side, separated by tab characters
<b>pathchk</b>	Checks if file names are valid or portable
<b>pinky</b>	Is a lightweight finger client; it reports some information about the given users
<b>pr</b>	Paginates and columnates files for printing
<b>printenv</b>	Prints the environment
<b>printf</b>	Prints the given arguments according to the given format, much like the C printf function
<b>ptx</b>	Produces a permuted index from the contents of the given files, with each keyword in its context
<b>pwd</b>	Reports the name of the current working directory
<b>readlink</b>	Reports the value of the given symbolic link
<b>rm</b>	Removes files or directories
<b>rmdir</b>	Removes directories if they are empty
<b>seq</b>	Prints a sequence of numbers within a given range and with a given increment
<b>sha1sum</b>	Prints or checks 160-bit Secure Hash Algorithm 1 (SHA1) checksums
<b>shred</b>	Overwrites the given files repeatedly with complex patterns, making it difficult to recover the data

<b>sleep</b>	Pauses for the given amount of time
<b>sort</b>	Sorts the lines from the given files
<b>split</b>	Splits the given file into pieces, by size or by number of lines
<b>stat</b>	Displays file or filesystem status
<b>stty</b>	Sets or reports terminal line settings
<b>sum</b>	Prints checksum and block counts for each given file
<b>sync</b>	Flushes file system buffers; it forces changed blocks to disk and updates the super block
<b>tac</b>	Concatenates the given files in reverse
<b>tail</b>	Prints the last ten lines (or the given number of lines) of each given file
<b>tee</b>	Reads from standard input while writing both to standard output and to the given files
<b>test</b>	Compares values and checks file types
<b>touch</b>	Changes file timestamps, setting the access and modification times of the given files to the current time; files that do not exist are created with zero length
<b>tr</b>	Translates, squeezes, and deletes the given characters from standard input
<b>true</b>	Does nothing, successfully; it always exits with a status code indicating success
<b>tsort</b>	Performs a topological sort; it writes a completely ordered list according to the partial ordering in a given file
<b>tty</b>	Reports the file name of the terminal connected to standard input
<b>uname</b>	Reports system information
<b>unexpand</b>	Converts spaces to tabs
<b>uniq</b>	Discards all but one of successive identical lines
<b>unlink</b>	Removes the given file
<b>users</b>	Reports the names of the users currently logged on
<b>vdir</b>	Is the same as <b>ls -l</b>
<b>wc</b>	Reports the number of lines, words, and bytes for each given file, as well as a total line when more than one file is given
<b>who</b>	Reports who is logged on
<b>whoami</b>	Reports the user name associated with the current effective user ID
<b>yes</b>	Repeatedly outputs “y” or a given string until killed

## 6.15. Iana-Etc-2.10

The Iana-Etc package provides data for network services and protocols.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 2.1 MB

### 6.15.1. Installation of Iana-Etc

The following command converts the raw data provided by IANA into the correct formats for the `/etc/protocols` and `/etc/services` data files:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

### 6.15.2. Contents of Iana-Etc

**Installed files:** `/etc/protocols` and `/etc/services`

#### Short Descriptions

<code>/etc/protocols</code>	Describes the various DARPA Internet protocols that are available from the TCP/IP subsystem
<code>/etc/services</code>	Provides a mapping between friendly textual names for internet services, and their underlying assigned port numbers and protocol types

## 6.16. M4-1.4.4

The M4 package contains a macro processor.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 3 MB

### 6.16.1. Installation of M4

Prepare M4 for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

### 6.16.2. Contents of M4

**Installed program:** m4

#### Short Descriptions

**m4** copies the given files while expanding the macros that they contain. These macros are either built-in or user-defined and can take any number of arguments. Besides performing macro expansion, **m4** has built-in functions for including named files, running Unix commands, performing integer arithmetic, manipulating text, recursion, etc. The **m4** program can be used either as a front-end to a compiler or as a macro processor in its own right.

## 6.17. Bison-2.2

The Bison package contains a parser generator.

**Approximate build time:** 0.6 SBU

**Required disk space:** 11.9 MB

### 6.17.1. Installation of Bison

Prepare Bison for compilation:

```
./configure --prefix=/usr
```

The configure system causes bison to be built without support for internationalization of error messages if a **bison** program is not already in \$PATH. The following addition will correct this.

```
echo '#define YYENABLE_NLS 1' >> config.h
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

### 6.17.2. Contents of Bison

**Installed programs:** bison and yacc

**Installed library:** liby.a

#### Short Descriptions

- bison** Generates, from a series of rules, a program for analyzing the structure of text files; Bison is a replacement for Yacc (Yet Another Compiler Compiler)
- yacc** A wrapper for **bison**, meant for programs that still call **yacc** instead of **bison**; it calls **bison** with the `-y` option
- liby.a** The Yacc library containing implementations of Yacc-compatible `yyerror` and `main` functions; this library is normally not very useful, but POSIX requires it

## 6.18. Ncurses-5.5

The Ncurses package contains libraries for terminal-independent handling of character screens.

**Approximate build time:** 0.7 SBU

**Required disk space:** 31 MB

### 6.18.1. Installation of Ncurses

Since the release of Ncurses-5.5, a memory leak and some display bugs were found and fixed upstream. Apply those fixes:

```
patch -Np1 -i ../ncurses-5.5-fixes-1.patch
```

Prepare Ncurses for compilation:

```
./configure --prefix=/usr --with-shared --without-debug --enable-widenc
```

**The meaning of the configure option:**

*--enable-widenc*

This switch causes wide-character libraries (e.g., `libncursesw.so.5.5`) to be built instead of normal ones (e.g., `libncurses.so.5.5`). These wide-character libraries are usable in both multibyte and traditional 8-bit locales, while normal libraries work properly only in 8-bit locales. Wide-character and normal libraries are source-compatible, but not binary-compatible.

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Give the Ncurses libraries execute permissions:

```
chmod -v 755 /usr/lib/*.5.5
```

Fix a library that should not be executable:

```
chmod -v 644 /usr/lib/libncurses++w.a
```

Move the libraries to the `/lib` directory, where they are expected to reside:

```
mv -v /usr/lib/libncursesw.so.5* /lib
```

Because the libraries have been moved, one symlink points to a non-existent file. Recreate it:

```
ln -sfv ../../lib/libncursesw.so.5 /usr/lib/libncursesw.so
```

Many applications still expect the linker to be able to find non-wide-character Ncurses libraries. Trick such applications into linking with wide-character libraries by means of symlinks and linker scripts:

```
for lib in curses ncurses form panel menu ; do \
    rm -vf /usr/lib/lib${lib}.so ; \
    echo "INPUT(-l${lib}w)" >/usr/lib/lib${lib}.so ; \
    ln -sfv lib${lib}w.a /usr/lib/lib${lib}.a ; \
done &&
ln -sfv libncurses++w.a /usr/lib/libncurses++.a
```

Finally, make sure that old applications that look for `-lcurses` at build time are still buildable:

```
echo "INPUT(-lcursesw)" >/usr/lib/libcursesw.so &&
ln -sfv libcurses.so /usr/lib/libcurses.so &&
ln -sfv libcursesw.a /usr/lib/libcursesw.a &&
ln -sfv libcurses.a /usr/lib/libcurses.a
```



### Note

The instructions above don't create non-wide-character Ncurses libraries since no package installed by compiling from sources would link against them at runtime. If you must have such libraries because of some binary-only application, build them with the following commands:

```
make distclean &&
./configure --prefix=/usr --with-shared --without-normal \
    --without-debug --without-cxx-binding &&
make sources libs &&
cp -av lib/lib*.so.5* /usr/lib
```

## 6.18.2. Contents of Ncurses

**Installed programs:** `captainfo` (link to `tic`), `clear`, `infocmp`, `infotocap` (link to `tic`), `reset` (link to `tset`), `tack`, `tic`, `toe`, `tput`, and `tset`

**Installed libraries:** `libcursesw.{a,so}` (symlink and linker script to `libncursesw.{a,so}`), `libformw.{a,so}`, `libmenuw.{a,so}`, `libncurses++w.a`, `libncursesw.{a,so}`, `libpanelw.{a,so}` and their non-wide-character counterparts without "w" in the library names.

### Short Descriptions

<b>captainfo</b>	Converts a termcap description into a terminfo description
<b>clear</b>	Clears the screen, if possible
<b>infocmp</b>	Compares or prints out terminfo descriptions
<b>infotocap</b>	Converts a terminfo description into a termcap description
<b>reset</b>	Reinitializes a terminal to its default values
<b>tack</b>	The terminfo action checker; it is mainly used to test the accuracy of an entry in the terminfo database

<b>tic</b>	The terminfo entry-description compiler that translates a terminfo file from source format into the binary format needed for the ncurses library routines. A terminfo file contains information on the capabilities of a certain terminal
<b>toe</b>	Lists all available terminal types, giving the primary name and description for each
<b>tput</b>	Makes the values of terminal-dependent capabilities available to the shell; it can also be used to reset or initialize a terminal or report its long name
<b>tset</b>	Can be used to initialize terminals
<code>libcurses</code>	A link to <code>libncurses</code>
<code>libncurses</code>	Contains functions to display text in many complex ways on a terminal screen; a good example of the use of these functions is the menu displayed during the kernel's <b>make menuconfig</b>
<code>libform</code>	Contains functions to implement forms
<code>libmenu</code>	Contains functions to implement menus
<code>libpanel</code>	Contains functions to implement panels

## 6.19. Procps-3.2.6

The Procps package contains programs for monitoring processes.

**Approximate build time:** 0.1 SBU

**Required disk space:** 2.3 MB

### 6.19.1. Installation of Procps

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

### 6.19.2. Contents of Procps

**Installed programs:** free, kill, pgrep, pkill, pmap, ps, skill, slabtop, snice, sysctl, tload, top, uptime, vmstat, w, and watch

**Installed library:** libproc.so

#### Short Descriptions

<b>free</b>	Reports the amount of free and used memory (both physical and swap memory) in the system
<b>kill</b>	Sends signals to processes
<b>pgrep</b>	Looks up processes based on their name and other attributes
<b>pkill</b>	Signals processes based on their name and other attributes
<b>pmap</b>	Reports the memory map of the given process
<b>ps</b>	Lists the current running processes
<b>skill</b>	Sends signals to processes matching the given criteria
<b>slabtop</b>	Displays detailed kernel slab cache information in real time
<b>snice</b>	Changes the scheduling priority of processes matching the given criteria
<b>sysctl</b>	Modifies kernel parameters at run time
<b>tload</b>	Prints a graph of the current system load average
<b>top</b>	Displays a list of the most CPU intensive processes; it provides an ongoing look at processor activity in real time
<b>uptime</b>	Reports how long the system has been running, how many users are logged on, and the system load averages

- vmstat** Reports virtual memory statistics, giving information about processes, memory, paging, block Input/Output (IO), traps, and CPU activity
- w** Shows which users are currently logged on, where, and since when
- watch** Runs a given command repeatedly, displaying the first screen-full of its output; this allows a user to watch the output change over time
- libproc** Contains the functions used by most programs in this package

## 6.20. Sed-4.1.5

The Sed package contains a stream editor.

**Approximate build time:** 0.1 SBU

**Required disk space:** 6.4 MB

### 6.20.1. Installation of Sed

Prepare Sed for compilation:

```
./configure --prefix=/usr --bindir=/bin --enable-html
```

**The meaning of the new configure option:**

*--enable-html*

This builds the HTML documentation.

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

### 6.20.2. Contents of Sed

**Installed program:** sed

#### Short Descriptions

**sed** Filters and transforms text files in a single pass

## 6.21. Libtool-1.5.22

The Libtool package contains the GNU generic library support script. It wraps the complexity of using shared libraries in a consistent, portable interface.

**Approximate build time:** 0.1 SBU

**Required disk space:** 16.6 MB

### 6.21.1. Installation of Libtool

Prepare Libtool for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

### 6.21.2. Contents of Libtool

**Installed programs:** libtool and libtoolize

**Installed libraries:** libltdl.{a,so}

#### Short Descriptions

<b>libtool</b>	Provides generalized library-building support services
<b>libtoolize</b>	Provides a standard way to add <b>libtool</b> support to a package
<b>libltdl</b>	Hides the various difficulties of dlopening libraries

## 6.22. Perl-5.8.8

The Perl package contains the Practical Extraction and Report Language.

**Approximate build time:** 1.5 SBU

**Required disk space:** 143 MB

### 6.22.1. Installation of Perl

First create a basic `/etc/hosts` file which will be referenced in one of Perl's configuration files as well as being used by the testsuite if you run that.

```
echo "127.0.0.1 localhost $(hostname)" > /etc/hosts
```

To have full control over the way Perl is set up, run the interactive **Configure** script and hand-pick the way this package is built. If the defaults it auto-detects are suitable, prepare Perl for compilation with:

```
./configure.gnu --prefix=/usr \
-Dman1dir=/usr/share/man/man1 \
-Dman3dir=/usr/share/man/man3 \
-Dpager="/usr/bin/less -isR"
```

The meaning of the configure options:

`-Dpager="/usr/bin/less -isR"`

This corrects an error in the way that **perldoc** invokes the **less** program.

`-Dman1dir=/usr/share/man/man1 -Dman3dir=/usr/share/man/man3`

Since Groff is not installed yet, **Configure** thinks that we do not want man pages for Perl. Issuing these parameters overrides this decision.

Compile the package:

```
make
```

To test the results, issue: **make test**.

Install the package:

```
make install
```

## 6.22.2. Contents of Perl

**Installed programs:** a2p, c2ph, dprofpp, enc2xs, find2perl, h2ph, h2xs, instmodsh, libnetcfg, perl, perl5.8.8 (link to perl), perlbug, perlcc, perldoc, perlivp, piconv, pl2pm, pod2html, pod2latex, pod2man, pod2text, pod2usage, podchecker, podselect, psed (link to s2p), pstruct (link to c2ph), s2p, splain, and xsubpp

**Installed libraries:** Several hundred which cannot all be listed here

### Short Descriptions

<b>a2p</b>	Translates awk to Perl
<b>c2ph</b>	Dumps C structures as generated from <b>cc -g -S</b>
<b>dprofpp</b>	Displays Perl profile data
<b>enc2xs</b>	Builds a Perl extension for the Encode module from either Unicode Character Mappings or Tcl Encoding Files
<b>find2perl</b>	Translates <b>find</b> commands to Perl
<b>h2ph</b>	Converts .h C header files to .ph Perl header files
<b>h2xs</b>	Converts .h C header files to Perl extensions
<b>instmodsh</b>	Shell script for examining installed Perl modules, and can even create a tarball from an installed module
<b>libnetcfg</b>	Can be used to configure the libnet
<b>perl</b>	Combines some of the best features of C, <b>sed</b> , <b>awk</b> and <b>sh</b> into a single swiss-army language
<b>perl5.8.8</b>	A hard link to <b>perl</b>
<b>perlbug</b>	Used to generate bug reports about Perl, or the modules that come with it, and mail them
<b>perlcc</b>	Generates executables from Perl programs
<b>perldoc</b>	Displays a piece of documentation in pod format that is embedded in the Perl installation tree or in a Perl script
<b>perlivp</b>	The Perl Installation Verification Procedure; it can be used to verify that Perl and its libraries have been installed correctly
<b>piconv</b>	A Perl version of the character encoding converter <b>iconv</b>
<b>pl2pm</b>	A rough tool for converting Perl4 .pl files to Perl5 .pm modules
<b>pod2html</b>	Converts files from pod format to HTML format
<b>pod2latex</b>	Converts files from pod format to LaTeX format
<b>pod2man</b>	Converts pod data to formatted *roff input
<b>pod2text</b>	Converts pod data to formatted ASCII text
<b>pod2usage</b>	Prints usage messages from embedded pod docs in files
<b>podchecker</b>	Checks the syntax of pod format documentation files

<b>podselect</b>	Displays selected sections of pod documentation
<b>psed</b>	A Perl version of the stream editor <b>sed</b>
<b>pstruct</b>	Dumps C structures as generated from <b>cc -g -S</b> stabs
<b>s2p</b>	Translates <b>sed</b> scripts to Perl
<b>splain</b>	Is used to force verbose warning diagnostics in Perl
<b>xsubpp</b>	Converts Perl XS code into C code

## 6.23. Readline-5.1

The Readline package is a set of libraries that offers command-line editing and history capabilities.

**Approximate build time:** 0.1 SBU

**Required disk space:** 10.2 MB

### 6.23.1. Installation of Readline

Upstream developers have fixed several issues since the initial release of Readline-5.1. Apply those fixes:

```
patch -Np1 -i ../readline-5.1-fixes-3.patch
```

Reinstalling Readline will cause the old libraries to be moved to <libraryname>.old. While this is normally not a problem, in some cases it can trigger a linking bug in **ldconfig**. This can be avoided by issuing the following two `seds`:

```
sed -i '/MV.*old/d' Makefile.in
sed -i '/{OLDSUFF}/c:' support/shlib-install
```

Prepare Readline for compilation:

```
./configure --prefix=/usr --libdir=/lib
```

Compile the package:

```
make SHLIB_LIBS=-lncurses
```

**The meaning of the make option:**

```
SHLIB_LIBS=-lncurses
```

This option forces Readline to link against the `libncurses` (really, `libncursesw`) library.

This package does not come with a test suite.

Install the package:

```
make install
```

Give Readline's dynamic libraries more appropriate permissions:

```
chmod -v 755 /lib/lib{readline,history}.so*
```

Now move the static libraries to a more appropriate location:

```
mv -v /lib/lib{readline,history}.a /usr/lib
```

Next, remove the `.so` files in `/lib` and relink them into `/usr/lib`:

```
rm -v /lib/lib{readline,history}.so
ln -sfv ../../lib/libreadline.so.5 /usr/lib/libreadline.so
ln -sfv ../../lib/libhistory.so.5 /usr/lib/libhistory.so
```

## 6.23.2. Contents of Readline

**Installed libraries:** `libhistory.{a,so}`, and `libreadline.{a,so}`

### Short Descriptions

<code>libhistory</code>	Provides a consistent user interface for recalling lines of history
<code>libreadline</code>	Aids in the consistency of user interface across discrete programs that need to provide a command line interface

## 6.24. Zlib-1.2.3

The Zlib package contains compression and decompression routines used by some programs.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 3.1 MB

### 6.24.1. Installation of Zlib



#### Note

Zlib is known to build its shared library incorrectly if `CFLAGS` is specified in the environment. If using a specified `CFLAGS` variable, be sure to add the `-fPIC` directive to the `CFLAGS` variable for the duration of the `configure` command below, then remove it afterwards.

Prepare Zlib for compilation:

```
./configure --prefix=/usr --shared --libdir=/lib
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the shared library:

```
make install
```

The previous command installed a `.so` file in `/lib`. We will remove it and relink it into `/usr/lib`:

```
rm -v /lib/libz.so
ln -sfv ../../lib/libz.so.1.2.3 /usr/lib/libz.so
```

Build the static library:

```
make clean
./configure --prefix=/usr
make
```

To test the results again, issue: **make check**.

Install the static library:

```
make install
```

Fix the permissions on the static library:

```
chmod -v 644 /usr/lib/libz.a
```

## 6.24.2. Contents of Zlib

**Installed libraries:** libz.{a,so}

### Short Descriptions

libz Contains compression and decompression functions used by some programs

## 6.25. Autoconf-2.59

The Autoconf package contains programs for producing shell scripts that can automatically configure source code.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 7.2 MB

### 6.25.1. Installation of Autoconf

Prepare Autoconf for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

To test the results, issue: **make check**. This takes a long time, about 3 SBUs. In addition, 2 test are skipped that use Automake. For full test coverage, Autoconf can be re-tested after Automake has been installed.

Install the package:

```
make install
```

### 6.25.2. Contents of Autoconf

**Installed programs:** autoconf, autoheader, autom4te, autoreconf, autoscan, autoupdate, and ifnames

#### Short Descriptions

<b>autoconf</b>	Produces shell scripts that automatically configure software source code packages to adapt to many kinds of Unix-like systems. The configuration scripts it produces are independent—running them does not require the <b>autoconf</b> program.
<b>autoheader</b>	A tool for creating template files of C <i>#define</i> statements for configure to use
<b>autom4te</b>	A wrapper for the M4 macro processor
<b>autoreconf</b>	Automatically runs <b>autoconf</b> , <b>autoheader</b> , <b>aclocal</b> , <b>automake</b> , <b>gettextize</b> , and <b>libtoolize</b> in the correct order to save time when changes are made to <b>autoconf</b> and <b>automake</b> template files
<b>autoscan</b>	Helps to create a <code>configure.in</code> file for a software package; it examines the source files in a directory tree, searching them for common portability issues, and creates a <code>configure.scan</code> file that serves as as a preliminary <code>configure.in</code> file for the package
<b>autoupdate</b>	Modifies a <code>configure.in</code> file that still calls <b>autoconf</b> macros by their old names to use the current macro names

**ifnames**

Helps when writing `configure.in` files for a software package; it prints the identifiers that the package uses in C preprocessor conditionals. If a package has already been set up to have some portability, this program can help determine what **configure** needs to check for. It can also fill in gaps in a `configure.in` file generated by **autoscan**

## 6.26. Automake-1.9.6

The Automake package contains programs for generating Makefiles for use with Autoconf.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 7.9 MB

### 6.26.1. Installation of Automake

Prepare Automake for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

To test the results, issue: **make check**. This takes a long time, about 10 SBUs.

Install the package:

```
make install
```

### 6.26.2. Contents of Automake

**Installed programs:** acinstall, aclocal, aclocal-1.9.6, automake, automake-1.9.6, compile, config.guess, config.sub, depcomp, elisp-comp, install-sh, mdate-sh, missing, mkinstalldirs, py-compile, symlink-tree, and ylwrap

#### Short Descriptions

<b>acinstall</b>	A script that installs aclocal-style M4 files
<b>aclocal</b>	Generates <code>aclocal.m4</code> files based on the contents of <code>configure.in</code> files
<b>aclocal-1.9.6</b>	A hard link to <b>aclocal</b>
<b>automake</b>	A tool for automatically generating <code>Makefile.in</code> files from <code>Makefile.am</code> files. To create all the <code>Makefile.in</code> files for a package, run this program in the top-level directory. By scanning the <code>configure.in</code> file, it automatically finds each appropriate <code>Makefile.am</code> file and generates the corresponding <code>Makefile.in</code> file
<b>automake-1.9.6</b>	A hard link to <b>automake</b>
<b>compile</b>	A wrapper for compilers
<b>config.guess</b>	A script that attempts to guess the canonical triplet for the given build, host, or target architecture
<b>config.sub</b>	A configuration validation subroutine script

<b>depcomp</b>	A script for compiling a program so that dependency information is generated in addition to the desired output
<b>elisp-comp</b>	Byte-compiles Emacs Lisp code
<b>install-sh</b>	A script that installs a program, script, or data file
<b>mdate-sh</b>	A script that prints the modification time of a file or directory
<b>missing</b>	A script acting as a common stub for missing GNU programs during an installation
<b>mkinstalldirs</b>	A script that creates a directory tree
<b>py-compile</b>	Compiles a Python program
<b>symlink-tree</b>	A script to create a symlink tree of a directory tree
<b>ylwrap</b>	A wrapper for <b>lex</b> and <b>yacc</b>

## 6.27. Bash-3.1

The Bash package contains the Bourne-Again SHell.

**Approximate build time:** 0.4 SBU

**Required disk space:** 25.8 MB

### 6.27.1. Installation of Bash

If you downloaded the Bash documentation tarball and wish to install HTML documentation, issue the following commands:

```
tar -xvf ../bash-doc-3.1.tar.gz &&
sed -i "s|htmldir = @htmldir@|htmldir = /usr/share/doc/bash-3.1|" \
    Makefile.in
```

Upstream developers have fixed several issues since the initial release of Bash-3.1. Apply those fixes:

```
patch -Np1 -i ../bash-3.1-fixes-8.patch
```

Prepare Bash for compilation:

```
./configure --prefix=/usr --bindir=/bin \
    --without-bash-malloc --with-installed-readline
```

The meaning of the configure options:

*--with-installed-readline*

This option tells Bash to use the `readline` library that is already installed on the system rather than using its own `readline` version.

Compile the package:

```
make
```

To test the results, issue: **make tests**.

Install the package:

```
make install
```

Run the newly compiled **bash** program (replacing the one that is currently being executed):

```
exec /bin/bash --login +h
```



#### Note

The parameters used make the **bash** process an interactive login shell and continue to disable hashing so that new programs are found as they become available.

## 6.27.2. Contents of Bash

**Installed programs:** bash, bashbug, and sh (link to bash)

### Short Descriptions

- bash** A widely-used command interpreter; it performs many types of expansions and substitutions on a given command line before executing it, thus making this interpreter a powerful tool
- bashbug** A shell script to help the user compose and mail standard formatted bug reports concerning **bash**
- sh** A symlink to the **bash** program; when invoked as **sh**, **bash** tries to mimic the startup behavior of historical versions of **sh** as closely as possible, while conforming to the POSIX standard as well

## 6.28. Bzip2-1.0.3

The Bzip2 package contains programs for compressing and decompressing files. Compressing text files with **bzip2** yields a much better compression percentage than with the traditional **gzip**.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 5.3 MB

### 6.28.1. Installation of Bzip2

Apply a patch to install the documentation for this package:

```
patch -Np1 -i ../bzip2-1.0.3-install_docs-1.patch
```

The **bzgrep** command does not escape '|' and '&' in filenames passed to it. This allows arbitrary commands to be executed with the privileges of the user running **bzgrep**. Apply the following to address this:

```
patch -Np1 -i ../bzip2-1.0.3-bzgrep_security-1.patch
```

The **bzdiff** script still uses the deprecated **tempfile** program. Update it to use **mktemp** instead:

```
sed -i 's@tempfile -d /tmp -p bz@mktemp -p /tmp@' bzdiff
```

Prepare Bzip2 for compilation with:

```
make -f Makefile-libbz2_so
make clean
```

**The meaning of the make parameter:**

```
-f Makefile-libbz2_so
```

This will cause Bzip2 to be built using a different Makefile file, in this case the `Makefile-libbz2_so` file, which creates a dynamic `libbz2.so` library and links the Bzip2 utilities against it.

Compile and test the package:

```
make
```

If reinstalling Bzip2, perform `rm -vf /usr/bin/bz*` first, otherwise the following **make install** will fail.

Install the programs:

```
make install
```

Install the shared **bzip2** binary into the `/bin` directory, make some necessary symbolic links, and clean up:

```
cp -v bzip2-shared /bin/bzip2
cp -av libbz2.so* /lib
ln -sv ../../lib/libbz2.so.1.0 /usr/lib/libbz2.so
rm -v /usr/bin/{bunzip2,bzcat,bzip2}
ln -sv bzip2 /bin/bunzip2
ln -sv bzip2 /bin/bzcat
```

## 6.28.2. Contents of Bzip2

**Installed programs:** bunzip2 (link to bzip2), bzcat (link to bzip2), bzcmp, bzdiff, bzegrep, bzfgrep, bzgrep, bzip2, bzip2recover, bzless, and bzmores

**Installed libraries:** libbz2.{a,so}

### Short Descriptions

<b>bunzip2</b>	Decompresses bziped files
<b>bzcat</b>	Decompresses to standard output
<b>bzcmp</b>	Runs <b>cmp</b> on bziped files
<b>bzdiff</b>	Runs <b>diff</b> on bziped files
<b>bzgrep</b>	Runs <b>grep</b> on bziped files
<b>bzegrep</b>	Runs <b>egrep</b> on bziped files
<b>bzfgrep</b>	Runs <b>fgrep</b> on bziped files
<b>bzip2</b>	Compresses files using the Burrows-Wheeler block sorting text compression algorithm with Huffman coding; the compression rate is better than that achieved by more conventional compressors using “Lempel-Ziv” algorithms, like <b>gzip</b>
<b>bzip2recover</b>	Tries to recover data from damaged bziped files
<b>bzless</b>	Runs <b>less</b> on bziped files
<b>bzmores</b>	Runs <b>more</b> on bziped files
<b>libbz2*</b>	The library implementing lossless, block-sorting data compression, using the Burrows-Wheeler algorithm

## 6.29. Diffutils-2.8.1

The Diffutils package contains programs that show the differences between files or directories.

**Approximate build time:** 0.1 SBU

**Required disk space:** 6.3 MB

### 6.29.1. Installation of Diffutils

POSIX requires the **diff** command to treat whitespace characters according to the current locale. The following patch fixes the non-compliance issue:

```
patch -Np1 -i ../diffutils-2.8.1-i18n-1.patch
```

The above patch will cause the Diffutils build system to attempt to rebuild the `diff.1` man page using the unavailable program **help2man**. The result is an unreadable man page for **diff**. We can avoid this by updating the timestamp on the file `man/diff.1`:

```
touch man/diff.1
```

Prepare Diffutils for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

### 6.29.2. Contents of Diffutils

**Installed programs:** `cmp`, `diff`, `diff3`, and `sdiff`

#### Short Descriptions

<b>cmp</b>	Compares two files and reports whether or in which bytes they differ
<b>diff</b>	Compares two files or directories and reports which lines in the files differ
<b>diff3</b>	Compares three files line by line
<b>sdiff</b>	Merges two files and interactively outputs the results

## 6.30. E2fsprogs-1.39

The E2fsprogs package contains the utilities for handling the `ext2` file system. It also supports the `ext3` journaling file system.

**Approximate build time:** 0.4 SBU

**Required disk space:** 31.2 MB

### 6.30.1. Installation of E2fsprogs

It is recommended that E2fsprogs be built in a subdirectory of the source tree:

```
mkdir -v build
cd build
```

Prepare E2fsprogs for compilation:

```
../configure --prefix=/usr --with-root-prefix="" \
  --enable-elf-shlibs --disable-evms
```

**The meaning of the configure options:**

*--with-root-prefix=""*

Certain programs (such as the **e2fsck** program) are considered essential programs. When, for example, `/usr` is not mounted, these programs still need to be available. They belong in directories like `/lib` and `/sbin`. If this option is not passed to E2fsprogs' `configure`, the programs are installed into the `/usr` directory.

*--enable-elf-shlibs*

This creates the shared libraries which some programs in this package use.

*--disable-evms*

This disables the building of the Enterprise Volume Management System (EVMS) plugin. This plugin is not up-to-date with the latest EVMS internal interfaces and EVMS is not installed as part of a base LFS system, so the plugin is not required. See the EVMS website at <http://evms.sourceforge.net/> for more information regarding EVMS.

Compile the package:

```
make
```

To test the results, issue: **make check**.

One of the E2fsprogs tests will attempt to allocate 256 MB of memory. If you do not have significantly more RAM than this, it is recommended to enable sufficient swap space for the test. See Section 2.3, “Creating a File System on the Partition” and Section 2.4, “Mounting the New Partition” for details on creating and enabling swap space.

Install the binaries and documentation:

```
make install
```

Install the shared libraries:

```
make install-libs
```

## 6.30.2. Contents of E2fsprogs

**Installed programs:** badblocks, blkid, chattr, compile\_et, debugfs, dumpe2fs, e2fsck, e2image, e2label, filefrag, findfs, fsck, fsck.ext2, fsck.ext3, logsave, lsattr, mk\_cmds, mke2fs, mkfs.ext2, mkfs.ext3, mklost+found, resize2fs, tune2fs, and uuidgen.

**Installed libraries:** libblkid.{a,so}, libcom\_err.{a,so}, libe2p.{a,so}, libext2fs.{a,so}, libss.{a,so}, and libuuid.{a,so}

### Short Descriptions

<b>badblocks</b>	Searches a device (usually a disk partition) for bad blocks
<b>blkid</b>	A command line utility to locate and print block device attributes
<b>chattr</b>	Changes the attributes of files on an <code>ext2</code> file system; it also changes <code>ext3</code> file systems, the journaling version of <code>ext2</code> file systems
<b>compile_et</b>	An error table compiler; it converts a table of error-code names and messages into a C source file suitable for use with the <code>com_err</code> library
<b>debugfs</b>	A file system debugger; it can be used to examine and change the state of an <code>ext2</code> file system
<b>dumpe2fs</b>	Prints the super block and blocks group information for the file system present on a given device
<b>e2fsck</b>	Is used to check, and optionally repair <code>ext2</code> file systems and <code>ext3</code> file systems
<b>e2image</b>	Is used to save critical <code>ext2</code> file system data to a file
<b>e2label</b>	Displays or changes the file system label on the <code>ext2</code> file system present on a given device
<b>filefrag</b>	Reports on how badly fragmented a particular file might be
<b>findfs</b>	Finds a file system by label or Universally Unique Identifier (UUID)
<b>fsck</b>	Is used to check, and optionally repair, file systems
<b>fsck.ext2</b>	By default checks <code>ext2</code> file systems
<b>fsck.ext3</b>	By default checks <code>ext3</code> file systems
<b>logsave</b>	Saves the output of a command in a log file
<b>lsattr</b>	Lists the attributes of files on a second extended file system
<b>mk_cmds</b>	Converts a table of command names and help messages into a C source file suitable for use with the <code>libss</code> subsystem library
<b>mke2fs</b>	Creates an <code>ext2</code> or <code>ext3</code> file system on the given device
<b>mkfs.ext2</b>	By default creates <code>ext2</code> file systems

<b>mkfs.ext3</b>	By default creates <code>ext3</code> file systems
<b>mklost+found</b>	Used to create a <code>lost+found</code> directory on an <code>ext2</code> file system; it pre-allocates disk blocks to this directory to lighten the task of <b>e2fsck</b>
<b>resize2fs</b>	Can be used to enlarge or shrink an <code>ext2</code> file system
<b>tune2fs</b>	Adjusts tunable file system parameters on an <code>ext2</code> file system
<b>uuidgen</b>	Creates new UUIDs. Each new UUID can reasonably be considered unique among all UUIDs created, on the local system and on other systems, in the past and in the future
<code>libblkid</code>	Contains routines for device identification and token extraction
<code>libcom_err</code>	The common error display routine
<code>libe2p</code>	Used by <b>dumpe2fs</b> , <b>chattr</b> , and <b>lsattr</b>
<code>libext2fs</code>	Contains routines to enable user-level programs to manipulate an <code>ext2</code> file system
<code>libss</code>	Used by <b>debugfs</b>
<code>libuuid</code>	Contains routines for generating unique identifiers for objects that may be accessible beyond the local system

## 6.31. File-4.17

The File package contains a utility for determining the type of a given file or files.

**Approximate build time:** 0.1 SBU

**Required disk space:** 7.5 MB

### 6.31.1. Installation of File

Prepare File for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

### 6.31.2. Contents of File

**Installed programs:** file

**Installed library:** libmagic.{a,so}

#### Short Descriptions

- |                 |                                                                                                                                       |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <b>file</b>     | Tries to classify each given file; it does this by performing several tests—file system tests, magic number tests, and language tests |
| <b>libmagic</b> | Contains routines for magic number recognition, used by the <b>file</b> program                                                       |

## 6.32. Findutils-4.2.27

The Findutils package contains programs to find files. These programs are provided to recursively search through a directory tree and to create, maintain, and search a database (often faster than the recursive find, but unreliable if the database has not been recently updated).

**Approximate build time:** 0.2 SBU

**Required disk space:** 12 MB

### 6.32.1. Installation of Findutils

Prepare Findutils for compilation:

```
./configure --prefix=/usr --libexecdir=/usr/lib/findutils \
  --localstatedir=/var/lib/locate
```

The meaning of the configure options:

*--localstatedir*

This option changes the location of the **locate** database to be in `/var/lib/locate`, which is FHS-compliant.

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Some of the scripts in the LFS-Bootscripts package depend on **find**. As `/usr` may not be available during the early stages of booting, this program needs to be on the root partition. The **updatedb** script also needs to be modified to correct an explicit path:

```
mv -v /usr/bin/find /bin
sed -i -e 's/find:=${BINDIR}/find:=\bin/' /usr/bin/updatedb
```

### 6.32.2. Contents of Findutils

**Installed programs:** bigram, code, find, frcode, locate, updatedb, and xargs

#### Short Descriptions

<b>bigram</b>	Was formerly used to produce <b>locate</b> databases
<b>code</b>	Was formerly used to produce <b>locate</b> databases; it is the ancestor of <b>frcode</b> .
<b>find</b>	Searches given directory trees for files matching the specified criteria

- frcode** Is called by **updatedb** to compress the list of file names; it uses front-compression, reducing the database size by a factor of four to five.
- locate** Searches through a database of file names and reports the names that contain a given string or match a given pattern
- updatedb** Updates the **locate** database; it scans the entire file system (including other file systems that are currently mounted, unless told not to) and puts every file name it finds into the database
- xargs** Can be used to apply a given command to a list of files

## 6.33. Flex-2.5.33

The Flex package contains a utility for generating programs that recognize patterns in text.

**Approximate build time:** 0.1 SBU

**Required disk space:** 8.4 MB

### 6.33.1. Installation of Flex

Prepare Flex for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

There are some packages that expect to find the `lex` library in `/usr/lib`. Create a symlink to account for this:

```
ln -sv libfl.a /usr/lib/libl.a
```

A few programs do not know about **flex** yet and try to run its predecessor, **lex**. To support those programs, create a wrapper script named `lex` that calls `flex` in **lex** emulation mode:

```
cat > /usr/bin/lex << "EOF"
#!/bin/sh
# Begin /usr/bin/lex

exec /usr/bin/flex -l "$@"

# End /usr/bin/lex
EOF
chmod -v 755 /usr/bin/lex
```

### 6.33.2. Contents of Flex

**Installed programs:** flex and lex

**Installed library:** libfl.a

#### Short Descriptions

**flex**      A tool for generating programs that recognize patterns in text; it allows for the versatility to specify the rules for pattern-finding, eradicating the need to develop a specialized program

**lex**            A script that runs **flex** in **lex** emulation mode  
`libfl.a`       The `flex` library

## 6.34. GRUB-0.97

The GRUB package contains the GRand Unified Bootloader.

**Approximate build time:** 0.2 SBU

**Required disk space:** 10.2 MB

### 6.34.1. Installation of GRUB

This package is known to have issues when its default optimization flags (including the `-march` and `-mcpu` options) are changed. If any environment variables that override default optimizations have been defined, such as `CFLAGS` and `CXXFLAGS`, unset them when building GRUB.

Start by applying the following patch to allow for better drive detection, fix some GCC 4.x issues, and provide better SATA support for some disk controllers:

```
patch -Np1 -i ../grub-0.97-disk_geometry-1.patch
```

Prepare GRUB for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
mkdir -v /boot/grub
cp -v /usr/lib/grub/i386-pc/stage{1,2} /boot/grub
```

Replace `i386-pc` with whatever directory is appropriate for the hardware in use.

The `i386-pc` directory contains a number of `*stage1_5` files, different ones for different file systems. Review the files available and copy the appropriate ones to the `/boot/grub` directory. Most users will copy the `e2fs_stage1_5` and/or `reiserfs_stage1_5` files.

### 6.34.2. Contents of GRUB

**Installed programs:** `grub`, `grub-install`, `grub-md5-crypt`, `grub-set-default`, `grub-terminfo`, and `mbchk`

#### Short Descriptions

<b>grub</b>	The Grand Unified Bootloader's command shell
<b>grub-install</b>	Installs GRUB on the given device
<b>grub-md5-crypt</b>	Encrypts a password in MD5 format

<b>grub-set-default</b>	Sets the default boot entry for GRUB
<b>grub-terminfo</b>	Generates a terminfo command from a terminfo name; it can be employed if an unknown terminal is being used
<b>mbchk</b>	Checks the format of a multi-boot kernel

## 6.35. Gawk-3.1.5

The Gawk package contains programs for manipulating text files.

**Approximate build time:** 0.2 SBU

**Required disk space:** 18.2 MB

### 6.35.1. Installation of Gawk

Under some circumstances, Gawk-3.1.5 attempts to free a chunk of memory that was not allocated. This bug is fixed by the following patch:

```
patch -Np1 -i ../gawk-3.1.5-segfault_fix-1.patch
```

Prepare Gawk for compilation:

```
./configure --prefix=/usr --libexecdir=/usr/lib
```

Due to a bug in the `configure` script, Gawk fails to detect certain aspects of locale support in Glibc. This bug leads to, e.g., Gettext testsuite failures. Work around this issue by appending the missing macro definitions to `config.h`:

```
cat >>config.h <<"EOF"
#define HAVE_LANGINFO_CODESET 1
#define HAVE_LC_MESSAGES 1
EOF
```

Compile the package:

```
make
```

To test the results, issue: `make check`.

Install the package:

```
make install
```

### 6.35.2. Contents of Gawk

**Installed programs:** `awk` (link to `gawk`), `gawk`, `gawk-3.1.5`, `grcat`, `igawk`, `pgawk`, `pgawk-3.1.5`, and `pwcat`

#### Short Descriptions

<code>awk</code>	A link to <code>gawk</code>
<code>gawk</code>	A program for manipulating text files; it is the GNU implementation of <code>awk</code>
<code>gawk-3.1.5</code>	A hard link to <code>gawk</code>
<code>grcat</code>	Dumps the group database <code>/etc/group</code>
<code>igawk</code>	Gives <code>gawk</code> the ability to include files

<b>pgawk</b>	The profiling version of <b>gawk</b>
<b>pgawk-3.1.5</b>	Hard link to <b>pgawk</b>
<b>pwcat</b>	Dumps the password database <code>/etc/passwd</code>

## 6.36. Gettext-0.14.5

The Gettext package contains utilities for internationalization and localization. These allow programs to be compiled with NLS (Native Language Support), enabling them to output messages in the user's native language.

**Approximate build time:** 1 SBU

**Required disk space:** 65 MB

### 6.36.1. Installation of Gettext

Prepare Gettext for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

To test the results, issue: **make check**. This takes a very long time, around 5 SBUs.

Install the package:

```
make install
```

### 6.36.2. Contents of Gettext

**Installed programs:** autopoint, config.charset, config.rpath, envsubst, gettext, gettext.sh, gettextize, hostname, msgattrib, msgcat, msgcmp, msgcomm, msgconv, msgen, msgexec, msgfilter, msgfmt, msggrep, msginit, msgmerge, msgunfmt, msguniq, ngettext, and xgettext

**Installed libraries:** libasprintf.{a,so}, libgettextlib.so, libgettextpo.{a,so}, and libgettextsrc.so

### Short Descriptions

<b>autopoint</b>	Copies standard Gettext infrastructure files into a source package
<b>config.charset</b>	Outputs a system-dependent table of character encoding aliases
<b>config.rpath</b>	Outputs a system-dependent set of variables, describing how to set the runtime search path of shared libraries in an executable
<b>envsubst</b>	Substitutes environment variables in shell format strings
<b>gettext</b>	Translates a natural language message into the user's language by looking up the translation in a message catalog
<b>gettext.sh</b>	Primarily serves as a shell function library for gettext
<b>gettextize</b>	Copies all standard Gettext files into the given top-level directory of a package to begin internationalizing it
<b>hostname</b>	Displays a network hostname in various forms

<b>msgattrib</b>	Filters the messages of a translation catalog according to their attributes and manipulates the attributes
<b>msgcat</b>	Concatenates and merges the given .po files
<b>msgcmp</b>	Compares two .po files to check that both contain the same set of msgid strings
<b>msgcomm</b>	Finds the messages that are common to the given .po files
<b>msgconv</b>	Converts a translation catalog to a different character encoding
<b>msgen</b>	Creates an English translation catalog
<b>msgexec</b>	Applies a command to all translations of a translation catalog
<b>msgfilter</b>	Applies a filter to all translations of a translation catalog
<b>msgfmt</b>	Generates a binary message catalog from a translation catalog
<b>msggrep</b>	Extracts all messages of a translation catalog that match a given pattern or belong to some given source files
<b>msginit</b>	Creates a new .po file, initializing the meta information with values from the user's environment
<b>msgmerge</b>	Combines two raw translations into a single file
<b>msgunfmt</b>	Decompiles a binary message catalog into raw translation text
<b>msguniq</b>	Unifies duplicate translations in a translation catalog
<b>ngettext</b>	Displays native language translations of a textual message whose grammatical form depends on a number
<b>xgettext</b>	Extracts the translatable message lines from the given source files to make the first translation template
<b>libasprintf</b>	defines the <i>autosprintf</i> class, which makes C formatted output routines usable in C++ programs, for use with the <i>&lt;string&gt;</i> strings and the <i>&lt;iostream&gt;</i> streams
<b>libgettextlib</b>	a private library containing common routines used by the various Gettext programs; these are not intended for general use
<b>libgettextpo</b>	Used to write specialized programs that process .po files; this library is used when the standard applications shipped with Gettext (such as <b>msgcomm</b> , <b>msgcmp</b> , <b>msgattrib</b> , and <b>msgen</b> ) will not suffice
<b>libgettextsrc</b>	A private library containing common routines used by the various Gettext programs; these are not intended for general use

## 6.37. Grep-2.5.1a

The Grep package contains programs for searching through files.

**Approximate build time:** 0.1 SBU

**Required disk space:** 4.8 MB

### 6.37.1. Installation of Grep

The current Grep package has many bugs, especially in the support of multibyte locales. RedHat fixed some of them with the following patch:

```
patch -Np1 -i ../grep-2.5.1a-redhat_fixes-2.patch
```

In order for the tests added by this patch to pass, the permissions for the test file have to be changed:

```
chmod +x tests/fmbtest.sh
```

Prepare Grep for compilation:

```
./configure --prefix=/usr --bindir=/bin
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

### 6.37.2. Contents of Grep

**Installed programs:** `egrep` (link to `grep`), `fgrep` (link to `grep`), and `grep`

#### Short Descriptions

- egrep**    Prints lines matching an extended regular expression
- fgrep**    Prints lines matching a list of fixed strings
- grep**     Prints lines matching a basic regular expression

## 6.38. Groff-1.18.1.1

The Groff package contains programs for processing and formatting text.

**Approximate build time:** 0.4 SBU

**Required disk space:** 39.2 MB

### 6.38.1. Installation of Groff

Apply the patch that adds the “ascii8” and “nippon” devices to Groff:

```
patch -Np1 -i ../groff-1.18.1.1-debian_fixes-1.patch
```



#### Note

These devices are used by Man-DB when formatting non-English manual pages that are not in the ISO-8859-1 encoding. Currently, there is no working patch for Groff-1.19.x that adds this functionality.

Many screen fonts don't have Unicode single quotes and dashes in them. Tell Groff to use the ASCII equivalents instead:

```
sed -i -e 's/2010/002D/' -e 's/2212/002D/' \
    -e 's/2018/0060/' -e 's/2019/0027/' font/devutf8/R.proto
```

Groff expects the environment variable `PAGE` to contain the default paper size. For users in the United States, `PAGE=letter` is appropriate. Elsewhere, `PAGE=A4` may be more suitable. While the default paper size is configured during compilation, it can be overridden later by echoing either “A4” or “letter” to the `/etc/papersize` file.

Prepare Groff for compilation:

```
PAGE=<paper_size> ./configure --prefix=/usr --enable-multibyte
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Some documentation programs, such as **xman**, will not work properly without the following symlinks:

```
ln -sv eqn /usr/bin/geqn
ln -sv tbl /usr/bin/gtbl
```

## 6.38.2. Contents of Groff

**Installed programs:** addftinfo, afmtodit, eqn, eqn2graph, geqn (link to eqn), grn, grodvi, groff, groffer, grog, grolbp, grolj4, grops, grotty, gtbl (link to tbl), hpftodit, indxbib, lkbib, lookbib, mmroff, neqn, nroff, pfbtops, pic, pic2graph, post-grohtml, pre-grohtml, refer, soelim, tbl, tfmtodit, and troff

### Short Descriptions

<b>addftinfo</b>	Reads a troff font file and adds some additional font-metric information that is used by the <b>groff</b> system
<b>afmtodit</b>	Creates a font file for use with <b>groff</b> and <b>grops</b>
<b>eqn</b>	Compiles descriptions of equations embedded within troff input files into commands that are understood by <b>troff</b>
<b>eqn2graph</b>	Converts a troff EQN (equation) into a cropped image
<b>geqn</b>	A link to <b>eqn</b>
<b>grn</b>	A <b>groff</b> preprocessor for gremlin files
<b>grodvi</b>	A driver for <b>groff</b> that produces TeX dvi format
<b>groff</b>	A front-end to the groff document formatting system; normally, it runs the <b>troff</b> program and a post-processor appropriate for the selected device
<b>groffer</b>	Displays groff files and man pages on X and tty terminals
<b>grog</b>	Reads files and guesses which of the <b>groff</b> options <code>-e</code> , <code>-man</code> , <code>-me</code> , <code>-mm</code> , <code>-ms</code> , <code>-p</code> , <code>-s</code> , and <code>-t</code> are required for printing files, and reports the <b>groff</b> command including those options
<b>grolbp</b>	Is a <b>groff</b> driver for Canon CAPSL printers (LBP-4 and LBP-8 series laser printers)
<b>grolj4</b>	Is a driver for <b>groff</b> that produces output in PCL5 format suitable for an HP LaserJet 4 printer
<b>grops</b>	Translates the output of GNU <b>troff</b> to PostScript
<b>grotty</b>	Translates the output of GNU <b>troff</b> into a form suitable for typewriter-like devices
<b>gtbl</b>	A link to <b>tbl</b>
<b>hpftodit</b>	Creates a font file for use with <b>groff -Tlj4</b> from an HP-tagged font metric file
<b>indxbib</b>	Creates an inverted index for the bibliographic databases with a specified file for use with <b>refer</b> , <b>lookbib</b> , and <b>lkbib</b>
<b>lkbib</b>	Searches bibliographic databases for references that contain specified keys and reports any references found
<b>lookbib</b>	Prints a prompt on the standard error (unless the standard input is not a terminal), reads a line containing a set of keywords from the standard input, searches the bibliographic databases in a specified file for references containing those keywords, prints any references found on the standard output, and repeats this process until the end of input

<b>mmroff</b>	A simple preprocessor for <b>groff</b>
<b>neqn</b>	Formats equations for American Standard Code for Information Interchange (ASCII) output
<b>nroff</b>	A script that emulates the <b>nroff</b> command using <b>groff</b>
<b>pfbtops</b>	Translates a PostScript font in <code>.pfb</code> format to ASCII
<b>pic</b>	Compiles descriptions of pictures embedded within troff or TeX input files into commands understood by TeX or <b>troff</b>
<b>pic2graph</b>	Converts a PIC diagram into a cropped image
<b>post-grohtml</b>	Translates the output of GNU <b>troff</b> to HTML
<b>pre-grohtml</b>	Translates the output of GNU <b>troff</b> to HTML
<b>refer</b>	Copies the contents of a file to the standard output, except that lines between <code>./</code> and <code>./</code> are interpreted as citations, and lines between <code>.R1</code> and <code>.R2</code> are interpreted as commands for how citations are to be processed
<b>soelim</b>	Reads files and replaces lines of the form <code>.so file</code> by the contents of the mentioned <i>file</i>
<b>tbl</b>	Compiles descriptions of tables embedded within troff input files into commands that are understood by <b>troff</b>
<b>tfmto dit</b>	Creates a font file for use with <b>groff -Tdvi</b>
<b>troff</b>	Is highly compatible with Unix <b>troff</b> ; it should usually be invoked using the <b>groff</b> command, which will also run preprocessors and post-processors in the appropriate order and with the appropriate options

## 6.39. Gzip-1.3.5

The Gzip package contains programs for compressing and decompressing files.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 2.2 MB

### 6.39.1. Installation of Gzip

Gzip has 2 known security vulnerabilities. The following patch addresses both of them:

```
patch -Np1 -i ../gzip-1.3.5-security_fixes-1.patch
```

Prepare Gzip for compilation:

```
./configure --prefix=/usr
```

The **gzexe** script has the location of the **gzip** binary hard-wired into it. Because the location of the binary is changed later, the following command ensures that the new location gets placed into the script:

```
sed -i 's@"BINDIR"@"/bin@g' gzexe.in
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Move the **gzip** program to the `/bin` directory and create some commonly used symlinks to it:

```
mv -v /usr/bin/gzip /bin
rm -v /usr/bin/{gunzip,zcat}
ln -sv gzip /bin/gunzip
ln -sv gzip /bin/zcat
ln -sv gzip /bin/compress
ln -sv gunzip /bin/uncompress
```

### 6.39.2. Contents of Gzip

**Installed programs:** `compress` (link to `gzip`), `gunzip` (link to `gzip`), `gzexe`, `gzip`, `uncompress` (link to `gunzip`), `zcat` (link to `gzip`), `zcmp`, `zdiff`, `zegrep`, `zfgrep`, `zforce`, `zgrep`, `zless`, `zmore`, and `znew`

#### Short Descriptions

<b>compress</b>	Compresses and decompresses files
<b>gunzip</b>	Decompresses gzipped files

<b>gzexe</b>	Creates self-decompressing executable files
<b>gzip</b>	Compresses the given files using Lempel-Ziv (LZ77) coding
<b>uncompress</b>	Decompresses compressed files
<b>zcat</b>	Decompresses the given gzipped files to standard output
<b>zcmp</b>	Runs <b>cmp</b> on gzipped files
<b>zdiff</b>	Runs <b>diff</b> on gzipped files
<b>zegrep</b>	Runs <b>egrep</b> on gzipped files
<b>zfgrep</b>	Runs <b>fgrep</b> on gzipped files
<b>zforce</b>	Forces a <b>.gz</b> extension on all given files that are gzipped files, so that <b>gzip</b> will not compress them again; this can be useful when file names were truncated during a file transfer
<b>zgrep</b>	Runs <b>grep</b> on gzipped files
<b>zless</b>	Runs <b>less</b> on gzipped files
<b>zmore</b>	Runs <b>more</b> on gzipped files
<b>znew</b>	Re-compresses files from <b>compress</b> format to <b>gzip</b> format— <b>.Z</b> to <b>.gz</b>

## 6.40. Inetutils-1.4.2

The Inetutils package contains programs for basic networking.

**Approximate build time:** 0.2 SBU

**Required disk space:** 8.9 MB

### 6.40.1. Installation of Inetutils

Apply a patch to Inetutils to enable it to compile with GCC-4.0.3:

```
patch -Np1 -i ../inetutils-1.4.2-gcc4_fixes-3.patch
```

All programs that come with Inetutils will not be installed. However, the Inetutils build system will insist on installing all the man pages anyway. The following patch will correct this situation:

```
patch -Np1 -i ../inetutils-1.4.2-no_server_man_pages-1.patch
```

Prepare Inetutils for compilation:

```
./configure --prefix=/usr --libexecdir=/usr/sbin \
  --sysconfdir=/etc --localstatedir=/var \
  --disable-logger --disable-syslogd \
  --disable-whois --disable-servers
```

The meaning of the configure options:

*--disable-logger*

This option prevents Inetutils from installing the **logger** program, which is used by scripts to pass messages to the System Log Daemon. Do not install it because Util-linux installs a better version later.

*--disable-syslogd*

This option prevents Inetutils from installing the System Log Daemon, which is installed with the Sysklogd package.

*--disable-whois*

This option disables the building of the Inetutils **whois** client, which is out of date. Instructions for a better **whois** client are in the BLFS book.

*--disable-servers*

This disables the installation of the various network servers included as part of the Inetutils package. These servers are deemed not appropriate in a basic LFS system. Some are insecure by nature and are only considered safe on trusted networks. More information can be found at <http://www.linuxfromscratch.org/blfs/view/svn/basicnet/inetutils.html>. Note that better replacements are available for many of these servers.

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Move the **ping** program to its FHS-compliant place:

```
mv -v /usr/bin/ping /bin
```

## 6.40.2. Contents of Inetutils

**Installed programs:** ftp, ping, rcp, rlogin, rsh, talk, telnet, and tftp

### Short Descriptions

<b>ftp</b>	Is the file transfer protocol program
<b>ping</b>	Sends echo-request packets and reports how long the replies take
<b>rcp</b>	Performs remote file copy
<b>rlogin</b>	Performs remote login
<b>rsh</b>	Runs a remote shell
<b>talk</b>	Is used to chat with another user
<b>telnet</b>	An interface to the TELNET protocol
<b>tftp</b>	A trivial file transfer program

## 6.41. IPRoute2-2.6.16-060323

The IPRoute2 package contains programs for basic and advanced IPV4-based networking.

**Approximate build time:** 0.2 SBU

**Required disk space:** 4.8 MB

### 6.41.1. Installation of IPRoute2

Compile the package:

```
make SBINDIR=/sbin
```

**The meaning of the make option:**

*SBINDIR=/sbin*

This ensures that the IPRoute2 binaries will install into `/sbin`. This is the correct location according to the FHS, because some of the IPRoute2 binaries are used by the LFS-Bootscripts package.

This package does not come with a test suite.

Install the package:

```
make SBINDIR=/sbin install
```

The `arpd` binary links against the Berkeley DB libraries that reside in `/usr` and uses a database in `/var/lib/arpd/arpd.db`. Thus, according to the FHS, it must be in `/usr/sbin`. Move it there:

```
mv -v /sbin/arpd /usr/sbin
```

### 6.41.2. Contents of IPRoute2

**Installed programs:** `arpd`, `ctstat` (link to `lnstat`), `ifcfg`, `ifstat`, `ip`, `lnstat`, `nstat`, `route`, `route`, `rtacct`, `rtmon`, `rtpr`, `rtstat` (link to `lnstat`), `ss`, and `tc`.

#### Short Descriptions

<b>arpd</b>	Userspace ARP daemon, useful in really large networks, where the kernelspace ARP implementation is insufficient, or when setting up a honeypot
<b>ctstat</b>	Connection status utility
<b>ifcfg</b>	A shell script wrapper for the <code>ip</code> command
<b>ifstat</b>	Shows the interface statistics, including the amount of transmitted and received packets by interface
<b>ip</b>	The main executable. It has several different functions: <b>ip link &lt;device&gt;</b> allows users to look at the state of devices and to make changes

**ip addr** allows users to look at addresses and their properties, add new addresses, and delete old ones

**ip neighbor** allows users to look at neighbor bindings and their properties, add new neighbor entries, and delete old ones

**ip rule** allows users to look at the routing policies and change them

**ip route** allows users to look at the routing table and change routing table rules

**ip tunnel** allows users to look at the IP tunnels and their properties, and change them

**ip maddr** allows users to look at the multicast addresses and their properties, and change them

**ip mroute** allows users to set, change, or delete the multicast routing

**ip monitor** allows users to continuously monitor the state of devices, addresses and routes

**lnstat** Provides Linux network statistics. It is a generalized and more feature-complete replacement for the old **rtstat** program

**nstat** Shows network statistics

**route** A component of **ip route**. This is for flushing the routing tables

**routel** A component of **ip route**. This is for listing the routing tables

**rtacct** Displays the contents of `/proc/net/rt_acct`

**rtmon** Route monitoring utility

**rtpr** Converts the output of **ip -o** back into a readable form

**rtstat** Route status utility

**ss** Similar to the **netstat** command; shows active connections

**tc** Traffic Controlling Executable; this is for Quality Of Service (QOS) and Class Of Service (COS) implementations

**tc qdisc** allows users to setup the queueing discipline

**tc class** allows users to setup classes based on the queueing discipline scheduling

**tc estimator** allows users to estimate the network flow into a network

**tc filter** allows users to setup the QOS/COS packet filtering

**tc policy** allows users to setup the QOS/COS policies

## 6.42. Kbd-1.12

The Kbd package contains key-table files and keyboard utilities.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 12.3 MB

### 6.42.1. Installation of Kbd

The behaviour of the Backspace and Delete keys is not consistent across the keymaps in the Kbd package. The following patch fixes this issue for i386 keymaps:

```
patch -Np1 -i ../kbd-1.12-backspace-1.patch
```

After patching, the Backspace key generates the character with code 127, and the Delete key generates a well-known escape sequence.

Patch Kbd to fix a bug in **setfont** that is triggered when compiling with GCC-4.0.3:

```
patch -Np1 -i ../kbd-1.12-gcc4_fixes-1.patch
```

Prepare Kbd for compilation:

```
./configure --datadir=/lib/kbd
```

**The meaning of the configure options:**

*--datadir=/lib/kbd*

This option puts keyboard layout data in a directory that will always be on the root partition instead of the default `/usr/share/kbd`.

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```



#### Note

For some languages (e.g., Belarusian) the Kbd package doesn't provide a useful keymap where the stock “by” keymap assumes the ISO-8859-5 encoding, and the CP1251 keymap is normally used. Users of such languages have to download working keymaps separately.

Some of the scripts in the LFS-Bootscripts package depend on **kbd\_mode**, **openvt**, and **setfont**. As `/usr` may not be available during the early stages of booting, those binaries need to be on the root partition:

```
mv -v /usr/bin/{kbd_mode,openvt,setfont} /bin
```

## 6.42.2. Contents of Kbd

**Installed programs:** `chvt`, `deallocvt`, `dumpkeys`, `fgconsole`, `getkeycodes`, `kbd_mode`, `kbdrate`, `loadkeys`, `loadunimap`, `mapscrn`, `openvt`, `psfaddtable` (link to `psfxtable`), `psfgettable` (link to `psfxtable`), `psfstriptable` (link to `psfxtable`), `psfxtable`, `resizecons`, `setfont`, `setkeycodes`, `setleds`, `setmetamode`, `showconsolefont`, `showkey`, `unicode_start`, and `unicode_stop`

### Short Descriptions

<b>chvt</b>	Changes the foreground virtual terminal
<b>deallocvt</b>	Deallocates unused virtual terminals
<b>dumpkeys</b>	Dumps the keyboard translation tables
<b>fgconsole</b>	Prints the number of the active virtual terminal
<b>getkeycodes</b>	Prints the kernel scancode-to-keycode mapping table
<b>kbd_mode</b>	Reports or sets the keyboard mode
<b>kbdrate</b>	Sets the keyboard repeat and delay rates
<b>loadkeys</b>	Loads the keyboard translation tables
<b>loadunimap</b>	Loads the kernel unicode-to-font mapping table
<b>mapscrn</b>	An obsolete program that used to load a user-defined output character mapping table into the console driver; this is now done by <b>setfont</b>
<b>openvt</b>	Starts a program on a new virtual terminal (VT)
<b>psfaddtable</b>	A link to <b>psfxtable</b>
<b>psfgettable</b>	A link to <b>psfxtable</b>
<b>psfstriptable</b>	A link to <b>psfxtable</b>
<b>psfxtable</b>	Handle Unicode character tables for console fonts
<b>resizecons</b>	Changes the kernel idea of the console size
<b>setfont</b>	Changes the Enhanced Graphic Adapter (EGA) and Video Graphics Array (VGA) fonts on the console
<b>setkeycodes</b>	Loads kernel scancode-to-keycode mapping table entries; this is useful if there are unusual keys on the keyboard
<b>setleds</b>	Sets the keyboard flags and Light Emitting Diodes (LEDs)
<b>setmetamode</b>	Defines the keyboard meta-key handling

<b>showconsolefont</b>	Shows the current EGA/VGA console screen font
<b>showkey</b>	Reports the scancodes, keycodes, and ASCII codes of the keys pressed on the keyboard
<b>unicode_start</b>	Puts the keyboard and console in UNICODE mode. Don't use this program unless your keymap file is in the ISO-8859-1 encoding. For other encodings, this utility produces incorrect results.
<b>unicode_stop</b>	Reverts keyboard and console from UNICODE mode

## 6.43. Less-394

The Less package contains a text file viewer.

**Approximate build time:** 0.1 SBU

**Required disk space:** 2.6 MB

### 6.43.1. Installation of Less

Prepare Less for compilation:

```
./configure --prefix=/usr --sysconfdir=/etc
```

**The meaning of the configure options:**

*--sysconfdir=/etc*

This option tells the programs created by the package to look in `/etc` for the configuration files.

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

### 6.43.2. Contents of Less

**Installed programs:** `less`, `lessecho`, and `lesskey`

#### Short Descriptions

<b>less</b>	A file viewer or pager; it displays the contents of the given file, letting the user scroll, find strings, and jump to marks
<b>lessecho</b>	Needed to expand meta-characters, such as <code>*</code> and <code>?</code> , in filenames on Unix systems
<b>lesskey</b>	Used to specify the key bindings for <b>less</b>

## 6.44. Make-3.80

The Make package contains a program for compiling packages.

**Approximate build time:** 0.1 SBU

**Required disk space:** 7.8 MB

### 6.44.1. Installation of Make

Prepare Make for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

### 6.44.2. Contents of Make

**Installed program:** make

#### Short Descriptions

**make** Automatically determines which pieces of a package need to be (re)compiled and then issues the relevant commands

## 6.45. Man-DB-2.4.3

The Man-DB package contains programs for finding and viewing man pages.

**Approximate build time:** 0.2 SBU

**Required disk space:** 9 MB

### 6.45.1. Installation of Man-DB

Three adjustments need to be made to the sources of Man-DB.

The first one changes the location of translated manual pages that come with Man-DB, in order for them to be accessible in both traditional and UTF-8 locales:

```
mv man/de{ _DE.88591, } &&
mv man/es{ _ES.88591, } &&
mv man/it{ _IT.88591, } &&
mv man/ja{ _JP.eucJP, } &&
sed -i 's,\*_\*,??,' man/Makefile.in
```

The second change is a **sed** substitution to delete the “/usr/man” lines in the `man_db.conf` file to prevent redundant results when using programs such as **whatis**:

```
sed -i '/\t\/usr\/man\/d' src/man_db.conf.in
```

The third change accounts for programs that Man-DB should be able to find at runtime, but that haven't been installed yet:

```
cat >>include/manconfig.h.in <<"EOF"
#define WEB_BROWSER "exec /usr/bin/lynx"
#define COL "/usr/bin/col"
#define VGRIND "/usr/bin/vgrind"
#define GRAP "/usr/bin/grap"
EOF
```

The **col** program is a part of the Util-linux package, **lynx** is a text-based web browser (see BLFS for installation instructions), **vgrind** converts program sources to Groff input, and **grap** is useful for typesetting graphs in Groff documents. The **vgrind** and **grap** programs are not normally needed for viewing manual pages. They are not part of LFS or BLFS, but you should be able to install them yourself after finishing LFS if you wish to do so.

Prepare Man-DB for compilation:

```
./configure --prefix=/usr --enable-mb-groff --disable-setuid
```

The meaning of the `configure` options:

`--enable-mb-groff`

This tells the **man** program to use the “ascii8” and “nippon” Groff devices for formatting non-ISO-8859-1 manual pages.

```
--disable-setuid
```

This disables making the **man** program setuid to user man.

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Some packages provide UTF-8 man pages which this version of **man** is unable to display. The following script will allow some of these to be converted into the expected encodings shown in the table below. Man-DB expects the manual pages to be in the encodings in the table, and will convert them as necessary to the actual locale encoding when it displays them, so that they will display in both UTF-8 and traditional locales. Because this script is intended for limited use during the system build, for public data, we will not bother with error checking, nor use a non-predictable temporary file name.

```
cat >>convert-mans <<"EOF"
#!/bin/sh -e
FROM="$1"
TO="$2"
shift ; shift
while [ $# -gt 0 ]
do
    FILE="$1"
    shift
    iconv -f "$FROM" -t "$TO" "$FILE" >.tmp.iconv
    mv .tmp.iconv "$FILE"
done
EOF
install -m755 convert-mans /usr/bin
```

Additional information regarding the compression of man and info pages can be found in the BLFS book at <http://www.linuxfromscratch.org/blfs/view/cvs/postlfs/compressdoc.html>.

## 6.45.2. Non-English Manual Pages in LFS

Linux distributions have different policies concerning the character encoding in which manual pages are stored in the filesystem. E.g., RedHat stores all manual pages in UTF-8, while Debian uses language-specific (mostly 8-bit) encodings. This leads to incompatibility of packages with manual pages designed for different distributions.

LFS uses the same conventions as Debian. This was chosen because Man-DB does not understand man pages stored in UTF-8. And, for our purposes, Man-DB is preferable to Man as it works without extra configuration in any locale. Lastly, as of now, there is no fully-working implementation of the RedHat convention. RedHat's **groff** is known to misformat text.

The relationship between language codes and the expected encoding of manual pages is listed below. Man-DB automatically converts them to the locale encoding while viewing.

**Table 6.1. Expected character encoding of manual pages**

Language (code)	Encoding
Danish (da)	ISO-8859-1
German (de)	ISO-8859-1
English (en)	ISO-8859-1
Spanish (es)	ISO-8859-1
Finnish (fi)	ISO-8859-1
French (fr)	ISO-8859-1
Irish (ga)	ISO-8859-1
Galician (gl)	ISO-8859-1
Indonesian (id)	ISO-8859-1
Icelandic (is)	ISO-8859-1
Italian (it)	ISO-8859-1
Dutch (nl)	ISO-8859-1
Norwegian (no)	ISO-8859-1
Portuguese (pt)	ISO-8859-1
Swedish (sv)	ISO-8859-1
Czech (cs)	ISO-8859-2
Croatian (hr)	ISO-8859-2
Hungarian (hu)	ISO-8859-2
Japanese (ja)	EUC-JP
Korean (ko)	EUC-KR
Polish (pl)	ISO-8859-2
Russian (ru)	KOI8-R
Slovak (sk)	ISO-8859-2
Turkish (tr)	ISO-8859-9

**Note**

Manual pages in languages not in the list are not supported. Norwegian doesn't work now because of the transition from no\_NO to nb\_NO locale, and Korean is non-functional because of the incomplete Groff patch.

If upstream distributes the manual pages in the same encoding as Man-DB expects, the manual pages can be copied to `/usr/share/man/<language code>`. E.g., French manual pages (<http://ccb.club.fr/man/man-fr-1.58.0.tar.bz2>) can be installed with the following command:

```
mkdir -p /usr/share/man/fr &&
```

```
cp -rv man? /usr/share/man/fr
```

If upstream distributes manual pages in UTF-8 (i.e., “for RedHat”) instead of the encoding listed in the table above, they have to be converted from UTF-8 to the encoding listed in the table before installation. This can be achieved with **convert-mans**, e.g., Spanish manual pages (<http://ditec.um.es/~piernas/manpages-es/man-pages-es-1.55.tar.bz2>) can be installed with the following commands:

```
mv man7/iso_8859-7.7{,x}
convert-mans UTF-8 ISO-8859-1 man?/*.*
mv man7/iso_8859-7.7{x,}
make install
```



### Note

The need to exclude the `man7/iso_8859-7.7` file from the conversion process because it is already in ISO-8859-1 is a packaging bug in `man-pages-es-1.55`. Future versions should not require this workaround.

## 6.45.3. Contents of Man-DB

**Installed programs:** `accessdb`, `apropos`, `catman`, `convert-mans`, `lexgrog`, `man`, `mandb`, `manpath`, `whatis`, and `zsoelim`

### Short Descriptions

<b>accessdb</b>	Dumps the <b>whatis</b> database contents in human-readable form
<b>apropos</b>	Searches the <b>whatis</b> database and displays the short descriptions of system commands that contain a given string
<b>catman</b>	Creates or updates the pre-formatted manual pages
<b>convert-mans</b>	Reformat man pages so that Man-DB can display them
<b>lexgrog</b>	Displays one-line summary information about a given manual page
<b>man</b>	Formats and displays the requested manual page
<b>mandb</b>	Creates or updates the <b>whatis</b> database
<b>manpath</b>	Displays the contents of <code>\$MANPATH</code> or (if <code>\$MANPATH</code> is not set) a suitable search path based on the settings in <code>man.conf</code> and the user's environment
<b>whatis</b>	Searches the <b>whatis</b> database and displays the short descriptions of system commands that contain the given keyword as a separate word
<b>zsoelim</b>	Reads files and replaces lines of the form <i>.so file</i> by the contents of the mentioned <i>file</i>

## 6.46. Mktmp-1.5

The Mktmp package contains programs used to create secure temporary files in shell scripts.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 0.4 MB

### 6.46.1. Installation of Mktmp

Many scripts still use the deprecated **tempfile** program, which has functionality similar to **mktemp**. Patch Mktmp to include a **tempfile** wrapper:

```
patch -Np1 -i ../mktemp-1.5-add_tempfile-3.patch
```

Prepare Mktmp for compilation:

```
./configure --prefix=/usr --with-libc
```

The meaning of the configure options:

*--with-libc*

This causes the **mktemp** program to use the *mkstemp* and *mkdtemp* functions from the system C library instead of its own implementation of them.

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
make install-tempfile
```

### 6.46.2. Contents of Mktmp

**Installed programs:** mktemp and tempfile

#### Short Descriptions

**mktemp** Creates temporary files in a secure manner; it is used in scripts

**tempfile** Creates temporary files in a less secure manner than **mktemp**; it is installed for backwards-compatibility

## 6.47. Module-Init-Tools-3.2.2

The Module-Init-Tools package contains programs for handling kernel modules in Linux kernels greater than or equal to version 2.5.47.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 7 MB

### 6.47.1. Installation of Module-Init-Tools

First correct a potential problem when modules are specified using regular expressions:

```
patch -Np1 -i ../module-init-tools-3.2.2-modprobe-1.patch
```

Issue the following commands to perform the tests (note that the **make distclean** command is required to clean up the source tree, as the source gets recompiled as part of the testing process):

```
./configure &&
make check &&
make distclean
```

Prepare Module-Init-Tools for compilation:

```
./configure --prefix=/ --enable-zlib
```

Compile the package:

```
make
```

Install the package:

```
make INSTALL=install install
```

**The meaning of the make parameter:**

*INSTALL=install*

Normally, **make install** will not install the binaries if they already exist. This option overrides that behavior by calling **install** instead of using the default wrapper script.

### 6.47.2. Contents of Module-Init-Tools

**Installed programs:** depmod, generate-modprobe.conf, insmod, insmod.static, lsmod, modinfo, modprobe, and rmmod

#### Short Descriptions

##### depmod

Creates a dependency file based on the symbols it finds in the existing set of modules; this dependency file is used by **modprobe** to automatically load the required modules

<b>generate-modprobe.conf</b>	Creates a modprobe.conf file from an existing 2.2 or 2.4 module setup
<b>insmod</b>	Installs a loadable module in the running kernel
<b>insmod.static</b>	A statically compiled version of <b>insmod</b>
<b>lsmod</b>	Lists currently loaded modules
<b>modinfo</b>	Examines an object file associated with a kernel module and displays any information that it can glean
<b>modprobe</b>	Uses a dependency file, created by <b>depmod</b> , to automatically load relevant modules
<b>rmmod</b>	Unloads modules from the running kernel

## 6.48. Patch-2.5.4

The Patch package contains a program for modifying or creating files by applying a “patch” file typically created by the **diff** program.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 1.6 MB

### 6.48.1. Installation of Patch

Prepare Patch for compilation.

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

### 6.48.2. Contents of Patch

**Installed program:** patch

#### Short Descriptions

**patch**    Modifies files according to a patch file. A patch file is normally a difference listing created with the **diff** program. By applying these differences to the original files, **patch** creates the patched versions.

## 6.49. Psmisc-22.2

The Psmisc package contains programs for displaying information about running processes.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 2.2 MB

### 6.49.1. Installation of Psmisc

Prepare Psmisc for compilation:

```
./configure --prefix=/usr --exec-prefix=""
```

The meaning of the configure options:

```
--exec-prefix=""
```

This ensures that the Psmisc binaries will install into `/bin` instead of `/usr/bin`. This is the correct location according to the FHS, because some of the Psmisc binaries are used by the LFS-Bootscripts package.

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

There is no reason for the `pstree` and `pstree.x11` programs to reside in `/bin`. Therefore, move them to `/usr/bin`:

```
mv -v /bin/pstree* /usr/bin
```

By default, Psmisc's `pidof` program is not installed. This usually is not a problem because it is installed later in the Sysvinit package, which provides a better `pidof` program. If Sysvinit will not be used for a particular system, complete the installation of Psmisc by creating the following symlink:

```
ln -sv killall /bin/pidof
```

### 6.49.2. Contents of Psmisc

**Installed programs:** `fuser`, `killall`, `pstree`, and `pstree.x11` (link to `pstree`)

#### Short Descriptions

<b>fuser</b>	Reports the Process IDs (PIDs) of processes that use the given files or file systems
<b>killall</b>	Kills processes by name; it sends a signal to all processes running any of the given commands

<b>oldfuser</b>	Reports the Process IDs (PIDs) of processes that use the given files or file systems
<b>pstree</b>	Displays running processes as a tree
<b>pstree.x11</b>	Same as <b>pstree</b> , except that it waits for confirmation before exiting

## 6.50. Shadow-4.0.15

The Shadow package contains programs for handling passwords in a secure way.

**Approximate build time:** 0.3 SBU

**Required disk space:** 18.6 MB

### 6.50.1. Installation of Shadow



#### Note

If you would like to enforce the use of strong passwords, refer to <http://www.linuxfromscratch.org/blfs/view/svn/postlfs/cracklib.html> for installing Cracklib prior to building Shadow. Then add `--with-libcrack` to the **configure** command below.

Prepare Shadow for compilation:

```
./configure --libdir=/lib --enable-shared --without-selinux
```

The meaning of the configure options:

`--without-selinux`

Support for selinux is enabled by default, but selinux is not built in a base LFS system. The **configure** script will fail if this option is not used.

Disable the installation of the **groups** program and its man pages, as Coreutils provides a better version:

```
sed -i 's/groups$(EXEEXT) //' src/Makefile
find man -name Makefile -exec sed -i '/groups/d' {} \;
```

Disable the installation of Chinese and Korean manual pages, since Man-DB cannot format them properly:

```
sed -i -e 's/ ko//' -e 's/ zh_CN zh_TW//' man/Makefile
```

Shadow supplies other manual pages in a UTF-8 encoding. Man-DB can display these in the recommended encodings by using the **convert-mans** script which we installed.

```
for i in de es fi fr id it pt_BR; do
    convert-mans UTF-8 ISO-8859-1 man/${i}/*.?
done

for i in cs hu pl; do
    convert-mans UTF-8 ISO-8859-2 man/${i}/*.?
done

convert-mans UTF-8 EUC-JP man/ja/*.?
convert-mans UTF-8 KOI8-R man/ru/*.?
convert-mans UTF-8 ISO-8859-9 man/tr/*.?
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

Shadow uses two files to configure authentication settings for the system. Install these two configuration files:

```
cp -v etc/{limits,login.access} /etc
```

Instead of using the default *crypt* method, use the more secure *MD5* method of password encryption, which also allows passwords longer than 8 characters. It is also necessary to change the obsolete `/var/spool/mail` location for user mailboxes that Shadow uses by default to the `/var/mail` location used currently. Both of these can be accomplished by changing the relevant configuration file while copying it to its destination:

```
sed -e 's#@MD5_CRYPT_ENAB.no@MD5_CRYPT_ENAB yes@' \  
-e 's@/var/spool/mail@/var/mail@' \  
etc/login.defs > /etc/login.defs
```



### Note

If you built Shadow with Cracklib support, run the following:

```
sed -i 's@DICTPATH.*@DICTPATH\t/lib/cracklib/pw_dict@' \  
/etc/login.defs
```

Move a misplaced program to its proper location:

```
mv -v /usr/bin/passwd /bin
```

Move Shadow's libraries to more appropriate locations:

```
mv -v /lib/libshadow.*a /usr/lib  
rm -v /lib/libshadow.so  
ln -sfv ../../lib/libshadow.so.0 /usr/lib/libshadow.so
```

The `-D` option of the `useradd` program requires the `/etc/default` directory for it to work properly:

```
mkdir -v /etc/default
```

## 6.50.2. Configuring Shadow

This package contains utilities to add, modify, and delete users and groups; set and change their passwords; and perform other administrative tasks. For a full explanation of what *password shadowing* means, see the `doc/HOWTO` file within the unpacked source tree. If using Shadow support, keep in mind that programs which need to verify passwords (display managers, FTP programs, pop3 daemons, etc.) must be Shadow-compliant. That is, they need to be able to work with shadowed passwords.

To enable shadowed passwords, run the following command:

```
pwconv
```

To enable shadowed group passwords, run:

```
grpconv
```

### 6.50.3. Setting the root password

Choose a password for user *root* and set it by running:

```
passwd root
```

### 6.50.4. Contents of Shadow

**Installed programs:** chage, chfn, chgpasswd, chpasswd, chsh, expiry, faillog, gpasswd, groupadd, groupdel, groupmod, grpck, grpconv, grpunconv, lastlog, login, logoutd, newgrp, newusers, nologin, passwd, pwck, pwconv, pwunconv, sg (link to newgrp), su, useradd, userdel, usermod, vigr (link to vipw), and vipw

**Installed libraries:** libshadow.{a,so}

#### Short Descriptions

<b>chage</b>	Used to change the maximum number of days between obligatory password changes
<b>chfn</b>	Used to change a user's full name and other information
<b>chgpasswd</b>	Used to update group passwords in batch mode
<b>chpasswd</b>	Used to update user passwords in batch mode
<b>chsh</b>	Used to change a user's default login shell
<b>expiry</b>	Checks and enforces the current password expiration policy
<b>faillog</b>	Is used to examine the log of login failures, to set a maximum number of failures before an account is blocked, or to reset the failure count
<b>gpasswd</b>	Is used to add and delete members and administrators to groups
<b>groupadd</b>	Creates a group with the given name
<b>groupdel</b>	Deletes the group with the given name
<b>groupmod</b>	Is used to modify the given group's name or GID
<b>grpck</b>	Verifies the integrity of the group files <code>/etc/group</code> and <code>/etc/gshadow</code>
<b>grpconv</b>	Creates or updates the shadow group file from the normal group file
<b>grpunconv</b>	Updates <code>/etc/group</code> from <code>/etc/gshadow</code> and then deletes the latter
<b>lastlog</b>	Reports the most recent login of all users or of a given user
<b>login</b>	Is used by the system to let users sign on

<b>logout</b>	Is a daemon used to enforce restrictions on log-on time and ports
<b>newgrp</b>	Is used to change the current GID during a login session
<b>newusers</b>	Is used to create or update an entire series of user accounts
<b>nologin</b>	Displays a message that an account is not available. Designed to be used as the default shell for accounts that have been disabled
<b>passwd</b>	Is used to change the password for a user or group account
<b>pwck</b>	Verifies the integrity of the password files <code>/etc/passwd</code> and <code>/etc/shadow</code>
<b>pwconv</b>	Creates or updates the shadow password file from the normal password file
<b>pwunconv</b>	Updates <code>/etc/passwd</code> from <code>/etc/shadow</code> and then deletes the latter
<b>sg</b>	Executes a given command while the user's GID is set to that of the given group
<b>su</b>	Runs a shell with substitute user and group IDs
<b>useradd</b>	Creates a new user with the given name, or updates the default new-user information
<b>userdel</b>	Deletes the given user account
<b>usermod</b>	Is used to modify the given user's login name, User Identification (UID), shell, initial group, home directory, etc.
<b>vigr</b>	Edits the <code>/etc/group</code> or <code>/etc/gshadow</code> files
<b>vipw</b>	Edits the <code>/etc/passwd</code> or <code>/etc/shadow</code> files
<b>libshadow</b>	Contains functions used by most programs in this package

## 6.51. Sysklogd-1.4.1

The Sysklogd package contains programs for logging system messages, such as those given by the kernel when unusual things happen.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 0.6 MB

### 6.51.1. Installation of Sysklogd

The following patch fixes various issues, including a problem building Sysklogd with Linux 2.6 series kernels:

```
patch -Np1 -i ../sysklogd-1.4.1-fixes-1.patch
```

The following patch makes syslogd treat bytes in the 0x80--0x9f range literally in the messages being logged, instead of replacing them with octal codes. Unpatched syslogd would damage messages in the UTF-8 encoding:

```
patch -Np1 -i ../sysklogd-1.4.1-8bit-1.patch
```

Compile the package:

```
make
```

This package does not come with a test suite.

Install the package:

```
make install
```

### 6.51.2. Configuring Sysklogd

Create a new `/etc/syslog.conf` file by running the following:

```
cat > /etc/syslog.conf << "EOF"
# Begin /etc/syslog.conf

auth,authpriv.* -/var/log/auth.log
*.*;auth,authpriv.none -/var/log/sys.log
daemon.* -/var/log/daemon.log
kern.* -/var/log/kern.log
mail.* -/var/log/mail.log
user.* -/var/log/user.log
*.emerg *

# End /etc/syslog.conf
EOF
```

### 6.51.3. Contents of Sysklogd

**Installed programs:** klogd and syslogd

#### Short Descriptions

**klogd**      A system daemon for intercepting and logging kernel messages

**syslogd**    Logs the messages that system programs offer for logging. Every logged message contains at least a date stamp and a hostname, and normally the program's name too, but that depends on how trusting the logging daemon is told to be

## 6.52. Sysvinit-2.86

The Sysvinit package contains programs for controlling the startup, running, and shutdown of the system.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 1 MB

### 6.52.1. Installation of Sysvinit

When run-levels are changed (for example, when halting the system), **init** sends termination signals to those processes that **init** itself started and that should not be running in the new run-level. While doing this, **init** outputs messages like “Sending processes the TERM signal” which seem to imply that it is sending these signals to all currently running processes. To avoid this misinterpretation, modify the source so that these messages read like “Sending processes started by init the TERM signal” instead:

```
sed -i 's@Sending processes@& started by init@g' \
    src/init.c
```

Compile the package:

```
make -C src
```

This package does not come with a test suite.

Install the package:

```
make -C src install
```

### 6.52.2. Configuring Sysvinit

Create a new file `/etc/inittab` by running the following:

```
cat > /etc/inittab << "EOF"
# Begin /etc/inittab

id:3:initdefault:

si::sysinit:/etc/rc.d/init.d/rc sysinit

10:0:wait:/etc/rc.d/init.d/rc 0
11:S1:wait:/etc/rc.d/init.d/rc 1
12:2:wait:/etc/rc.d/init.d/rc 2
13:3:wait:/etc/rc.d/init.d/rc 3
14:4:wait:/etc/rc.d/init.d/rc 4
15:5:wait:/etc/rc.d/init.d/rc 5
16:6:wait:/etc/rc.d/init.d/rc 6

ca:12345:ctrlaltdel:/sbin/shutdown -t1 -a -r now

su:S016:once:/sbin/sulogin
```

```

1:2345:respawn:/sbin/agetty tty1 9600
2:2345:respawn:/sbin/agetty tty2 9600
3:2345:respawn:/sbin/agetty tty3 9600
4:2345:respawn:/sbin/agetty tty4 9600
5:2345:respawn:/sbin/agetty tty5 9600
6:2345:respawn:/sbin/agetty tty6 9600

# End /etc/inittab
EOF

```

### 6.52.3. Contents of Sysvinit

**Installed programs:** bootlogd, halt, init, killall5, last, lastb (link to last), mesg, mountpoint, pidof (link to killall5), poweroff (link to halt), reboot (link to halt), runlevel, shutdown, sulogin, telinit (link to init), utmpdump, and wall

#### Short Descriptions

<b>bootlogd</b>	Logs boot messages to a log file
<b>halt</b>	Normally invokes <b>shutdown</b> with the <code>-h</code> option, except when already in run-level 0, then it tells the kernel to halt the system; it notes in the file <code>/var/log/wtmp</code> that the system is being brought down
<b>init</b>	The first process to be started when the kernel has initialized the hardware which takes over the boot process and starts all the processes it is instructed to
<b>killall5</b>	Sends a signal to all processes, except the processes in its own session so it will not kill the shell running the script that called it
<b>last</b>	Shows which users last logged in (and out), searching back through the <code>/var/log/wtmp</code> file; it also shows system boots, shutdowns, and run-level changes
<b>lastb</b>	Shows the failed login attempts, as logged in <code>/var/log/btmp</code>
<b>mesg</b>	Controls whether other users can send messages to the current user's terminal
<b>mountpoint</b>	Checks if the directory is a mountpoint
<b>pidof</b>	Reports the PIDs of the given programs
<b>poweroff</b>	Tells the kernel to halt the system and switch off the computer (see <b>halt</b> )
<b>reboot</b>	Tells the kernel to reboot the system (see <b>halt</b> )
<b>runlevel</b>	Reports the previous and the current run-level, as noted in the last run-level record in <code>/var/run/utmp</code>
<b>shutdown</b>	Brings the system down in a secure way, signaling all processes and notifying all logged-in users
<b>sulogin</b>	Allows <code>root</code> to log in; it is normally invoked by <b>init</b> when the system goes into single user mode
<b>telinit</b>	Tells <b>init</b> which run-level to change to

**utmpdump**      Displays the content of the given login file in a more user-friendly format  
**wall**            Writes a message to all logged-in users

## 6.53. Tar-1.15.1

The Tar package contains an archiving program.

**Approximate build time:** 0.2 SBU

**Required disk space:** 13.7 MB

### 6.53.1. Installation of Tar

Apply a patch to fix some issues with the test suite when using GCC-4.0.3:

```
patch -Np1 -i ../tar-1.15.1-gcc4_fix_tests-1.patch
```

Tar has a bug when the `-S` option is used with files larger than 4 GB. The following patch properly fixes this issue:

```
patch -Np1 -i ../tar-1.15.1-sparse_fix-1.patch
```

Recent versions of Tar are vulnerable to a buffer overflow from specially crafted archives. The following patch addresses this:

```
patch -Np1 -i ../tar-1.15.1-security_fixes-1.patch
```

Prepare Tar for compilation:

```
./configure --prefix=/usr --bindir=/bin --libexecdir=/usr/sbin
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

### 6.53.2. Contents of Tar

**Installed programs:** rmt and tar

#### Short Descriptions

**rmt** Remotely manipulates a magnetic tape drive through an interprocess communication connection

**tar** Creates, extracts files from, and lists the contents of archives, also known as tarballs

## 6.54. Texinfo-4.8

The Texinfo package contains programs for reading, writing, and converting info pages.

**Approximate build time:** 0.2 SBU

**Required disk space:** 16.6 MB

### 6.54.1. Installation of Texinfo

The **info** program makes assumptions such as that a string occupies the same number of character cells on the screen and bytes in memory and that one can break the string anywhere, which fail in UTF-8 based locales. The patch below makes them valid by falling back to English messages when a multibyte locale is in use:

```
patch -Np1 -i ../texinfo-4.8-multibyte-1.patch
```

Texinfo allows local users to overwrite arbitrary files via a symlink attack on temporary files. Apply the following patch to fix this:

```
patch -Np1 -i ../texinfo-4.8-tempfile_fix-2.patch
```

Prepare Texinfo for compilation:

```
./configure --prefix=/usr
```

Compile the package:

```
make
```

To test the results, issue: **make check**.

Install the package:

```
make install
```

Optionally, install the components belonging in a TeX installation:

```
make TEXMF=/usr/share/texmf install-tex
```

**The meaning of the make parameter:**

*TEXMF=/usr/share/texmf*

The **TEXMF** makefile variable holds the location of the root of the TeX tree if, for example, a TeX package will be installed later.

The Info documentation system uses a plain text file to hold its list of menu entries. The file is located at `/usr/share/info/dir`. Unfortunately, due to occasional problems in the Makefiles of various packages, it can sometimes get out of sync with the info pages installed on the system. If the `/usr/share/info/dir` file ever needs to be recreated, the following optional commands will accomplish the task:

```
cd /usr/share/info
rm dir
for f in *
do install-info $f dir 2>/dev/null
done
```

## 6.54.2. Contents of Texinfo

**Installed programs:** info, infokey, install-info, makeinfo, texi2dvi, texi2pdf, and texindex

### Short Descriptions

<b>info</b>	Used to read info pages which are similar to man pages, but often go much deeper than just explaining all the available command line options. For example, compare <b>man bison</b> and <b>info bison</b> .
<b>infokey</b>	Compiles a source file containing Info customizations into a binary format
<b>install-info</b>	Used to install info pages; it updates entries in the <b>info</b> index file
<b>makeinfo</b>	Translates the given Texinfo source documents into info pages, plain text, or HTML
<b>texi2dvi</b>	Used to format the given Texinfo document into a device-independent file that can be printed
<b>texi2pdf</b>	Used to format the given Texinfo document into a Portable Document Format (PDF) file
<b>texindex</b>	Used to sort Texinfo index files

## 6.55. Udev-096

The Udev package contains programs for dynamic creation of device nodes.

**Approximate build time:** 0.1 SBU

**Required disk space:** 6.8 MB

### 6.55.1. Installation of Udev

The udev-config tarball contains LFS-specific files used to configure Udev. Unpack it into the Udev source directory:

```
tar xf ../udev-config-6.2.tar.bz2
```

Create some devices and directories that Udev cannot handle due to them being required very early in the boot process:

```
install -dv /lib/{firmware,udev/devices/{pts,shm}}
mknod -m0666 /lib/udev/devices/null c 1 3
ln -sv /proc/self/fd /lib/udev/devices/fd
ln -sv /proc/self/fd/0 /lib/udev/devices/stdin
ln -sv /proc/self/fd/1 /lib/udev/devices/stdout
ln -sv /proc/self/fd/2 /lib/udev/devices/stderr
ln -sv /proc/kcore /lib/udev/devices/core
```

Compile the package:

```
make EXTRAS="extras/ata_id extras/cdrom_id extras/edd_id \
           extras/firmware extras/floppy extras/path_id \
           extras/scsi_id extras/usb_id extras/volume_id"
```

**The meaning of the make option:**

*EXTRAS*=...

This builds several helper binaries that can aid in writing custom Udev rules.

To test the results, issue: **make test**.

Note that the Udev testsuite will produce numerous messages in the host system's logs. These are harmless and can be ignored.

Install the package:

```
make DESTDIR=/ \
     EXTRAS="extras/ata_id extras/cdrom_id extras/edd_id \
           extras/firmware extras/floppy extras/path_id \
           extras/scsi_id extras/usb_id extras/volume_id" install
```

**The meaning of the make parameter:***DESTDIR=/*

This prevents the Udev build process from killing any **udev** processes that may be running on the host system.

Udev has to be configured in order to work properly, as it does not install any configuration files by default. Install the LFS-specific configuration files:

```
cp -v udev-config-6.2/[0-9]* /etc/udev/rules.d/
```

Install the documentation that explains how to create Udev rules:

```
install -m644 -D -v docs/writing_udev_rules/index.html \
  /usr/share/doc/udev-096/index.html
```

## 6.55.2. Contents of Udev

**Installed programs:** `ata_id`, `cdrom_id`, `create_floppy_devices`, `edd_id`, `firmware_helper`, `path_id`, `scsi_id`, `udevcontrol`, `udev`, `udevinfo`, `udevmonitor`, `udevsettle`, `udevtest`, `udevtrigger`, `usb_id`, `vol_id`, and `write_cd_aliases`

**Installed directory:** `/etc/udev`

### Short Descriptions

<b>ata_id</b>	Provides Udev with a unique string and additional information (uuid, label) for an ATA drive
<b>cdrom_id</b>	Provides Udev with the capabilities of a CD-ROM or DVD-ROM drive
<b>create_floppy_devices</b>	Creates all possible floppy devices based on the CMOS type
<b>edd_id</b>	Provides Udev with the EDD ID for a BIOS disk drive
<b>firmware_helper</b>	Uploads firmware to devices
<b>path_id</b>	Provide the shortest possible unique hardware path to a device
<b>scsi_id</b>	Provides Udev with a unique SCSI identifier based on the data returned from sending a SCSI INQUIRY command to the specified device
<b>udevcontrol</b>	Configures a number of options for the running <b>udev</b> daemon, such as the log level.
<b>udev</b>	A daemon that listens for uevents on the netlink socket, creates devices and runs the configured external programs in response to these uevents
<b>udevinfo</b>	Allows users to query the Udev database for information on any device currently present on the system; it also provides a way to query any device in the <code>sysfs</code> tree to help create udev rules
<b>udevmonitor</b>	Prints the event received from the kernel and the environment which Udev sends out after rule processing

<b>udevsettle</b>	Watches the Udev event queue and exits if all current uevents have been handled
<b>udevtest</b>	Simulates a uevent for the given device, and prints out the name of the node the real <b>udev</b> would have created, or the name of the renamed network interface
<b>udevtrigger</b>	Triggers kernel device uevents to be replayed
<b>usb_id</b>	Provides Udev with information about USB devices
<b>vol_id</b>	Provides Udev with the label and uuid of a filesystem
<code>/etc/udev</code>	Contains Udev configuration files, device permissions, and rules for device naming

## 6.56. Util-linux-2.12r

The Util-linux package contains miscellaneous utility programs. Among them are utilities for handling file systems, consoles, partitions, and messages.

**Approximate build time:** 0.2 SBU

**Required disk space:** 17.2 MB

### 6.56.1. FHS compliance notes

The FHS recommends using the `/var/lib/hwclock` directory instead of the usual `/etc` directory as the location for the `adjtime` file. To make the `hwclock` program FHS-compliant, run the following:

```
sed -i 's@etc/adjtime@var/lib/hwclock/adjtime@g' \
    hwclock/hwclock.c
mkdir -p /var/lib/hwclock
```

### 6.56.2. Installation of Util-linux

Util-linux fails to compile against newer versions of Linux-Libc-Headers. The following patch properly fixes this issue:

```
patch -Np1 -i ../util-linux-2.12r-cramfs-1.patch
```

Prepare Util-linux for compilation:

```
./configure
```

Compile the package:

```
make HAVE_KILL=yes HAVE_SLN=yes
```

**The meaning of the make parameters:**

*HAVE\_KILL=yes*

This prevents the **kill** program (already installed by Procps) from being built and installed again.

*HAVE\_SLN=yes*

This prevents the **sln** program (a statically linked version of **ln** already installed by Glibc) from being built and installed again.

This package does not come with a test suite.

Install the package:

```
make HAVE_KILL=yes HAVE_SLN=yes install
```

### 6.56.3. Contents of Util-linux

**Installed programs:** agetty, arch, blockdev, cal, cfdisk, chkdupexe, col, colcrt, colrm, column, ctrlaltdel, cytune, ddate, dmesg, elvtune, fdformat, fdisk, flock, fsck.cramfs, fsck.minix, getopt, hexdump, hwclock, ipcrm, ipcs, isosize, line, logger, look, losetup, mcookie, mkfs, mkfs.bfs, mkfs.cramfs, mkfs.minix, mkswap, more, mount, namei, pg, pivot\_root, ramsize (link to rdev), raw, rdev, readprofile, rename, renice, rev, rootflags (link to rdev), script, setfdprm, setuid, setterm, sfdisk, swapoff (link to swapon), swapon, tailf, tunelp, ul, umount, vidmode (link to rdev), whereis, and write

#### Short Descriptions

<b>agetty</b>	Opens a tty port, prompts for a login name, and then invokes the <b>login</b> program
<b>arch</b>	Reports the machine's architecture
<b>blockdev</b>	Allows users to call block device ioctls from the command line
<b>cal</b>	Displays a simple calendar
<b>cfdisk</b>	Manipulates the partition table of the given device
<b>chkdupexe</b>	Finds duplicate executables
<b>col</b>	Filters out reverse line feeds
<b>colcrt</b>	Filters <b>nroff</b> output for terminals that lack some capabilities, such as overstriking and half-lines
<b>colrm</b>	Filters out the given columns
<b>column</b>	Formats a given file into multiple columns
<b>ctrlaltdel</b>	Sets the function of the Ctrl+Alt+Del key combination to a hard or a soft reset
<b>cytune</b>	Tunes the parameters of the serial line drivers for Cyclades cards
<b>ddate</b>	Gives the Discordian date or converts the given Gregorian date to a Discordian one
<b>dmesg</b>	Dumps the kernel boot messages
<b>elvtune</b>	Tunes the performance and interactivity of a block device
<b>fdformat</b>	Low-level formats a floppy disk
<b>flock</b>	Acquires a file lock and then executes a command with the lock held
<b>fdisk</b>	Manipulates the partition table of the given device
<b>fsck.cramfs</b>	Performs a consistency check on the Cramfs file system on the given device
<b>fsck.minix</b>	Performs a consistency check on the Minix file system on the given device
<b>getopt</b>	Parses options in the given command line
<b>hexdump</b>	Dumps the given file in hexadecimal or in another given format
<b>hwclock</b>	Reads or sets the system's hardware clock, also called the Real-Time Clock (RTC) or Basic Input-Output System (BIOS) clock

<b>ipcrm</b>	Removes the given Inter-Process Communication (IPC) resource
<b>ipcs</b>	Provides IPC status information
<b>isosize</b>	Reports the size of an iso9660 file system
<b>line</b>	Copies a single line
<b>logger</b>	Enters the given message into the system log
<b>look</b>	Displays lines that begin with the given string
<b>losetup</b>	Sets up and controls loop devices
<b>mcookie</b>	Generates magic cookies (128-bit random hexadecimal numbers) for <b>xauth</b>
<b>mkfs</b>	Builds a file system on a device (usually a hard disk partition)
<b>mkfs.bfs</b>	Creates a Santa Cruz Operations (SCO) bfs file system
<b>mkfs.cramfs</b>	Creates a cramfs file system
<b>mkfs.minix</b>	Creates a Minix file system
<b>mkswap</b>	Initializes the given device or file to be used as a swap area
<b>more</b>	A filter for paging through text one screen at a time
<b>mount</b>	Attaches the file system on the given device to a specified directory in the file-system tree
<b>namei</b>	Shows the symbolic links in the given pathnames
<b>pg</b>	Displays a text file one screen full at a time
<b>pivot_root</b>	Makes the given file system the new root file system of the current process
<b>ramsize</b>	Sets the size of the RAM disk in a bootable image
<b>raw</b>	Used to bind a Linux raw character device to a block device
<b>rdev</b>	Queries and sets the root device, among other things, in a bootable image
<b>readprofile</b>	Reads kernel profiling information
<b>rename</b>	Renames the given files, replacing a given string with another
<b>renice</b>	Alters the priority of running processes
<b>rev</b>	Reverses the lines of a given file
<b>rootflags</b>	Sets the rootflags in a bootable image
<b>script</b>	Makes a typescript of a terminal session
<b>setfdprm</b>	Sets user-provided floppy disk parameters
<b>setsid</b>	Runs the given program in a new session
<b>setterm</b>	Sets terminal attributes
<b>sfdisk</b>	A disk partition table manipulator

<b>swapoff</b>	Disables devices and files for paging and swapping
<b>swapon</b>	Enables devices and files for paging and swapping and lists the devices and files currently in use
<b>tailf</b>	Tracks the growth of a log file. Displays the last 10 lines of a log file, then continues displaying any new entries in the log file as they are created
<b>tunelp</b>	Tunes the parameters of the line printer
<b>ul</b>	A filter for translating underscores into escape sequences indicating underlining for the terminal in use
<b>umount</b>	Disconnects a file system from the system's file tree
<b>vidmode</b>	Sets the video mode in a bootable image
<b>whereis</b>	Reports the location of the binary, source, and man page for the given command
<b>write</b>	Sends a message to the given user <i>if</i> that user has not disabled receipt of such messages

## 6.57. Vim-7.0

The Vim package contains a powerful text editor.

**Approximate build time:** 0.4 SBU

**Required disk space:** 47.4 MB



### Alternatives to Vim

If you prefer another editor—such as Emacs, Joe, or Nano—please refer to <http://www.linuxfromscratch.org/blfs/view/svn/postlfs/editors.html> for suggested installation instructions.

### 6.57.1. Installation of Vim

First, unpack both `vim-7.0.tar.bz2` and (optionally) `vim-7.0-lang.tar.gz` archives into the same directory. Then, patch Vim with several fixes from upstream developers since the initial release of Vim-7.0:

```
patch -Np1 -i ../vim-7.0-fixes-7.patch
```

This version of Vim installs translated man pages and places them into directories that will not be searched by Man-DB. Patch Vim so that it installs its man pages into searchable directories and ultimately allows Man-DB to transcode the page into the desired format at run-time:

```
patch -Np1 -i ../vim-7.0-mandir-1.patch
```

There is an issue introduced by one of the upstream patches that creates a problem downloading spellfiles via HTTP. Until this is updated by the developers, the following patch fixes the problem:

```
patch -Np1 -i ../vim-7.0-spellfile-1.patch
```

Finally, change the default location of the `vimrc` configuration file to `/etc`:

```
echo '#define SYS_VIMRC_FILE "/etc/vimrc"' >> src/feature.h
```

Now prepare Vim for compilation:

```
./configure --prefix=/usr --enable-multibyte
```

The meaning of the configure options:

*--enable-multibyte*

This switch enables support for editing files in multibyte character encodings. This is needed if using a locale with a multibyte character set. This switch is also helpful to be able to edit text files initially created in Linux distributions like Fedora Core that use UTF-8 as a default character set.

Compile the package:

```
make
```

To test the results, issue: **make test**. However, this test suite outputs a lot of binary data to the screen, which can cause issues with the settings of the current terminal. This can be resolved by redirecting the output to a log file.

Install the package:

```
make install
```

In UTF-8 locales, the **vimtutor** program tries to convert the tutorials from ISO-8859-1 to UTF-8. Since some tutorials are not in ISO-8859-1, the text in them is thus made unreadable. If you unpacked the `vim-7.0-lang.tar.gz` archive and are going to use a UTF-8 based locale, remove non-ISO-8859-1 tutorials. An English tutorial will be used instead.

```
rm -f /usr/share/vim/vim70/tutor/tutor.{gr,pl,ru,sk}
rm -f /usr/share/vim/vim70/tutor/tutor.??.*
```

Many users are used to using **vi** instead of **vim**. To allow execution of **vim** when users habitually enter **vi**, create a symlink for both the binary and the man page in the provided languages:

```
ln -sv vim /usr/bin/vi
for L in "" fr it pl ru; do
    ln -sv vim.1 /usr/share/man/$L/man1/vi.1
done
```

By default, Vim's documentation is installed in `/usr/share/vim`. The following symlink allows the documentation to be accessed via `/usr/share/doc/vim-7.0`, making it consistent with the location of documentation for other packages:

```
ln -sv ../vim/vim70/doc /usr/share/doc/vim-7.0
```

If an X Window System is going to be installed on the LFS system, it may be necessary to recompile Vim after installing X. Vim comes with a GUI version of the editor that requires X and some additional libraries to be installed. For more information on this process, refer to the Vim documentation and the Vim installation page in the BLFS book at <http://www.linuxfromscratch.org/blfs/view/svn/postlfs/editors.html#postlfs-editors-vim>.

## 6.57.2. Configuring Vim

By default, **vim** runs in vi-incompatible mode. This may be new to users who have used other editors in the past. The “`nocompatible`” setting is included below to highlight the fact that a new behavior is being used. It also reminds those who would change to “`compatible`” mode that it should be the first setting in the configuration file. This is necessary because it changes other settings, and overrides must come after this setting. Create a default **vim** configuration file by running the following:

```
cat > /etc/vimrc << "EOF"
" Begin /etc/vimrc

set nocompatible
set backspace=2
syntax on
if (&term == "item") || (&term == "putty")
    set background=dark
endif
```

```
" End /etc/vimrc
EOF
```

The `set nocompatible` makes **vim** behave in a more useful way (the default) than the vi-compatible manner. Remove the “no” to keep the old **vi** behavior. The `set backspace=2` allows backspacing over line breaks, autoindents, and the start of insert. The `syntax on` enables vim's syntax highlighting. Finally, the `if` statement with the `set background=dark` corrects **vim**'s guess about the background color of some terminal emulators. This gives the highlighting a better color scheme for use on the black background of these programs.

Documentation for other available options can be obtained by running the following command:

```
vim -c ':options'
```



### Note

By default, Vim only installs spell files for the English language. To install spell files for your preferred language, download the `*.spl` and optionally, the `*.sug` files for your language and character encoding from <ftp://ftp.vim.org/pub/vim/runtime/spell/> and save them to `/usr/share/vim/vim70/spell/`.

To use these spell files, some configuration in `/etc/vimrc` is needed, e.g.:

```
set spelllang=en,ru
set spell
```

For more information, see the appropriate README file located at the the URL above.

## 6.57.3. Contents of Vim

**Installed programs:** `efm_filter.pl`, `efm_perl.pl`, `ex` (link to vim), `less.sh`, `mve.awk`, `pltags.pl`, `ref`, `rview` (link to vim), `rview` (link to vim), `shtags.pl`, `tcltags`, `vi` (link to vim), `view` (link to vim), `vim`, `vim132`, `vim2html.pl`, `vimdiff` (link to vim), `vimm`, `vimspell.sh`, `vimtutor`, and `xxd`

### Short Descriptions

<b>efm_filter.pl</b>	A filter for creating an error file that can be read by <b>vim</b>
<b>efm_perl.pl</b>	Reformats the error messages of the Perl interpreter for use with the “quickfix” mode of <b>vim</b>
<b>ex</b>	Starts <b>vim</b> in ex mode
<b>less.sh</b>	A script that starts <b>vim</b> with <code>less.vim</code>
<b>mve.awk</b>	Processes <b>vim</b> errors
<b>pltags.pl</b>	Creates a tags file for Perl code for use by <b>vim</b>
<b>ref</b>	Checks the spelling of arguments

<b>rview</b>	Is a restricted version of <b>view</b> ; no shell commands can be started and <b>view</b> cannot be suspended
<b>rvim</b>	Is a restricted version of <b>vim</b> ; no shell commands can be started and <b>vim</b> cannot be suspended
<b>shtags.pl</b>	Generates a tags file for Perl scripts
<b>tcltags</b>	Generates a tags file for TCL code
<b>view</b>	Starts <b>vim</b> in read-only mode
<b>vi</b>	Link to <b>vim</b>
<b>vim</b>	Is the editor
<b>vim132</b>	Starts <b>vim</b> with the terminal in 132-column mode
<b>vim2html.pl</b>	Converts Vim documentation to Hypertext Markup Language (HTML)
<b>vimdiff</b>	Edits two or three versions of a file with <b>vim</b> and show differences
<b>vimm</b>	Enables the DEC locator input model on a remote terminal
<b>vimspell.sh</b>	Spell checks a file and generates the syntax statements necessary to highlight in <b>vim</b> . This script requires the old Unix <b>spell</b> command, which is provided neither in LFS nor in BLFS
<b>vimtutor</b>	Teaches the basic keys and commands of <b>vim</b>
<b>xxd</b>	Creates a hex dump of the given file; it can also do the reverse, so it can be used for binary patching

## 6.58. About Debugging Symbols

Most programs and libraries are, by default, compiled with debugging symbols included (with **gcc**'s `-g` option). This means that when debugging a program or library that was compiled with debugging information included, the debugger can provide not only memory addresses, but also the names of the routines and variables.

However, the inclusion of these debugging symbols enlarges a program or library significantly. The following is an example of the amount of space these symbols occupy:

- A **bash** binary with debugging symbols: 1200 KB
- A **bash** binary without debugging symbols: 480 KB
- Glibc and GCC files (`/lib` and `/usr/lib`) with debugging symbols: 87 MB
- Glibc and GCC files without debugging symbols: 16 MB

Sizes may vary depending on which compiler and C library were used, but when comparing programs with and without debugging symbols, the difference will usually be a factor between two and five.

Because most users will never use a debugger on their system software, a lot of disk space can be regained by removing these symbols. The next section shows how to strip all debugging symbols from the programs and libraries. Additional information on system optimization can be found at <http://www.linuxfromscratch.org/hints/downloads/files/optimization.txt>.

## 6.59. Stripping Again

If the intended user is not a programmer and does not plan to do any debugging on the system software, the system size can be decreased by about 90 MB by removing the debugging symbols from binaries and libraries. This causes no inconvenience other than not being able to debug the software fully anymore.

Most people who use the command mentioned below do not experience any difficulties. However, it is easy to make a typo and render the new system unusable, so before running the **strip** command, it is a good idea to make a backup of the LFS system in its current state.

Before performing the stripping, take special care to ensure that none of the binaries that are about to be stripped are running. If unsure whether the user entered chroot with the command given in Section 6.4, “Entering the Chroot Environment,” first exit from chroot:

```
logout
```

Then reenter it with:

```
chroot $LFS /tools/bin/env -i \
  HOME=/root TERM=$TERM PS1='\u:\w\$ ' \
  PATH=/bin:/usr/bin:/sbin:/usr/sbin \
  /tools/bin/bash --login
```

Now the binaries and libraries can be safely stripped:

```
/tools/bin/find /{,usr/}{bin,lib,sbin} -type f \
  -exec /tools/bin/strip --strip-debug '{} ' ';' 
```

A large number of files will be reported as having their file format not recognized. These warnings can be safely ignored. These warnings indicate that those files are scripts instead of binaries.

If disk space is very tight, the `--strip-all` option can be used on the binaries in `{,usr/}{bin,sbin}` to gain several more megabytes. Do not use this option on libraries—they will be destroyed.

## 6.60. Cleaning Up

From now on, when reentering the chroot environment after exiting, use the following modified chroot command:

```
chroot "$LFS" /usr/bin/env -i \  
  HOME=/root TERM="$TERM" PS1='\u:\w\$ ' \  
  PATH=/bin:/usr/bin:/sbin:/usr/sbin \  
  /bin/bash --login
```

The reason for this is that the programs in `/tools` are no longer needed. Since they are no longer needed you can delete the `/tools` directory if so desired.



### Note

Removing `/tools` will also remove the temporary copies of Tcl, Expect, and DejaGNU which were used for running the toolchain tests. If you need these programs later on, they will need to be recompiled and re-installed. The BLFS book has instructions for this (see <http://www.linuxfromscratch.org/blfs/>).

If the virtual kernel file systems have been unmounted, either manually or through a reboot, ensure that the virtual kernel file systems are mounted when reentering the chroot. This process was explained in Section 6.2.2, “Mounting and Populating `/dev`” and Section 6.2.3, “Mounting Virtual Kernel File Systems”.

# Chapter 7. Setting Up System Bootscripts

## 7.1. Introduction

This chapter details how to install and configure the LFS-Bootscripts package. Most of these scripts will work without modification, but a few require additional configuration files because they deal with hardware-dependent information.

System-V style init scripts are employed in this book because they are widely used. For additional options, a hint detailing the BSD style init setup is available at <http://www.linuxfromscratch.org/hints/downloads/files/bsd-init.txt>. Searching the LFS mailing lists for “depinit” will also offer additional choices.

If using an alternative style of init scripts, skip this chapter and move on to Chapter 8.

## 7.2. LFS-Bootscripts-6.2

The LFS-Bootscripts package contains a set of scripts to start/stop the LFS system at bootup/shutdown.

**Approximate build time:** less than 0.1 SBU

**Required disk space:** 0.4 MB

### 7.2.1. Installation of LFS-Bootscripts

Install the package:

```
make install
```

### 7.2.2. Contents of LFS-Bootscripts

**Installed scripts:** checkfs, cleanfs, console, functions, halt, ifdown, ifup, localnet, mountfs, mountkernfs, network, rc, reboot, sendsignals, setclock, static, swap, sysklogd, template, and udev

#### Short Descriptions

<b>checkfs</b>	Checks the integrity of the file systems before they are mounted (with the exception of journal and network based file systems)
<b>cleanfs</b>	Removes files that should not be preserved between reboots, such as those in <code>/var/run/</code> and <code>/var/lock/</code> ; it re-creates <code>/var/run/utmp</code> and removes the possibly present <code>/etc/nologin</code> , <code>/fastboot</code> , and <code>/forcefsck</code> files
<b>console</b>	Loads the correct keymap table for the desired keyboard layout; it also sets the screen font
<b>functions</b>	Contains common functions, such as error and status checking, that are used by several bootscripts
<b>halt</b>	Halts the system
<b>ifdown</b>	Assists the network script with stopping network devices
<b>ifup</b>	Assists the network script with starting network devices
<b>localnet</b>	Sets up the system's hostname and local loopback device
<b>mountfs</b>	Mounts all file systems, except ones that are marked <i>noauto</i> or are network based
<b>mountkernfs</b>	Mounts virtual kernel file systems, such as <code>proc</code>
<b>network</b>	Sets up network interfaces, such as network cards, and sets up the default gateway (where applicable)
<b>rc</b>	The master run-level control script; it is responsible for running all the other bootscripts one-by-one, in a sequence determined by the name of the symbolic links being processed
<b>reboot</b>	Reboots the system
<b>sendsignals</b>	Makes sure every process is terminated before the system reboots or halts

<b>setclock</b>	Resets the kernel clock to local time in case the hardware clock is not set to UTC time
<b>static</b>	Provides the functionality needed to assign a static Internet Protocol (IP) address to a network interface
<b>swap</b>	Enables and disables swap files and partitions
<b>sysklogd</b>	Starts and stops the system and kernel log daemons
<b>template</b>	A template to create custom bootscripts for other daemons
<b>udev</b>	Prepares the /dev directory and starts Udev

## 7.3. How Do These Bootscripts Work?

Linux uses a special booting facility named SysVinit that is based on a concept of *run-levels*. It can be quite different from one system to another, so it cannot be assumed that because things worked in one particular Linux distribution, they should work the same in LFS too. LFS has its own way of doing things, but it respects generally accepted standards.

SysVinit (which will be referred to as “init” from now on) works using a run-levels scheme. There are seven (numbered 0 to 6) run-levels (actually, there are more run-levels, but they are for special cases and are generally not used. See `init(8)` for more details), and each one of those corresponds to the actions the computer is supposed to perform when it starts up. The default run-level is 3. Here are the descriptions of the different run-levels as they are implemented:

```
0: halt the computer
1: single-user mode
2: multi-user mode without networking
3: multi-user mode with networking
4: reserved for customization, otherwise does the same as 3
5: same as 4, it is usually used for GUI login (like X's xdm or KDE's kdm)
6: reboot the computer
```

The command used to change run-levels is `init <runlevel>`, where `<runlevel>` is the target run-level. For example, to reboot the computer, a user could issue the `init 6` command, which is an alias for the `reboot` command. Likewise, `init 0` is an alias for the `halt` command.

There are a number of directories under `/etc/rc.d` that look like `rc?.d` (where `?` is the number of the run-level) and `rcsysinit.d`, all containing a number of symbolic links. Some begin with a *K*, the others begin with an *S*, and all of them have two numbers following the initial letter. The *K* means to stop (kill) a service and the *S* means to start a service. The numbers determine the order in which the scripts are run, from 00 to 99—the lower the number the earlier it gets executed. When `init` switches to another run-level, the appropriate services are either started or stopped, depending on the runlevel chosen.

The real scripts are in `/etc/rc.d/init.d`. They do the actual work, and the symlinks all point to them. Killing links and starting links point to the same script in `/etc/rc.d/init.d`. This is because the scripts can be called with different parameters like `start`, `stop`, `restart`, `reload`, and `status`. When a *K* link is encountered, the appropriate script is run with the `stop` argument. When an *S* link is encountered, the appropriate script is run with the `start` argument.

There is one exception to this explanation. Links that start with an *S* in the `rc0.d` and `rc6.d` directories will not cause anything to be started. They will be called with the parameter `stop` to stop something. The logic behind this is that when a user is going to reboot or halt the system, nothing needs to be started. The system only needs to be stopped.

These are descriptions of what the arguments make the scripts do:

*start*

The service is started.

*stop*

The service is stopped.

*restart*

The service is stopped and then started again.

*reload*

The configuration of the service is updated. This is used after the configuration file of a service was modified, when the service does not need to be restarted.

*status*

Tells if the service is running and with which PIDs.

Feel free to modify the way the boot process works (after all, it is your own LFS system). The files given here are an example of how it can be done.

## 7.4. Device and Module Handling on an LFS System

In Chapter 6, we installed the Udev package. Before we go into the details regarding how this works, a brief history of previous methods of handling devices is in order.

Linux systems in general traditionally use a static device creation method, whereby a great many device nodes are created under `/dev` (sometimes literally thousands of nodes), regardless of whether the corresponding hardware devices actually exist. This is typically done via a **MAKEDEV** script, which contains a number of calls to the **mknod** program with the relevant major and minor device numbers for every possible device that might exist in the world.

Using the Udev method, only those devices which are detected by the kernel get device nodes created for them. Because these device nodes will be created each time the system boots, they will be stored on a `tmpfs` file system (a virtual file system that resides entirely in system memory). Device nodes do not require much space, so the memory that is used is negligible.

### 7.4.1. History

In February 2000, a new filesystem called `devfs` was merged into the 2.3.46 kernel and was made available during the 2.4 series of stable kernels. Although it was present in the kernel source itself, this method of creating devices dynamically never received overwhelming support from the core kernel developers.

The main problem with the approach adopted by `devfs` was the way it handled device detection, creation, and naming. The latter issue, that of device node naming, was perhaps the most critical. It is generally accepted that if device names are allowed to be configurable, then the device naming policy should be up to a system administrator, not imposed on them by any particular developer(s). The `devfs` file system also suffers from race conditions that are inherent in its design and cannot be fixed without a substantial revision to the kernel. It has also been marked as deprecated due to a lack of recent maintenance.

With the development of the unstable 2.5 kernel tree, later released as the 2.6 series of stable kernels, a new virtual filesystem called `sysfs` came to be. The job of `sysfs` is to export a view of the system's hardware configuration to userspace processes. With this userspace-visible representation, the possibility of seeing a userspace replacement for `devfs` became much more realistic.

### 7.4.2. Udev Implementation

#### 7.4.2.1. Sysfs

The `sysfs` filesystem was mentioned briefly above. One may wonder how `sysfs` knows about the devices present on a system and what device numbers should be used for them. Drivers that have been compiled into the kernel directly register their objects with `sysfs` as they are detected by the kernel. For drivers compiled as modules, this registration will happen when the module is loaded. Once the `sysfs` filesystem is mounted (on `/sys`), data which the built-in drivers registered with `sysfs` are available to userspace processes and to **udev** for device node creation.

### 7.4.2.2. Udev Bootscript

The **S10udev** initscript takes care of creating device nodes when Linux is booted. The script unsets the `uevent` handler from the default of `/sbin/hotplug`. This is done because the kernel no longer needs to call out to an external binary. Instead **udev** will listen on a netlink socket for uevents that the kernel raises. Next, the bootscript copies any static device nodes that exist in `/lib/udev/devices` to `/dev`. This is necessary because some devices, directories, and symlinks are needed before the dynamic device handling processes are available during the early stages of booting a system. Creating static device nodes in `/lib/udev/devices` also provides an easy workaround for devices that are not supported by the dynamic device handling infrastructure. The bootscript then starts the Udev daemon, **udev**, which will act on any uevents it receives. Finally, the bootscript forces the kernel to replay uevents for any devices that have already been registered and then waits for **udev** to handle them.

### 7.4.2.3. Device Node Creation

To obtain the right major and minor number for a device, Udev relies on the information provided by `sysfs` in `/sys`. For example, `/sys/class/tty/vcs/dev` contains the string “7:0”. This string is used by **udev** to create a device node with major number 7 and minor 0. The names and permissions of the nodes created under the `/dev` directory are determined by rules specified in the files within the `/etc/udev/rules.d/` directory. These are numbered in a similar fashion to the LFS-Bootscripts package. If **udev** can't find a rule for the device it is creating, it will default permissions to 660 and ownership to `root:root`. Documentation on the syntax of the Udev rules configuration files are available in `/usr/share/doc/udev-096/index.html`

### 7.4.2.4. Module Loading

Device drivers compiled as modules may have aliases built into them. Aliases are visible in the output of the **modinfo** program and are usually related to the bus-specific identifiers of devices supported by a module. For example, the `snd-fm801` driver supports PCI devices with vendor ID 0x1319 and device ID 0x0801, and has an alias of “`pci:v00001319d00000801sv*sd*bc04sc01i*`”. For most devices, the bus driver exports the alias of the driver that would handle the device via `sysfs`. E.g., the `/sys/bus/pci/devices/0000:00:0d.0/modalias` file might contain the string “`pci:v00001319d00000801sv00001319sd00001319bc04sc01i00`”. The rules that LFS installs will cause **udev** to call out to `/sbin/modprobe` with the contents of the `MODALIAS` uevent environment variable (that should be the same as the contents of the `modalias` file in `sysfs`), thus loading all modules whose aliases match this string after wildcard expansion.

In this example, this means that, in addition to `snd-fm801`, the obsolete (and unwanted) `forte` driver will be loaded if it is available. See below for ways in which the loading of unwanted drivers can be prevented.

The kernel itself is also able to load modules for network protocols, filesystems and NLS support on demand.

### 7.4.2.5. Handling Hotpluggable/Dynamic Devices

When you plug in a device, such as a Universal Serial Bus (USB) MP3 player, the kernel recognizes that the device is now connected and generates a uevent. This uevent is then handled by **udev** as described above.

### 7.4.3. Problems with Loading Modules and Creating Devices

There are a few possible problems when it comes to automatically creating device nodes.

#### 7.4.3.1. A kernel module is not loaded automatically

Udev will only load a module if it has a bus-specific alias and the bus driver properly exports the necessary aliases to `sysfs`. In other cases, one should arrange module loading by other means. With Linux-2.6.16.27, Udev is known to load properly-written drivers for INPUT, IDE, PCI, USB, SCSI, SERIO and FireWire devices.

To determine if the device driver you require has the necessary support for Udev, run **modinfo** with the module name as the argument. Now try locating the device directory under `/sys/bus` and check whether there is a `modalias` file there.

If the `modalias` file exists in `sysfs`, the driver supports the device and can talk to it directly, but doesn't have the alias, it is a bug in the driver. Load the driver without the help from Udev and expect the issue to be fixed later.

If there is no `modalias` file in the relevant directory under `/sys/bus`, this means that the kernel developers have not yet added `modalias` support to this bus type. With Linux-2.6.16.27, this is the case with ISA busses. Expect this issue to be fixed in later kernel versions.

Udev is not intended to load “wrapper” drivers such as `snd-pcm-oss` and non-hardware drivers such as `loop` at all.

#### 7.4.3.2. A kernel module is not loaded automatically, and Udev is not intended to load it

If the “wrapper” module only enhances the functionality provided by some other module (e.g., `snd-pcm-oss` enhances the functionality of `snd-pcm` by making the sound cards available to OSS applications), configure **modprobe** to load the wrapper after Udev loads the wrapped module. To do this, add an “install” line in `/etc/modprobe.conf`. For example:

```
install snd-pcm /sbin/modprobe -i snd-pcm ; \
  /sbin/modprobe snd-pcm-oss ; true
```

If the module in question is not a wrapper and is useful by itself, configure the **S05modules** bootscrip to load this module on system boot. To do this, add the module name to the `/etc/sysconfig/modules` file on a separate line. This works for wrapper modules too, but is suboptimal in that case.

#### 7.4.3.3. Udev loads some unwanted module

Either don't build the module, or blacklist it in `/etc/modprobe.conf` file as done with the `forte` module in the example below:

```
blacklist forte
```

Blacklisted modules can still be loaded manually with the explicit **modprobe** command.

#### 7.4.3.4. Udev creates a device incorrectly, or makes a wrong symlink

This usually happens if a rule unexpectedly matches a device. For example, a poorly-written rule can match both a SCSI disk (as desired) and the corresponding SCSI generic device (incorrectly) by vendor. Find the offending rule and make it more specific.

#### 7.4.3.5. Udev rule works unreliably

This may be another manifestation of the previous problem. If not, and your rule uses `sysfs` attributes, it may be a kernel timing issue, to be fixed in later kernels. For now, you can work around it by creating a rule that waits for the used `sysfs` attribute and appending it to the `/etc/udev/rules.d/10-wait_for_sysfs.rules` file. Please notify the LFS Development list if you do so and it helps.

#### 7.4.3.6. Udev does not create a device

Further text assumes that the driver is built statically into the kernel or already loaded as a module, and that you have already checked that Udev doesn't create a misnamed device.

Udev has no information needed to create a device node if a kernel driver does not export its data to `sysfs`. This is most common with third party drivers from outside the kernel tree. Create a static device node in `/lib/udev/devices` with the appropriate major/minor numbers (see the file `devices.txt` inside the kernel documentation or the documentation provided by the third party driver vendor). The static device node will be copied to `/dev` by the **S10udev** bootscript.

#### 7.4.3.7. Device naming order changes randomly after rebooting

This is due to the fact that Udev, by design, handles uevents and loads modules in parallel, and thus in an unpredictable order. This will never be “fixed”. You should not rely upon the kernel device names being stable. Instead, create your own rules that make symlinks with stable names based on some stable attributes of the device, such as a serial number or the output of various `*_id` utilities installed by Udev. See Section 7.12, “Creating custom symlinks to devices” and Section 7.13, “Configuring the network Script” for examples.

### 7.4.4. Useful Reading

Additional helpful documentation is available at the following sites:

- A Userspace Implementation of `devfs`  
*[http://www.kroah.com/linux/talks/ols\\_2003\\_udev\\_paper/Reprint-Kroah-Hartman-OLS2003.pdf](http://www.kroah.com/linux/talks/ols_2003_udev_paper/Reprint-Kroah-Hartman-OLS2003.pdf)*
- udev FAQ  
*<http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev-FAQ>*
- The `sysfs` Filesystem  
*<http://www.kernel.org/pub/linux/kernel/people/mochel/doc/papers/ols-2005/mochel.pdf>*

## 7.5. Configuring the setclock Script

The **setclock** script reads the time from the hardware clock, also known as the BIOS or the Complementary Metal Oxide Semiconductor (CMOS) clock. If the hardware clock is set to UTC, this script will convert the hardware clock's time to the local time using the `/etc/localtime` file (which tells the **hwclock** program which timezone the user is in). There is no way to detect whether or not the hardware clock is set to UTC, so this needs to be configured manually.

If you cannot remember whether or not the hardware clock is set to UTC, find out by running the **hwclock --localtime --show** command. This will display what the current time is according to the hardware clock. If this time matches whatever your watch says, then the hardware clock is set to local time. If the output from **hwclock** is not local time, chances are it is set to UTC time. Verify this by adding or subtracting the proper amount of hours for the timezone to the time shown by **hwclock**. For example, if you are currently in the MST timezone, which is also known as GMT -0700, add seven hours to the local time.

Change the value of the UTC variable below to a value of 0 (zero) if the hardware clock is *not* set to UTC time.

Create a new file `/etc/sysconfig/clock` by running the following:

```
cat > /etc/sysconfig/clock << "EOF"
# Begin /etc/sysconfig/clock

UTC=1

# End /etc/sysconfig/clock
EOF
```

A good hint explaining how to deal with time on LFS is available at <http://www.linuxfromscratch.org/hints/downloads/files/time.txt>. It explains issues such as time zones, UTC, and the TZ environment variable.

## 7.6. Configuring the Linux Console

This section discusses how to configure the **console** bootscrip that sets up the keyboard map and the console font. If non-ASCII characters (e.g., the copyright sign, the British pound sign and Euro symbol) will not be used and the keyboard is a U.S. one, skip this section. Without the configuration file, the **console** bootscrip will do nothing.

The **console** script reads the `/etc/sysconfig/console` file for configuration information. Decide which keymap and screen font will be used. Various language-specific HOWTOs can also help with this, see <http://www.tldp.org/HOWTO/HOWTO-INDEX/other-lang.html>. If still in doubt, look in the `/usr/share/kbd` directory for valid keymaps and screen fonts. Read `loadkeys(1)` and `setfont(8)` manual pages to determine the correct arguments for these programs.

The `/etc/sysconfig/console` file should contain lines of the form: `VARIABLE="value"`. The following variables are recognized:

### KEYMAP

This variable specifies the arguments for the **loadkeys** program, typically, the name of keymap to load, e.g., “es”. If this variable is not set, the bootscrip will not run the **loadkeys** program, and the default kernel keymap will be used.

### KEYMAP\_CORRECTIONS

This (rarely used) variable specifies the arguments for the second call to the **loadkeys** program. This is useful if the stock keymap is not completely satisfactory and a small adjustment has to be made. E.g., to include the Euro sign into a keymap that normally doesn't have it, set this variable to “euro2”.

### FONT

This variable specifies the arguments for the **setfont** program. Typically, this includes the font name, “-m”, and the name of the application character map to load. E.g., in order to load the “lat1-16” font together with the “8859-1” application character map (as it is appropriate in the USA), set this variable to “lat1-16 -m 8859-1”. If this variable is not set, the bootscrip will not run the **setfont** program, and the default VGA font will be used together with the default application character map.

### UNICODE

Set this variable to “1”, “yes” or “true” in order to put the console into UTF-8 mode. This is useful in UTF-8 based locales and harmful otherwise.

### LEGACY\_CHARSET

For many keyboard layouts, there is no stock Unicode keymap in the Kbd package. The **console** bootscrip will convert an available keymap to UTF-8 on the fly if this variable is set to the encoding of the available non-UTF-8 keymap. Note, however, that dead keys (i.e., keys that don't produce a character by themselves, but put an accent onto a character produced by the next key; there are no dead keys on the standard US keyboard) and composing (i.e., pressing Ctrl+. A E in order to produce the Æ character) will not work in UTF-8 mode without the special kernel patch. This variable is useful only in UTF-8 mode.

### BROKEN\_COMPOSE

Set this to “0” if you are going to apply the kernel patch in Chapter 8. Note that you also have to add the character set expected by composition rules in your keymap to the FONT variable after the “-m” switch. This variable is useful only in UTF-8 mode.

Support for compiling the keymap directly into the kernel has been removed because there were reports that it leads to incorrect results.

Some examples:

- For a non-Unicode setup, only the KEYMAP and FONT variables are generally needed. E.g., for a Polish setup, one would use:

```
cat > /etc/sysconfig/console << "EOF"
# Begin /etc/sysconfig/console

KEYMAP="pl2"
FONT="lat2a-16 -m 8859-2"

# End /etc/sysconfig/console
EOF
```

- As mentioned above, it is sometimes necessary to adjust a stock keymap slightly. The following example adds the Euro symbol to the German keymap:

```
cat > /etc/sysconfig/console << "EOF"
# Begin /etc/sysconfig/console

KEYMAP="de-latin1"
KEYMAP_CORRECTIONS="euro2"
FONT="lat0-16 -m 8859-15"

# End /etc/sysconfig/console
EOF
```

- The following is a Unicode-enabled example for Bulgarian, where a stock UTF-8 keymap exists and defines no dead keys or composition rules:

```
cat > /etc/sysconfig/console << "EOF"
# Begin /etc/sysconfig/console

UNICODE="1"
KEYMAP="bg_bds-utf8"
FONT="LatArCyrHeb-16"

# End /etc/sysconfig/console
EOF
```

- Due to the use of a 512-glyph LatArCyrHeb-16 font in the previous example, bright colors are no longer available on the Linux console unless a framebuffer is used. If one wants to have bright colors without framebuffer and can live without characters not belonging to his language, it is still possible to use a language-specific 256-glyph font, as illustrated below.

```
cat > /etc/sysconfig/console << "EOF"
# Begin /etc/sysconfig/console

UNICODE="1"
KEYMAP="bg_bds-utf8"
```

```
FONT="cyr-sun16"

# End /etc/sysconfig/console
EOF
```

- The following example illustrates keymap autoconversion from ISO-8859-15 to UTF-8 and enabling dead keys in Unicode mode:

```
cat > /etc/sysconfig/console << "EOF"
# Begin /etc/sysconfig/console

UNICODE="1"
KEYMAP="de-latin1"
KEYMAP_CORRECTIONS="euro2"
LEGACY_CHARSET="iso-8859-15"
BROKEN_COMPOSE="0"
FONT="LatArCyrHeb-16 -m 8859-15"

# End /etc/sysconfig/console
EOF
```

- For Chinese, Japanese, Korean and some other languages, the Linux console cannot be configured to display the needed characters. Users who need such languages should install the X Window System, fonts that cover the necessary character ranges, and the proper input method (e.g., SCIM, it supports a wide variety of languages).



### Note

The `/etc/sysconfig/console` file only controls the Linux text console localization. It has nothing to do with setting the proper keyboard layout and terminal fonts in the X Window System, with ssh sessions or with a serial console.

## 7.7. Configuring the `sysklogd` script

The `sysklogd` script invokes the `syslogd` program with the `-m 0` option. This option turns off the periodic timestamp mark that `syslogd` writes to the log files every 20 minutes by default. If you want to turn on this periodic timestamp mark, edit the `sysklogd` script and make the changes accordingly. See `man syslogd` for more information.

## 7.8. Creating the `/etc/inputrc` File

The `inputrc` file handles keyboard mapping for specific situations. This file is the startup file used by `Readline` — the input-related library — used by `Bash` and most other shells.

Most people do not need user-specific keyboard mappings so the command below creates a global `/etc/inputrc` used by everyone who logs in. If you later decide you need to override the defaults on a per-user basis, you can create a `.inputrc` file in the user's home directory with the modified mappings.

For more information on how to edit the `inputrc` file, see **info bash** under the *Readline Init File* section. **info readline** is also a good source of information.

Below is a generic global `inputrc` along with comments to explain what the various options do. Note that comments cannot be on the same line as commands. Create the file using the following command:

```
cat > /etc/inputrc << "EOF"
# Begin /etc/inputrc
# Modified by Chris Lynn <roryo@roryo.dynup.net>

# Allow the command prompt to wrap to the next line
set horizontal-scroll-mode Off

# Enable 8bit input
set meta-flag On
set input-meta On

# Turns off 8th bit stripping
set convert-meta Off

# Keep the 8th bit for display
set output-meta On

# none, visible or audible
set bell-style none

# All of the following map the escape sequence of the
# value contained inside the 1st argument to the
# readline specific functions

"\eOd": backward-word
"\eOc": forward-word

# for linux console
"\e[1~": beginning-of-line
"\e[4~": end-of-line
"\e[5~": beginning-of-history
"\e[6~": end-of-history
"\e[3~": delete-char
"\e[2~": quoted-insert

# for xterm
"\eOH": beginning-of-line
"\eOF": end-of-line
```

```
# for Konsole
"\e[H": beginning-of-line
"\e[F": end-of-line

# End /etc/inputrc
EOF
```

## 7.9. The Bash Shell Startup Files

The shell program `/bin/bash` (hereafter referred to as “the shell”) uses a collection of startup files to help create an environment to run in. Each file has a specific use and may affect login and interactive environments differently. The files in the `/etc` directory provide global settings. If an equivalent file exists in the home directory, it may override the global settings.

An interactive login shell is started after a successful login, using `/bin/login`, by reading the `/etc/passwd` file. An interactive non-login shell is started at the command-line (e.g., `[prompt]$/bin/bash`). A non-interactive shell is usually present when a shell script is running. It is non-interactive because it is processing a script and not waiting for user input between commands.

For more information, see **info bash** under the *Bash Startup Files and Interactive Shells* section.

The files `/etc/profile` and `~/.bash_profile` are read when the shell is invoked as an interactive login shell.

The base `/etc/profile` below sets some environment variables necessary for native language support. Setting them properly results in:

- The output of programs translated into the native language
- Correct classification of characters into letters, digits and other classes. This is necessary for **bash** to properly accept non-ASCII characters in command lines in non-English locales
- The correct alphabetical sorting order for the country
- Appropriate default paper size
- Correct formatting of monetary, time, and date values

This script also sets the `INPUTRC` environment variable that makes Bash and Readline use the `/etc/inputrc` file created earlier.

Replace `<ll>` below with the two-letter code for the desired language (e.g., “en”) and `<CC>` with the two-letter code for the appropriate country (e.g., “GB”). `<charmap>` should be replaced with the canonical charmap for your chosen locale. Optional modifiers such as “@euro” may also be present.

The list of all locales supported by Glibc can be obtained by running the following command:

```
locale -a
```

Charmaps can have a number of aliases, e.g., “ISO-8859-1” is also referred to as “iso8859-1” and “iso88591”. Some applications cannot handle the various synonyms correctly (e.g., require that “UTF-8” is written as “UTF-8”, not “utf8”), so it is safest in most cases to choose the canonical name for a particular locale. To determine the canonical name, run the following command, where `<locale name>` is the output given by **locale -a** for your preferred locale (“en\_GB.iso88591” in our example).

```
LC_ALL=<locale name> locale charmap
```

For the “en\_GB.iso88591” locale, the above command will print:

```
ISO-8859-1
```

This results in a final locale setting of “en\_GB.ISO-8859-1”. It is important that the locale found using the heuristic above is tested prior to it being added to the Bash startup files:

```
LC_ALL=<locale name> locale language
LC_ALL=<locale name> locale charmap
LC_ALL=<locale name> locale int_curr_symbol
LC_ALL=<locale name> locale int_prefix
```

The above commands should print the language name, the character encoding used by the locale, the local currency, and the prefix to dial before the telephone number in order to get into the country. If any of the commands above fail with a message similar to the one shown below, this means that your locale was either not installed in Chapter 6 or is not supported by the default installation of Glibc.

```
locale: Cannot set LC_* to default locale: No such file or directory
```

If this happens, you should either install the desired locale using the **localedef** command, or consider choosing a different locale. Further instructions assume that there are no such error messages from Glibc.

Some packages beyond LFS may also lack support for your chosen locale. One example is the X library (part of the X Window System), which outputs the following error message if the locale does not exactly match one of the character map names in its internal files:

```
Warning: locale not supported by Xlib, locale set to C
```

In several cases Xlib expects that the character map will be listed in uppercase notation with canonical dashes. For instance, "ISO-8859-1" rather than "iso88591". It is also possible to find an appropriate specification by removing the charmap part of the locale specification. This can be checked by running the **locale charmap** command in both locales. For example, one would have to change "de\_DE.ISO-8859-15@euro" to "de\_DE@euro" in order to get this locale recognized by Xlib.

Other packages can also function incorrectly (but may not necessarily display any error messages) if the locale name does not meet their expectations. In those cases, investigating how other Linux distributions support your locale might provide some useful information.

Once the proper locale settings have been determined, create the `/etc/profile` file:

```
cat > /etc/profile << "EOF"
# Begin /etc/profile

export LANG=<ll>_<CC>.<charmap><@modifiers>
export INPUTRC=/etc/inputrc

# End /etc/profile
EOF
```

The “C” (default) and “en\_US” (the recommended one for United States English users) locales are different. “C” uses the US-ASCII 7-bit character set, and treats bytes with the high bit set as invalid characters. That's why, e.g., the **ls** command substitutes them with question marks in that locale. Also, an attempt to send mail with such characters from Mutt or Pine results in non-RFC-conforming messages being sent (the charset in the outgoing mail is indicated as “unknown 8-bit”). So you can use the “C” locale only if you are sure that you will never need 8-bit characters.

UTF-8 based locales are not supported well by many programs. E.g., the **watch** program displays only ASCII characters in UTF-8 locales and has no such restriction in traditional 8-bit locales like en\_US. Work is in progress to document and, if possible, fix such problems, see <http://www.linuxfromscratch.org/blfs/view/svn/introduction/locale-issues.html>.

## 7.10. Configuring the localnet Script

Part of the job of the **localnet** script is setting the system's hostname. This needs to be configured in the `/etc/sysconfig/network` file.

Create the `/etc/sysconfig/network` file and enter a hostname by running:

```
echo "HOSTNAME=<lhs>" > /etc/sysconfig/network
```

`<lhs>` needs to be replaced with the name given to the computer. Do not enter the Fully Qualified Domain Name (FQDN) here. That information will be put in the `/etc/hosts` file in the next section.

## 7.11. Customizing the `/etc/hosts` File

If a network card is to be configured, decide on the IP address, fully-qualified domain name (FQDN), and possible aliases for use in the `/etc/hosts` file. The syntax is:

```
IP_address myhost.example.org aliases
```

Unless the computer is to be visible to the Internet (i.e., there is a registered domain and a valid block of assigned IP addresses—most users do not have this), make sure that the IP address is in the private network IP address range. Valid ranges are:

Private Network Address Range	Normal Prefix
10.0.0.1 - 10.255.255.254	8
172.x.0.1 - 172.x.255.254	16
192.168.y.1 - 192.168.y.254	24

x can be any number in the range 16-31. y can be any number in the range 0-255.

A valid private IP address could be 192.168.1.1. A valid FQDN for this IP could be `lfs.example.org`.

Even if not using a network card, a valid FQDN is still required. This is necessary for certain programs to operate correctly.

Create the `/etc/hosts` file by running:

```
cat > /etc/hosts << "EOF"
# Begin /etc/hosts (network card version)

127.0.0.1 localhost
<192.168.1.1> <HOSTNAME.example.org> [alias1] [alias2 ...]

# End /etc/hosts (network card version)
EOF
```

The `<192.168.1.1>` and `<HOSTNAME.example.org>` values need to be changed for specific users or requirements (if assigned an IP address by a network/system administrator and the machine will be connected to an existing network). The optional alias name(s) can be omitted.

If a network card is not going to be configured, create the `/etc/hosts` file by running:

```
cat > /etc/hosts << "EOF"
# Begin /etc/hosts (no network card version)

127.0.0.1 <HOSTNAME.example.org> <HOSTNAME> localhost

# End /etc/hosts (no network card version)
EOF
```

## 7.12. Creating custom symlinks to devices

### 7.12.1. CD-ROM symlinks

Some software that you may want to install later (e.g., various media players) expect the `/dev/cdrom` and `/dev/dvd` symlinks to exist. Also, it may be convenient to put references to those symlinks into `/etc/fstab`. For each of your CD-ROM devices, find the corresponding directory under `/sys` (e.g., this can be `/sys/block/hdd`) and run a command similar to the following:

```
udevtest /block/hdd
```

Look at the lines containing the output of various `*_id` programs.

There are two approaches to creating symlinks. The first one is to use the model name and the serial number, the second one is based on the location of the device on the bus. If you are going to use the first approach, create a file similar to the following:

```
cat >/etc/udev/rules.d/82-cdrom.rules << EOF

# Custom CD-ROM symlinks
SUBSYSTEM=="block", ENV{ID_MODEL}=="SAMSUNG_CD-ROM_SC-148F", \
    ENV{ID_REVISION}=="PS05", SYMLINK+="cdrom"
SUBSYSTEM=="block", ENV{ID_MODEL}=="PHILIPS_CDD5301", \
    ENV{ID_SERIAL}=="5VO1306DM00190", SYMLINK+="cdrom1 dvd"

EOF
```



#### Note

Although the examples in this book work properly, be aware that `udev` does not recognize the backslash for line continuation. If modifying `udev` rules with an editor, be sure to leave each rule on one physical line.

This way, the symlinks will stay correct even if you move the drives to different positions on the IDE bus, but the `/dev/cdrom` symlink won't be created if you replace the old SAMSUNG CD-ROM with a new drive.

The `SUBSYSTEM=="block"` key is needed in order to avoid matching SCSI generic devices. Without it, in the case with SCSI CD-ROMs, the symlinks will sometimes point to the correct `/dev/srX` devices, and sometimes to `/dev/sgX`, which is wrong.

The second approach yields:

```
cat >/etc/udev/rules.d/82-cdrom.rules << EOF

# Custom CD-ROM symlinks
SUBSYSTEM=="block", ENV{ID_TYPE}=="cd", \
    ENV{ID_PATH}=="pci-0000:00:07.1-ide-0:1", SYMLINK+="cdrom"
SUBSYSTEM=="block", ENV{ID_TYPE}=="cd", \
    ENV{ID_PATH}=="pci-0000:00:07.1-ide-1:1", SYMLINK+="cdrom1 dvd"

EOF
```

This way, the symlinks will stay correct even if you replace drives with different models, but place them to the old positions on the IDE bus. The `ENV{ID_TYPE}=="cd"` key makes sure that the symlink disappears if you put something other than a CD-ROM in that position on the bus.

Of course, it is possible to mix the two approaches.

## 7.12.2. Dealing with duplicate devices

As explained in Section 7.4, “Device and Module Handling on an LFS System”, the order in which devices with the same function appear in `/dev` is essentially random. E.g., if you have a USB web camera and a TV tuner, sometimes `/dev/video0` refers to the camera and `/dev/video1` refers to the tuner, and sometimes after a reboot the order changes to the opposite one. For all classes of hardware except sound cards and network cards, this is fixable by creating udev rules for custom persistent symlinks. The case of network cards is covered separately in Section 7.13, “Configuring the network Script”, and sound card configuration can be found in *BLFS*.

For each of your devices that is likely to have this problem (even if the problem doesn't exist in your current Linux distribution), find the corresponding directory under `/sys/class` or `/sys/block`. For video devices, this may be `/sys/class/video4linux/videoX`. Figure out the attributes that identify the device uniquely (usually, vendor and product IDs and/or serial numbers work):

```
udevinfo -a -p /sys/class/video4linux/video0
```

Then write rules that create the symlinks, e.g.:

```
cat >/etc/udev/rules.d/83-duplicate_devs.rules << EOF
# Persistent symlinks for webcam and tuner
KERNEL=="video*", SYSFS{idProduct}=="1910", SYSFS{idVendor}=="0d81", \
    SYMLINK+="webcam"
KERNEL=="video*", SYSFS{device}=="0x036f", SYSFS{vendor}=="0x109e", \
    SYMLINK+="tvtuner"
EOF
```

The result is that `/dev/video0` and `/dev/video1` devices still refer randomly to the tuner and the web camera (and thus should never be used directly), but there are symlinks `/dev/tvtuner` and `/dev/webcam` that always point to the correct device.

More information on writing Udev rules can be found in `/usr/share/doc/udev-096/index.html`.

## 7.13. Configuring the network Script

This section only applies if a network card is to be configured.

If a network card will not be used, there is likely no need to create any configuration files relating to network cards. If that is the case, remove the `network` symlinks from all run-level directories (`/etc/rc.d/rc*.d`).

### 7.13.1. Creating stable names for network interfaces

Instructions in this section are optional if you have only one network card.

With Udev and modular network drivers, the network interface numbering is not persistent across reboots by default, because the drivers are loaded in parallel and, thus, in random order. For example, on a computer having two network cards made by Intel and Realtek, the network card manufactured by Intel may become `eth0` and the Realtek card becomes `eth1`. In some cases, after a reboot the cards get renumbered the other way around. To avoid this, create Udev rules that assign stable names to network cards based on their MAC addresses or bus positions.

If you are going to use MAC addresses to identify your network cards, find the addresses with the following command:

```
grep -H . /sys/class/net/*/address
```

For each network card (but not for the loopback interface), invent a descriptive name, such as “realtek”, and create Udev rules similar to the following:

```
cat > /etc/udev/rules.d/26-network.rules << EOF
ACTION=="add", SUBSYSTEM=="net", SYSFS{address}=="00:e0:4c:12:34:56", \
    NAME="realtek"
ACTION=="add", SUBSYSTEM=="net", SYSFS{address}=="00:a0:c9:78:9a:bc", \
    NAME="intel"
EOF
```



#### Note

Although the examples in this book work properly, be aware that udev does not recognize the backslash for line continuation. If modifying udev rules with an editor, be sure to leave each rule on one physical line.

If you are going to use the bus position as a key, create Udev rules similar to the following:

```
cat > /etc/udev/rules.d/26-network.rules << EOF
ACTION=="add", SUBSYSTEM=="net", BUS=="pci", ID=="0000:00:0c.0", \
    NAME="realtek"
ACTION=="add", SUBSYSTEM=="net", BUS=="pci", ID=="0000:00:0d.0", \
    NAME="intel"
EOF
```

These rules will always rename the network cards to “realtek” and “intel”, independently of the original numbering provided by the kernel (i.e.: the original “eth0” and “eth1” interfaces will no longer exist, unless you put such “descriptive” names in the NAME key). Use the descriptive names from the Udev rules instead of “eth0” in the network interface configuration files below.

Note that the rules above don't work for every setup. For example, MAC-based rules break when bridges or VLANs are used, because bridges and VLANs have the same MAC address as the network card. One wants to rename only the network card interface, not the bridge or VLAN interface, but the example rule matches both. If you use such virtual interfaces, you have two potential solutions. One is to add the DRIVER=="?\*" key after SUBSYSTEM=="net" in MAC-based rules which will stop matching the virtual interfaces. This is known to fail with some older Ethernet cards because they don't have the DRIVER variable in the uevent and thus the rule does not match with such cards. Another solution is to switch to rules that use the bus position as a key.

The second known non-working case is with wireless cards using the MadWifi or HostAP drivers, because they create at least two interfaces with the same MAC address and bus position. For example, the Madwifi driver creates both an athX and a wifiX interface where X is a digit. To differentiate these interfaces, add an appropriate KERNEL parameter such as KERNEL=="ath\*" after SUBSYSTEM=="net".

There may be other cases where the rules above don't work. Currently, bugs on this topic are still being reported to Linux distributions, and no solution that covers every case is available.

## 7.13.2. Creating Network Interface Configuration Files

Which interfaces are brought up and down by the network script depends on the files and directories in the `/etc/sysconfig/network-devices` hierarchy. This directory should contain a sub-directory for each interface to be configured, such as `ifconfig.xyz`, where “xyz” is a network interface name. Inside this directory would be files defining the attributes to this interface, such as its IP address(es), subnet masks, and so forth.

The following command creates a sample `ipv4` file for the `eth0` device:

```
cd /etc/sysconfig/network-devices &&
mkdir -v ifconfig.eth0 &&
cat > ifconfig.eth0/ipv4 << "EOF"
ONBOOT=yes
SERVICE=ipv4-static
IP=192.168.1.1
GATEWAY=192.168.1.2
PREFIX=24
BROADCAST=192.168.1.255
EOF
```

The values of these variables must be changed in every file to match the proper setup. If the ONBOOT variable is set to “yes” the network script will bring up the Network Interface Card (NIC) during booting of the system. If set to anything but “yes” the NIC will be ignored by the network script and not be brought up.

The SERVICE variable defines the method used for obtaining the IP address. The LFS-Bootscripts package has a modular IP assignment format, and creating additional files in the `/etc/sysconfig/network-devices/services` directory allows other IP assignment methods. This is commonly used for Dynamic Host Configuration Protocol (DHCP), which is addressed in the BLFS book.

The `GATEWAY` variable should contain the default gateway IP address, if one is present. If not, then comment out the variable entirely.

The `PREFIX` variable needs to contain the number of bits used in the subnet. Each octet in an IP address is 8 bits. If the subnet's netmask is `255.255.255.0`, then it is using the first three octets (24 bits) to specify the network number. If the netmask is `255.255.255.240`, it would be using the first 28 bits. Prefixes longer than 24 bits are commonly used by DSL and cable-based Internet Service Providers (ISPs). In this example (`PREFIX=24`), the netmask is `255.255.255.0`. Adjust the `PREFIX` variable according to your specific subnet.

### 7.13.3. Creating the `/etc/resolv.conf` File

If the system is going to be connected to the Internet, it will need some means of Domain Name Service (DNS) name resolution to resolve Internet domain names to IP addresses, and vice versa. This is best achieved by placing the IP address of the DNS server, available from the ISP or network administrator, into `/etc/resolv.conf`. Create the file by running the following:

```
cat > /etc/resolv.conf << "EOF"
# Begin /etc/resolv.conf

domain {<Your Domain Name>}
nameserver <IP address of your primary nameserver>
nameserver <IP address of your secondary nameserver>

# End /etc/resolv.conf
EOF
```

Replace `<IP address of the nameserver>` with the IP address of the DNS most appropriate for the setup. There will often be more than one entry (requirements demand secondary servers for fallback capability). If you only need or want one DNS server, remove the second `nameserver` line from the file. The IP address may also be a router on the local network.

## Chapter 8. Making the LFS System Bootable

### 8.1. Introduction

It is time to make the LFS system bootable. This chapter discusses creating an `fstab` file, building a kernel for the new LFS system, and installing the GRUB boot loader so that the LFS system can be selected for booting at startup.

## 8.2. Creating the `/etc/fstab` File

The `/etc/fstab` file is used by some programs to determine where file systems are to be mounted by default, in which order, and which must be checked (for integrity errors) prior to mounting. Create a new file systems table like this:

```
cat > /etc/fstab << "EOF"
# Begin /etc/fstab

# file system  mount-point  type  options  dump  fsck
#              order

/dev/<xxx>     /             <fff> defaults 1      1
/dev/<yyy>     swap         swap  pri=1    0      0
proc          /proc        proc  defaults 0      0
sysfs         /sys         sysfs defaults 0      0
devpts        /dev/pts     devpts gid=4,mode=620 0      0
shm           /dev/shm     tmpfs defaults 0      0
# End /etc/fstab
EOF
```

Replace `<xxx>`, `<yyy>`, and `<fff>` with the values appropriate for the system, for example, `hda2`, `hda5`, and `ext3`. For details on the six fields in this file, see **man 5 `fstab`**.

The `/dev/shm` mount point for `tmpfs` is included to allow enabling POSIX-shared memory. The kernel must have the required support built into it for this to work (more about this is in the next section). Please note that very little software currently uses POSIX-shared memory. Therefore, consider the `/dev/shm` mount point optional. For more information, see `Documentation/filesystems/tmpfs.txt` in the kernel source tree.

Filesystems with MS-DOS or Windows origin (i.e.: `vfat`, `ntfs`, `smbfs`, `cifs`, `iso9660`, `udf`) need the “`iocharset`” mount option in order for non-ASCII characters in file names to be interpreted properly. The value of this option should be the same as the character set of your locale, adjusted in such a way that the kernel understands it. This works if the relevant character set definition (found under File systems -> Native Language Support) has been compiled into the kernel or built as a module. The “`codepage`” option is also needed for `vfat` and `smbfs` filesystems. It should be set to the codepage number used under MS-DOS in your country. E.g., in order to mount USB flash drives, a `ru_RU.KOI8-R` user would need the following line in `/etc/fstab`:

```
/dev/sda1    /media/flash vfat
             noauto,user,quiet,showexec,iocharset=koi8r,codepage=866 0 0
```

The corresponding line for `ru_RU.UTF-8` users is:

```
/dev/sda1    /media/flash vfat
             noauto,user,quiet,showexec,iocharset=utf8,codepage=866 0 0
```

**Note**

In the latter case, the kernel emits the following message:

```
FAT: utf8 is not a recommended IO charset for FAT filesystems,  
filesystem will be case sensitive!
```

This negative recommendation should be ignored, since all other values of the “iocharset” option result in wrong display of filenames in UTF-8 locales.

It is also possible to specify default codepage and iocharset values for some filesystems during kernel configuration. The relevant parameters are named “Default NLS Option” (CONFIG\_NLS\_DEFAULT), “Default Remote NLS Option” (CONFIG\_SMB\_NLS\_DEFAULT), “Default codepage for FAT” (CONFIG\_FAT\_DEFAULT\_CODEPAGE), and “Default iocharset for FAT” (CONFIG\_FAT\_DEFAULT\_IOCHARSET). There is no way to specify these settings for the ntfs filesystem at kernel compilation time.

## 8.3. Linux-2.6.16.27

The Linux package contains the Linux kernel.

**Approximate build time:** 1.5 - 3 SBU

**Required disk space:** 310 - 350 MB

### 8.3.1. Installation of the kernel

Building the kernel involves a few steps—configuration, compilation, and installation. Read the README file in the kernel source tree for alternative methods to the way this book configures the kernel.

By default, the Linux kernel generates wrong sequences of bytes when dead keys are used in UTF-8 keyboard mode. Also, one cannot copy and paste non-ASCII characters when UTF-8 mode is active. Fix these issues with the patch:

```
patch -Np1 -i ../linux-2.6.16.27-utf8_input-1.patch
```

Prepare for compilation by running the following command:

```
make mrproper
```

This ensures that the kernel tree is absolutely clean. The kernel team recommends that this command be issued prior to each kernel compilation. Do not rely on the source tree being clean after un-tarring.

Configure the kernel via a menu-driven interface. BLFS has some information regarding particular kernel configuration requirements of packages outside of LFS at <http://www.linuxfromscratch.org/blfs/view/svn/longindex.html#kernel-config-index>:

```
make menuconfig
```

Alternatively, **make oldconfig** may be more appropriate in some situations. See the README file for more information.

If desired, skip kernel configuration by copying the kernel config file, `.config`, from the host system (assuming it is available) to the unpacked `linux-2.6.16.27` directory. However, we do not recommend this option. It is often better to explore all the configuration menus and create the kernel configuration from scratch.

Compile the kernel image and modules:

```
make
```

If using kernel modules, an `/etc/modprobe.conf` file may be needed. Information pertaining to modules and kernel configuration is located in Section 7.4, “Device and Module Handling on an LFS System” and in the kernel documentation in the `linux-2.6.16.27/Documentation` directory. Also, `modprobe.conf(5)` may be of interest.

Install the modules, if the kernel configuration uses them:

```
make modules_install
```

After kernel compilation is complete, additional steps are required to complete the installation. Some files need to be copied to the `/boot` directory.

The path to the kernel image may vary depending on the platform being used. The following command assumes an x86 architecture:

```
cp -v arch/i386/boot/bzImage /boot/lfskernel-2.6.16.27
```

`System.map` is a symbol file for the kernel. It maps the function entry points of every function in the kernel API, as well as the addresses of the kernel data structures for the running kernel. Issue the following command to install the map file:

```
cp -v System.map /boot/System.map-2.6.16.27
```

The kernel configuration file `.config` produced by the **make menuconfig** step above contains all the configuration selections for the kernel that was just compiled. It is a good idea to keep this file for future reference:

```
cp -v .config /boot/config-2.6.16.27
```

Install the documentation for the Linux kernel:

```
install -d /usr/share/doc/linux-2.6.16.27 &&
cp -r Documentation/* /usr/share/doc/linux-2.6.16.27
```

It is important to note that the files in the kernel source directory are not owned by *root*. Whenever a package is unpacked as user *root* (like we did inside `chroot`), the files have the user and group IDs of whatever they were on the packager's computer. This is usually not a problem for any other package to be installed because the source tree is removed after the installation. However, the Linux source tree is often retained for a long time. Because of this, there is a chance that whatever user ID the packager used will be assigned to somebody on the machine. That person would then have write access to the kernel source.

If the kernel source tree is going to be retained, run **chown -R 0:0** on the `linux-2.6.16.27` directory to ensure all files are owned by user *root*.



### Warning

Some kernel documentation recommends creating a symlink from `/usr/src/linux` pointing to the kernel source directory. This is specific to kernels prior to the 2.6 series and *must not* be created on an LFS system as it can cause problems for packages you may wish to build once your base LFS system is complete.

Also, the headers in the system's `include` directory should *always* be the ones against which Glibc was compiled, that is, the ones from the `Linux-Libc-Headers` package, and therefore, should *never* be replaced by the kernel headers.

## 8.3.2. Contents of Linux

**Installed files:** `config-2.6.16.27`, `lfskernel-2.6.16.27`, and `System.map-2.6.16.27`

### Short Descriptions

<code>config-2.6.16.27</code>	Contains all the configuration selections for the kernel
<code>lfskernel-2.6.16.27</code>	The engine of the Linux system. When turning on the computer, the kernel is the first part of the operating system that gets loaded. It detects and initializes all components of the computer's hardware, then makes these components available as a tree of files to the software and turns a single CPU into a multitasking machine capable of running scores of programs seemingly at the same time
<code>System.map-2.6.16.27</code>	A list of addresses and symbols; it maps the entry points and addresses of all the functions and data structures in the kernel

## 8.4. Making the LFS System Bootable

Your shiny new LFS system is almost complete. One of the last things to do is to ensure that the system can be properly booted. The instructions below apply only to computers of IA-32 architecture, meaning mainstream PCs. Information on “boot loading” for other architectures should be available in the usual resource-specific locations for those architectures.

Boot loading can be a complex area, so a few cautionary words are in order. Be familiar with the current boot loader and any other operating systems present on the hard drive(s) that need to be bootable. Make sure that an emergency boot disk is ready to “rescue” the computer if the computer becomes unusable (un-bootable).

Earlier, we compiled and installed the GRUB boot loader software in preparation for this step. The procedure involves writing some special GRUB files to specific locations on the hard drive. We highly recommend creating a GRUB boot floppy diskette as a backup. Insert a blank floppy diskette and run the following commands:

```
dd if=/boot/grub/stage1 of=/dev/fd0 bs=512 count=1
dd if=/boot/grub/stage2 of=/dev/fd0 bs=512 seek=1
```

Remove the diskette and store it somewhere safe. Now, run the **grub** shell:

```
grub
```

GRUB uses its own naming structure for drives and partitions in the form of  $(hdn,m)$ , where  $n$  is the hard drive number and  $m$  is the partition number, both starting from zero. For example, partition `hda1` is  $(hd0,0)$  to GRUB and `hdb3` is  $(hd1,2)$ . In contrast to Linux, GRUB does not consider CD-ROM drives to be hard drives. For example, if using a CD on `hdb` and a second hard drive on `hdc`, that second hard drive would still be  $(hd1)$ .

Using the above information, determine the appropriate designator for the root partition (or boot partition, if a separate one is used). For the following example, it is assumed that the root (or separate boot) partition is `hda4`.

Tell GRUB where to search for its `stage{1,2}` files. The Tab key can be used everywhere to make GRUB show the alternatives:

```
root (hd0,3)
```



### Warning

The following command will overwrite the current boot loader. Do not run the command if this is not desired, for example, if using a third party boot manager to manage the Master Boot Record (MBR). In this scenario, it would make more sense to install GRUB into the “boot sector” of the LFS partition. In this case, this next command would become `setup (hd0,3)`.

Tell GRUB to install itself into the MBR of `hda`:

```
setup (hd0)
```

If all went well, GRUB will have reported finding its files in `/boot/grub`. That's all there is to it. Quit the **grub** shell:

```
quit
```

Create a “menu list” file defining GRUB's boot menu:

```
cat > /boot/grub/menu.lst << "EOF"
# Begin /boot/grub/menu.lst

# By default boot the first menu entry.
default 0

# Allow 30 seconds before booting the default.
timeout 30

# Use prettier colors.
color green/black light-green/black

# The first entry is for LFS.
title LFS 6.2
root (hd0,3)
kernel /boot/lfskernel-2.6.16.27 root=/dev/hda4
EOF
```

Add an entry for the host distribution if desired. It might look like this:

```
cat >> /boot/grub/menu.lst << "EOF"
title Red Hat
root (hd0,2)
kernel /boot/kernel-2.6.5 root=/dev/hda3
initrd /boot/initrd-2.6.5
EOF
```

If dual-booting Windows, the following entry will allow booting it:

```
cat >> /boot/grub/menu.lst << "EOF"
title Windows
rootnoverify (hd0,0)
chainloader +1
EOF
```

If **info grub** does not provide all necessary material, additional information regarding GRUB is located on its website at: <http://www.gnu.org/software/grub/>.

The FHS stipulates that GRUB's `menu.lst` file should be symlinked to `/etc/grub/menu.lst`. To satisfy this requirement, issue the following command:

```
mkdir -v /etc/grub &&
ln -sv /boot/grub/menu.lst /etc/grub
```

# Chapter 9. The End

## 9.1. The End

Well done! The new LFS system is installed! We wish you much success with your shiny new custom-built Linux system.

It may be a good idea to create an `/etc/lfs-release` file. By having this file, it is very easy for you (and for us if you need to ask for help at some point) to find out which LFS version is installed on the system. Create this file by running:

```
echo 6.2 > /etc/lfs-release
```

## 9.2. Get Counted

Now that you have finished the book, do you want to be counted as an LFS user? Head over to <http://www.linuxfromscratch.org/cgi-bin/lfscounter.cgi> and register as an LFS user by entering your name and the first LFS version you have used.

Let's reboot into LFS now.

## 9.3. Rebooting the System

Now that all of the software has been installed, it is time to reboot your computer. However, you should be aware of a few things. The system you have created in this book is quite minimal, and most likely will not have the functionality you would need to be able to continue forward. By installing a few extra packages from the BLFS book while still in our current chroot environment, you can leave yourself in a much better position to continue on once you reboot into your new LFS installation. Installing a text mode web browser, such as Lynx, you can easily view the BLFS book in one virtual terminal, while building packages in another. The GPM package will also allow you to perform copy/paste actions in your virtual terminals. Lastly, if you are in a situation where static IP configuration does not meet your networking requirements, installing packages such as Dhcpcd or PPP at this point might also be useful.

Now that we have said that, lets move on to booting our shiny new LFS installation for the first time! First exit from the chroot environment:

```
logout
```

Then unmount the virtual files systems:

```
umount -v $LFS/dev/pts  
umount -v $LFS/dev/shm  
umount -v $LFS/dev  
umount -v $LFS/proc  
umount -v $LFS/sys
```

Unmount the LFS file system itself:

```
umount -v $LFS
```

If multiple partitions were created, unmount the other partitions before unmounting the main one, like this:

```
umount -v $LFS/usr  
umount -v $LFS/home  
umount -v $LFS
```

Now, reboot the system with:

```
shutdown -r now
```

Assuming the GRUB boot loader was set up as outlined earlier, the menu is set to boot *LFS 6.2* automatically.

When the reboot is complete, the LFS system is ready for use and more software may be added to suit your needs.

## 9.4. What Now?

Thank you for reading this LFS book. We hope that you have found this book helpful and have learned more about the system creation process.

Now that the LFS system is installed, you may be wondering “What next?” To answer that question, we have compiled a list of resources for you.

- Maintenance

Bugs and security notices are reported regularly for all software. Since an LFS system is compiled from source, it is up to you to keep abreast of such reports. There are several online resources that track such reports, some of which are shown below:

- Freshmeat.net (<http://freshmeat.net/>)

Freshmeat can notify you (via email) of new versions of packages installed on your system.

- CERT (Computer Emergency Response Team)

CERT has a mailing list that publishes security alerts concerning various operating systems and applications. Subscription information is available at <http://www.us-cert.gov/cas/signup.html>.

- Bugtraq

Bugtraq is a full-disclosure computer security mailing list. It publishes newly discovered security issues, and occasionally potential fixes for them. Subscription information is available at <http://www.securityfocus.com/archive>.

- Beyond Linux From Scratch

The Beyond Linux From Scratch book covers installation procedures for a wide range of software beyond the scope of the LFS Book. The BLFS project is located at <http://www.linuxfromscratch.org/blfs/>.

- LFS Hints

The LFS Hints are a collection of educational documents submitted by volunteers in the LFS community. The hints are available at <http://www.linuxfromscratch.org/hints/list.html>.

- Mailing lists

There are several LFS mailing lists you may subscribe to if you are in need of help, want to stay current with the latest developments, want to contribute to the project, and more. See Chapter 1 - Mailing Lists for more information.

- The Linux Documentation Project

The goal of The Linux Documentation Project (TLDP) is to collaborate on all of the issues of Linux documentation. The TLDP features a large collection of HOWTOs, guides, and man pages. It is located at <http://www.tldp.org/>.

## **Part IV. Appendices**

# Appendix A. Acronyms and Terms

<b>ABI</b>	Application Binary Interface
<b>ALFS</b>	Automated Linux From Scratch
<b>ALSA</b>	Advanced Linux Sound Architecture
<b>API</b>	Application Programming Interface
<b>ASCII</b>	American Standard Code for Information Interchange
<b>BIOS</b>	Basic Input/Output System
<b>BLFS</b>	Beyond Linux From Scratch
<b>BSD</b>	Berkeley Software Distribution
<b>chroot</b>	change root
<b>CMOS</b>	Complementary Metal Oxide Semiconductor
<b>COS</b>	Class Of Service
<b>CPU</b>	Central Processing Unit
<b>CRC</b>	Cyclic Redundancy Check
<b>CVS</b>	Concurrent Versions System
<b>DHCP</b>	Dynamic Host Configuration Protocol
<b>DNS</b>	Domain Name Service
<b>EGA</b>	Enhanced Graphics Adapter
<b>ELF</b>	Executable and Linkable Format
<b>EOF</b>	End of File
<b>EQN</b>	equation
<b>EVMS</b>	Enterprise Volume Management System
<b>ext2</b>	second extended file system
<b>ext3</b>	third extended file system
<b>FAQ</b>	Frequently Asked Questions
<b>FHS</b>	Filesystem Hierarchy Standard
<b>FIFO</b>	First-In, First Out
<b>FQDN</b>	Fully Qualified Domain Name
<b>FTP</b>	File Transfer Protocol
<b>GB</b>	Gibabytes

<b>GCC</b>	GNU Compiler Collection
<b>GID</b>	Group Identifier
<b>GMT</b>	Greenwich Mean Time
<b>GPG</b>	GNU Privacy Guard
<b>HTML</b>	Hypertext Markup Language
<b>IDE</b>	Integrated Drive Electronics
<b>IEEE</b>	Institute of Electrical and Electronic Engineers
<b>IO</b>	Input/Output
<b>IP</b>	Internet Protocol
<b>IPC</b>	Inter-Process Communication
<b>IRC</b>	Internet Relay Chat
<b>ISO</b>	International Organization for Standardization
<b>ISP</b>	Internet Service Provider
<b>KB</b>	Kilobytes
<b>LED</b>	Light Emitting Diode
<b>LFS</b>	Linux From Scratch
<b>LSB</b>	Linux Standard Base
<b>MB</b>	Megabytes
<b>MBR</b>	Master Boot Record
<b>MD5</b>	Message Digest 5
<b>NIC</b>	Network Interface Card
<b>NLS</b>	Native Language Support
<b>NNTP</b>	Network News Transport Protocol
<b>NPTL</b>	Native POSIX Threading Library
<b>OSS</b>	Open Sound System
<b>PCH</b>	Pre-Compiled Headers
<b>PCRE</b>	Perl Compatible Regular Expression
<b>PID</b>	Process Identifier
<b>PLFS</b>	Pure Linux From Scratch
<b>PTY</b>	pseudo terminal
<b>QA</b>	Quality Assurance

<b>QOS</b>	Quality Of Service
<b>RAM</b>	Random Access Memory
<b>RPC</b>	Remote Procedure Call
<b>RTC</b>	Real Time Clock
<b>SBU</b>	Standard Build Unit
<b>SCO</b>	The Santa Cruz Operation
<b>SGR</b>	Select Graphic Rendition
<b>SHA1</b>	Secure-Hash Algorithm 1
<b>SMP</b>	Symmetric Multi-Processor
<b>TLDP</b>	The Linux Documentation Project
<b>TFTP</b>	Trivial File Transfer Protocol
<b>TLS</b>	Thread-Local Storage
<b>UID</b>	User Identifier
<b>umask</b>	user file-creation mask
<b>USB</b>	Universal Serial Bus
<b>UTC</b>	Coordinated Universal Time
<b>UUID</b>	Universally Unique Identifier
<b>VC</b>	Virtual Console
<b>VGA</b>	Video Graphics Array
<b>VT</b>	Virtual Terminal

# Appendix B. Acknowledgments

We would like to thank the following people and organizations for their contributions to the Linux From Scratch Project.

- *Gerard Beekmans* <gerard@linuxfromscratch.org> – LFS Creator, LFS Project Leader
- *Matthew Burgess* <matthew@linuxfromscratch.org> – LFS Project Leader, LFS Technical Writer/Editor, LFS Release Manager
- *Archaic* <archaic@linuxfromscratch.org> – LFS Technical Writer/Editor, HLFS Project Leader, BLFS Editor, Hints and Patches Project Maintainer
- *Nathan Coulson* <nathan@linuxfromscratch.org> – LFS-Bootscripts Maintainer
- *Bruce Dubbs* <bdubbs@linuxfromscratch.org> – BLFS Project Leader
- *Manuel Canales Esparcia* <manuel@linuxfromscratch.org> – LFS/BLFS/HLFS XML and XSL Maintainer
- *Jim Gifford* <jim@linuxfromscratch.org> – LFS Technical Writer, Patches Project Leader
- *Jeremy Huntwork* <jhuntwork@linuxfromscratch.org> – LFS Technical Writer, LFS LiveCD Maintainer, ALFS Project Leader
- *Anderson Lizardo* <lizardo@linuxfromscratch.org> – Website Backend-Scripts Maintainer
- *Ryan Oliver* <ryan@linuxfromscratch.org> – LFS Toolchain Maintainer
- *James Robertson* <jwrober@linuxfromscratch.org> – Bugzilla Maintainer
- *Tushar Teredesai* <tushar@linuxfromscratch.org> – BLFS Book Editor, Hints and Patches Project Leader
- Countless other people on the various LFS and BLFS mailing lists who helped make this book possible by giving their suggestions, testing the book, and submitting bug reports, instructions, and their experiences with installing various packages.

## Translators

- *Manuel Canales Esparcia* <macana@macana-es.com> – Spanish LFS translation project
- *Johan Lenglet* <johan@linuxfromscratch.org> – French LFS translation project
- *Anderson Lizardo* <lizardo@linuxfromscratch.org> – Portuguese LFS translation project
- *Thomas Reitelbach* <tr@erdfunkstelle.de> – German LFS translation project

## Mirror Maintainers

### North American Mirrors

- *Scott Kveton* <scott@osuosl.org> – lfs.oregonstate.edu mirror
- *Mikhail Pastukhov* <miha@xuy.biz> – lfs.130th.net mirror

- *William Astle* <lost@l-w.net> – ca.linuxfromscratch.org mirror
- *Jeremy Polen* <jpolen@rackspace.com> – us2.linuxfromscratch.org mirror
- *Tim Jackson* <tim@idge.net> – linuxfromscratch.idge.net mirror
- *Jeremy Utley* <jeremy@linux-phreak.net> – lfs.linux-phreak.net mirror

## South American Mirrors

- *Andres Meggianto* <sysop@mesi.com.ar> – lfs.mesi.com.ar mirror
- *Manuel Canales Esparcia* <manuel@linuxfromscratch.org> – lfsmirror.lfs-es.info mirror
- *Eduardo B. Fonseca* <ebf@aedsolucoes.com.br> – br.linuxfromscratch.org mirror

## European Mirrors

- *Barna Koczka* <barna@siker.hu> – hu.linuxfromscratch.org mirror
- *UK Mirror Service* – linuxfromscratch.mirror.ac.uk mirror
- *Martin Voss* <Martin.Voss@ada.de> – lfs.linux-matrix.net mirror
- *Guido Passet* <guido@primerelay.net> – nl.linuxfromscratch.org mirror
- *Bastiaan Jacques* <baafie@planet.nl> – lfs.pagefault.net mirror
- *Roel Neefs* <lfs-mirror@linuxfromscratch.rave.org> – linuxfromscratch.rave.org mirror
- *Justin Knierim* <justin@jrknierim.de> – www.lfs-matrix.de mirror
- *Stephan Brendel* <stevie@stevie20.de> – lfs.netservice-neuss.de mirror
- *Antonin Sprinzl* <Antonin.Sprinzl@tuwien.ac.at> – at.linuxfromscratch.org mirror
- *Fredrik Danerklint* <fredan-lfs@fredan.org> – se.linuxfromscratch.org mirror
- *Parisian sysadmins* <archive@doc.cs.univ-paris8.fr> – www2.fr.linuxfromscratch.org mirror
- *Alexander Velin* <velin@zadnik.org> – bg.linuxfromscratch.org mirror
- *Dirk Webster* <dirk@securewebservices.co.uk> – lfs.securewebservices.co.uk mirror
- *Thomas Skyt* <thomas@sofagang.dk> – dk.linuxfromscratch.org mirror
- *Simon Nicoll* <sime@dot-sime.com> – uk.linuxfromscratch.org mirror

## Asian Mirrors

- *Pui Yong* <pyng@spam.averse.net> – sg.linuxfromscratch.org mirror
- *Stuart Harris* <stuart@althalus.me.uk> – lfs.mirror.intermedia.com.sg mirror

## Australian Mirrors

- *Jason Andrade* <jason@dstc.edu.au> – au.linuxfromscratch.org mirror

## Former Project Team Members

- *Christine Barczak* <theladyskye@linuxfromscratch.org> – LFS Book Editor
- Timothy Bauscher
- Robert Briggs
- Ian Chilton
- *Jeroen Coumans* <jeroen@linuxfromscratch.org> – Website Developer, FAQ Maintainer
- Alex Groenewoud – LFS Technical Writer
- Marc Heerdink
- Mark Hymers
- Seth W. Klein – FAQ maintainer
- *Nicholas Leippe* <nicholas@linuxfromscratch.org> – Wiki Maintainer
- Simon Perreault
- *Scot Mc Pherson* <scot@linuxfromscratch.org> – LFS NNTP Gateway Maintainer
- *Alexander Patrakov* <semzx@newmail.ru> – LFS Technical Writer
- *Greg Schafer* <gschafer@zip.com.au> – LFS Technical Writer
- Jesse Tie-Ten-Quee – LFS Technical Writer
- *Jeremy Utley* <jeremy@linuxfromscratch.org> – LFS Technical Writer, Bugzilla Maintainer, LFS-Bootscripts Maintainer
- *Zack Winkles* <zwinkles@gmail.com> – LFS Technical Writer

## A very special thank you to our donators

- *Dean Benson* <dean@vipersoft.co.uk> for several monetary contributions
- *Hagen Herrschaft* <hrx@hrxnet.de> for donating a 2.2 GHz P4 system, now running under the name of Lorien
- *SEO Company Canada* supports Open Source projects and different Linux distributions
- *VA Software* who, on behalf of *Linux.com*, donated a VA Linux 420 (former StartX SP2) workstation
- Mark Stone for donating Belgarath, the linuxfromscratch.org server

## Appendix C. Dependencies

Every package built in LFS relies on one or more other packages in order to build and install properly. Some packages even participate in circular dependencies, that is, the first package depends on the second which in turn depends on the first. Because of these dependencies, the order in which packages are built in LFS is very important. The purpose of this page is to document the dependencies of each package built in LFS.

For each package we build, we have listed three types of dependencies. The first lists what other packages need to be available in order to compile and install the package in question. The second lists what packages, in addition to those on the first list, need to be available in order to run the testsuites. The last list of dependencies are packages that require this package to be built and installed in its final location before they are built and installed. In most cases, this is because these packages will hardcode paths to binaries within their scripts. If not built in a certain order, this could result in paths of `/tools/bin/[binary]` being placed inside scripts installed to the final system. This is obviously not desirable.

### Autoconf

**Installation depends on:** Bash, Coreutils, Grep, M4, Make, Perl, Sed, and Texinfo

**Test suite depends on:** Automake, Diffutils, Findutils, GCC, and Libtool

**Must be installed before:** Automake

### Automake

**Installation depends on:** Autoconf, Bash, Coreutils, Gettext, Grep, M4, Make, Perl, Sed, and Texinfo

**Test suite depends on:** Binutils, Bison, Bzip2, DejaGNU, Diffutils, Expect, Findutils, Flex, GCC, Gettext, Gzip, Libtool, and Tar. Can also use several other packages that are not installed in LFS.

**Must be installed before:** None

### Bash

**Installation depends on:** Bash, Bison, Coreutils, Diffutils, GCC, Glibc, Grep, Make, Ncurses, Patch, Readline, Sed, and Texinfo

**Test suite depends on:** Diffutils and Gawk

**Must be installed before:** None

### Berkeley DB

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, Gawk, GCC, Glibc, Grep, Make, and Sed

**Test suite depends on:** Not run. Requires TCL installed on the final system

**Must be installed before:** None

## Binutils

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Gettext, Glibc, Grep, Make, Perl, Sed, and Texinfo

**Test suite depends on:** DejaGNU and Expect

**Must be installed before:** None

## Bison

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Gettext, Glibc, Grep, M4, Make, and Sed

**Test suite depends on:** Diffutils and Findutils

**Must be installed before:** Flex, Kbd, and Tar

## Bzip2

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Glibc, Make, and Patch

**Test suite depends on:** None

**Must be installed before:** None

## Coreutils

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Gettext, Glibc, Grep, Make, Patch, Perl, Sed, and Texinfo

**Test suite depends on:** Diffutils

**Must be installed before:** Bash, Diffutils, Findutils, Man-DB, and Udev

## DejaGNU

**Installation depends on:** Bash, Coreutils, Diffutils, GCC, Grep, Make, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Diffutils

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Gettext, Glibc, Grep, Make, Patch, Sed, and Texinfo

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Expect

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Glibc, Grep, Make, Patch, Sed, and Tcl

**Test suite depends on:** None

**Must be installed before:** None

## E2fsprogs

**Installation depends on:** Bash, Binutils, Coreutils, Gawk, GCC, Gettext, Glibc, Grep, Gzip, Make, Sed, and Texinfo

**Test suite depends on:** Diffutils

**Must be installed before:** Util-Linux

## File

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, Gawk, GCC, Glibc, Grep, Make, Sed, and Zlib

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Findutils

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Gettext, Glibc, Grep, Make, Sed, and Texinfo

**Test suite depends on:** DejaGNU, Diffutils, and Expect

**Must be installed before:** None

## Flex

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Gettext, Glibc, Grep, M4, Make, Patch, Sed, and Texinfo

**Test suite depends on:** Bison and Gawk

**Must be installed before:** IPRoute2, Kbd, and Man-DB

## Gawk

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Gettext, Glibc, Grep, Make, Patch, Sed and, Texinfo

**Test suite depends on:** Diffutils

**Must be installed before:** None

## Gcc

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, Findutils, Gawk, GCC, Gettext, Glibc, Grep, Make, Patch, Perl, Sed, Tar, and Texinfo

**Test suite depends on:** DejaGNU and Expect

**Must be installed before:** None

## Gettext

**Installation depends on:** Bash, Binutils, Coreutils, Gawk, GCC, Glibc, Grep, Make, Sed, and Texinfo

**Test suite depends on:** Diffutils, Perl, and Tcl

**Must be installed before:** Automake

## Glibc

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, Gawk, GCC, Gettext, Grep, Gzip, Make, Perl, Sed, and Texinfo

**Test suite depends on:** None

**Must be installed before:** None

## Grep

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Gettext, Glibc, Make, Patch, Sed, and Texinfo

**Test suite depends on:** Diffutils and Gawk

**Must be installed before:** Man-DB

## Groff

**Installation depends on:** Bash, Binutils, Bison, Coreutils, Gawk, GCC, Glibc, Grep, Make, Patch, Sed, and Texinfo

**Test suite depends on:** No testsuite available

**Must be installed before:** Man-DB and Perl

## GRUB

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Glibc, Grep, Make, Ncurses, Sed, and Texinfo

**Test suite depends on:** None

**Must be installed before:** None

## Gzip

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Glibc, Grep, Make, Patch, Sed, and Texinfo

**Test suite depends on:** No testsuite available

**Must be installed before:** Man-DB

## iana-Etc

**Installation depends on:** Coreutils, Gawk, and Make

**Test suite depends on:** No testsuite available

**Must be installed before:** Perl

## Inetutils

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Glibc, Grep, Make, Ncurses, Patch, Sed, and Texinfo

**Test suite depends on:** No testsuite available

**Must be installed before:** Tar

## IProute2

**Installation depends on:** Bash, Berkeley DB, Bison, Coreutils, Flex, GCC, Glibc, Make, and Linux-Libc-Headers

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Kbd

**Installation depends on:** Bash, Binutils, Bison, Coreutils, Flex, GCC, Gettext, Glibc, Gzip, Make, Patch, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Less

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Glibc, Grep, Make, Ncurses, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Libtool

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, Gawk, GCC, Glibc, Grep, Make, Sed, and Texinfo

**Test suite depends on:** Findutils

**Must be installed before:** None

## Linux Kernel

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, Findutils, GCC, Glibc, Grep, Gzip, Make, Module-Init-Tools, Ncurses, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## M4

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Glibc, Grep, Make, and Sed

**Test suite depends on:** Diffutils

**Must be installed before:** Autoconf and Bison

## Man-DB

**Installation depends on:** Bash, Berkeley DB, Binutils, Bzip2, Coreutils, Flex, GCC, Gettext, Glibc, Grep, Groff, Gzip, Less, Make, and Sed

**Test suite depends on:** Not run. Requires Man-DB testsuite package

**Must be installed before:** None

## Make

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Gettext, Glibc, Grep, Make, Sed, and Texinfo

**Test suite depends on:** Perl

**Must be installed before:** None

## Mktemp

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Glibc, Grep, Patch, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Module-Init-Tools

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Glibc, Grep, Make, Sed, and Zlib

**Test suite depends on:** File, Findutils, and Gawk

**Must be installed before:** None

## Ncurses

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, Gawk, GCC, Glibc, Grep, Make, Patch, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** Bash, GRUB, Inetutils, Less, Procps, Psmisc, Readline, Texinfo, Util-Linux, and Vim

## Patch

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Glibc, Grep, Make, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Perl

**Installation depends on:** Bash, Berkeley DB, Binutils, Coreutils, Gawk, GCC, Glibc, Grep, Groff, Make, and Sed

**Test suite depends on:** Iana-Etc and Procps

**Must be installed before:** Autoconf

## Procps

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Glibc, Make, and Ncurses

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Psmisc

**Installation depends on:** Bash, Coreutils, GCC, Gettext, Glibc, Grep, Make, Ncurses, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Readline

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Glibc, Grep, Make, Ncurses, Patch, Sed, and Texinfo

**Test suite depends on:** No testsuite available

**Must be installed before:** Bash

## Sed

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Gettext, Glibc, Grep, Make, Sed, and Texinfo

**Test suite depends on:** Diffutils and Gawk

**Must be installed before:** E2fsprogs, File, Libtool, and Shadow

## Shadow

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, Findutils, Gawk, GCC, Gettext, Glibc, Grep, Make, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Sysklogd

**Installation depends on:** Binutils, Coreutils, GCC, Glibc, Make, and Patch

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Sysvinit

**Installation depends on:** Binutils, Coreutils, GCC, Glibc, Make, and Sed

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Tar

**Installation depends on:** Bash, Binutils, Bison, Coreutils, GCC, Gettext, Glibc, Grep, Inetutils, Make, Patch, Sed, and Texinfo

**Test suite depends on:** Diffutils, Findutils, and Gawk

**Must be installed before:** None

## Tcl

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Glibc, Grep, Make, and Sed

**Test suite depends on:** None

**Must be installed before:** None

## Texinfo

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Gettext, Glibc, Grep, Make, Ncurses, Patch, and Sed

**Test suite depends on:** None

**Must be installed before:** None

## Udev

**Installation depends on:** Binutils, Coreutils, GCC, Glibc, and Make

**Test suite depends on:** Findutils, Perl, and Sed

**Must be installed before:** None

## Util-Linux

**Installation depends on:** Bash, Binutils, Coreutils, E2fprogs, GCC, Gettext, Glibc, Grep, Make, Ncurses, Patch, Sed, and Zlib

**Test suite depends on:** No testsuite available

**Must be installed before:** None

## Vim

**Installation depends on:** Bash, Binutils, Coreutils, Diffutils, GCC, Glibc, Grep, Make, Ncurses, and Sed

**Test suite depends on:** None

**Must be installed before:** None

## Zlib

**Installation depends on:** Bash, Binutils, Coreutils, GCC, Glibc, Grep, Make, and Sed

**Test suite depends on:** None

**Must be installed before:** File, Module-Init-Tools, and Util-Linux

# Index

## Packages

Autoconf: 125  
 Automake: 127  
 Bash: 129  
   tools: 54  
 Berkeley DB: 101  
 Binutils: 94  
   tools, pass 1: 34  
   tools, pass 2: 52  
 Bison: 110  
 Bootscripts: 200  
   usage: 202  
 Bzip2: 131  
   tools: 55  
 Coreutils: 103  
   tools: 56  
 DejaGNU: 48  
 Diffutils: 133  
   tools: 57  
 E2fsprogs: 134  
 Expect: 46  
 File: 137  
 Findutils: 138  
   tools: 58  
 Flex: 140  
 Gawk: 144  
   tools: 59  
 GCC: 97  
   tools, pass 1: 36  
   tools, pass 2: 49  
 Gettext: 146  
   tools: 60  
 Glibc: 85  
   tools: 39  
 Grep: 148  
   tools: 61  
 Groff: 149  
 GRUB: 142  
   configuring: 231  
 Gzip: 152  
   tools: 62  
 Iana-Etc: 108  
 Inetutils: 154  
 IPRoute2: 156  
 Kbd: 158

Less: 161  
 Libtool: 117  
 Linux: 228  
 Linux-Libc-Headers: 83  
   tools, headers: 38  
 M4: 109  
   tools: 63  
 Make: 162  
   tools: 64  
 Man-DB: 163  
 Man-pages: 84  
 Mktmp: 167  
 Module-Init-Tools: 168  
 Ncurses: 111  
   tools: 53  
 Patch: 170  
   tools: 65  
 Perl: 118  
   tools: 66  
 Procps: 114  
 Psmisc: 171  
 Readline: 121  
 Sed: 116  
   tools: 67  
 Shadow: 173  
   configuring: 174  
 Sysklogd: 177  
   configuring: 177  
 Sysvinit: 179  
   configuring: 179  
 Tar: 182  
   tools: 68  
 Tcl: 44  
 Texinfo: 183  
   tools: 69  
 Udev: 185  
   usage: 204  
 Util-linux: 188  
   tools: 70  
 Vim: 192  
 Zlib: 123

## Programs

a2p: 118 , 119  
 accessdb: 163 , 166  
 acinstall: 127 , 127  
 aclocal: 127 , 127  
 aclocal-1.9.6: 127 , 127  
 addftinfo: 149 , 150

addr2line: 94 , 95  
 afmtodit: 149 , 150  
 agetty: 188 , 189  
 apropos: 163 , 166  
 ar: 94 , 95  
 arch: 188 , 189  
 arpd: 156 , 156  
 as: 94 , 95  
 ata\_id: 185 , 186  
 autoconf: 125 , 125  
 autoheader: 125 , 125  
 autom4te: 125 , 125  
 automake: 127 , 127  
 automake-1.9.6: 127 , 127  
 autopoint: 146 , 146  
 autoreconf: 125 , 125  
 autoscan: 125 , 125  
 autoupdate: 125 , 125  
 awk: 144 , 144  
 badblocks: 134 , 135  
 basename: 103 , 104  
 bash: 129 , 130  
 bashbug: 129 , 130  
 bigram: 138 , 138  
 bison: 110 , 110  
 blkid: 134 , 135  
 blockdev: 188 , 189  
 bootlogd: 179 , 180  
 bunzip2: 131 , 132  
 bzip2: 131 , 132  
 bzip2recover: 131 , 132  
 bzless: 131 , 132  
 bzip2: 131 , 132  
 bzcat: 131 , 132  
 bzcmp: 131 , 132  
 bzdiff: 131 , 132  
 bzegrep: 131 , 132  
 bzfgrep: 131 , 132  
 bzgrep: 131 , 132  
 bzip2: 131 , 132  
 bzip2recover: 131 , 132  
 bzless: 131 , 132  
 bzip2: 131 , 132  
 bzmor: 131 , 132  
 c++: 97 , 100  
 c++filt: 94 , 95  
 c2ph: 118 , 119  
 cal: 188 , 189  
 captinfo: 111 , 112  
 cat: 103 , 104  
 catchsegv: 85 , 89  
 catman: 163 , 166  
 cc: 97 , 100  
 cdrom\_id: 185 , 186  
 cfdisk: 188 , 189  
 chage: 173 , 175  
 chattr: 134 , 135  
 chfn: 173 , 175  
 chpasswd: 173 , 175  
 chgrp: 103 , 104  
 chkdupexe: 188 , 189  
 chmod: 103 , 104  
 chown: 103 , 105  
 chpasswd: 173 , 175  
 chroot: 103 , 105  
 chsh: 173 , 175  
 chvt: 158 , 159  
 cksum: 103 , 105  
 clear: 111 , 112  
 cmp: 133 , 133  
 code: 138 , 138  
 col: 188 , 189  
 colcrt: 188 , 189  
 colrm: 188 , 189  
 column: 188 , 189  
 comm: 103 , 105  
 compile: 127 , 127  
 compile\_et: 134 , 135  
 compress: 152 , 152  
 config.charset: 146 , 146  
 config.guess: 127 , 127  
 config.rpath: 146 , 146  
 config.sub: 127 , 127  
 convert-mans: 163 , 166  
 cp: 103 , 105  
 cpp: 97 , 100  
 create\_floppy\_devices: 185 , 186  
 csplit: 103 , 105  
 ctrlaltdel: 188 , 189  
 ctstat: 156 , 156  
 cut: 103 , 105  
 cytune: 188 , 189  
 date: 103 , 105  
 db\_archive: 101 , 102  
 db\_checkpoint: 101 , 102  
 db\_deadlock: 101 , 102  
 db\_dump: 101 , 102  
 db\_hotbackup: 101 , 102  
 db\_load: 101 , 102  
 db\_printlog: 101 , 102  
 db\_recover: 101 , 102  
 db\_stat: 101 , 102  
 db\_upgrade: 101 , 102

db\_verify: 101 , 102  
 dd: 103 , 105  
 ddate: 188 , 189  
 dealloctv: 158 , 159  
 debugfs: 134 , 135  
 depcomp: 127 , 128  
 depmod: 168 , 168  
 df: 103 , 105  
 diff: 133 , 133  
 diff3: 133 , 133  
 dir: 103 , 105  
 dircolors: 103 , 105  
 dirname: 103 , 105  
 dmesg: 188 , 189  
 dprofpp: 118 , 119  
 du: 103 , 105  
 dumpe2fs: 134 , 135  
 dumpkeys: 158 , 159  
 e2fsck: 134 , 135  
 e2image: 134 , 135  
 e2label: 134 , 135  
 echo: 103 , 105  
 edd\_id: 185 , 186  
 efm\_filter.pl: 192 , 194  
 efm\_perl.pl: 192 , 194  
 egrep: 148 , 148  
 elisp-comp: 127 , 128  
 elvtune: 188 , 189  
 enc2xs: 118 , 119  
 env: 103 , 105  
 envsubst: 146 , 146  
 eqn: 149 , 150  
 eqn2graph: 149 , 150  
 ex: 192 , 194  
 expand: 103 , 105  
 expect: 46 , 47  
 expiry: 173 , 175  
 expr: 103 , 105  
 factor: 103 , 105  
 faillog: 173 , 175  
 false: 103 , 105  
 fdformat: 188 , 189  
 flock: 188 , 189: 188 , 189  
 fgconsole: 158 , 159  
 fgrep: 148 , 148  
 file: 137 , 137  
 filefrag: 134 , 135  
 find: 138 , 138  
 find2perl: 118 , 119  
 findfs: 134 , 135  
 firmware\_helper: 185 , 186  
 flex: 140 , 140  
 fmt: 103 , 105  
 fold: 103 , 105  
 frcode: 138 , 139  
 free: 114 , 114  
 fsck: 134 , 135  
 fsck.cramfs: 188 , 189  
 fsck.ext2: 134 , 135  
 fsck.ext3: 134 , 135  
 fsck.minix: 188 , 189  
 ftp: 154 , 155  
 fuser: 171 , 171  
 g++: 97 , 100  
 gawk: 144 , 144  
 gawk-3.1.5: 144 , 144  
 gcc: 97 , 100  
 gccbug: 97 , 100  
 gcov: 97 , 100  
 gencat: 85 , 89  
 generate-modprobe.conf: 168 , 169  
 geqn: 149 , 150  
 getconf: 85 , 89  
 getent: 85 , 89  
 getkeycodes: 158 , 159  
 getopt: 188 , 189  
 gettext: 146 , 146  
 gettext.sh: 146 , 146  
 gettextize: 146 , 146  
 gpasswd: 173 , 175  
 gprof: 94 , 95  
 grcat: 144 , 144  
 grep: 148 , 148  
 grn: 149 , 150  
 grodvi: 149 , 150  
 groff: 149 , 150  
 groffer: 149 , 150  
 grog: 149 , 150  
 grolbp: 149 , 150  
 grolj4: 149 , 150  
 grops: 149 , 150  
 grotty: 149 , 150  
 groupadd: 173 , 175  
 groupdel: 173 , 175  
 groupmod: 173 , 175  
 groups: 103 , 105  
 grpck: 173 , 175  
 grpconv: 173 , 175

grpunconv: 173 , 175  
 grub: 142 , 142  
 grub-install: 142 , 142  
 grub-md5-crypt: 142 , 142  
 grub-set-default: 142 , 143  
 grub-terminfo: 142 , 143  
 gtbl: 149 , 150  
 gunzip: 152 , 152  
 gzexe: 152 , 153  
 gzip: 152 , 153  
 h2ph: 118 , 119  
 h2xs: 118 , 119  
 halt: 179 , 180  
 head: 103 , 105  
 hexdump: 188 , 189  
 hostid: 103 , 105  
 hostname: 103 , 105  
 hostname: 146 , 146  
 hpftodit: 149 , 150  
 hwclock: 188 , 189  
 iconv: 85 , 89  
 iconvconfig: 85 , 89  
 id: 103 , 105  
 ifcfg: 156 , 156  
 ifnames: 125 , 126  
 ifstat: 156 , 156  
 igawk: 144 , 144  
 indxbib: 149 , 150  
 info: 183 , 184  
 infocmp: 111 , 112  
 infokey: 183 , 184  
 infotocap: 111 , 112  
 init: 179 , 180  
 insmod: 168 , 169  
 insmod.static: 168 , 169  
 install: 103 , 106  
 install-info: 183 , 184  
 install-sh: 127 , 128  
 instmodsh: 118 , 119  
 ip: 156 , 156  
 ipcrm: 188 , 190  
 ipcs: 188 , 190  
 isosize: 188 , 190  
 join: 103 , 106  
 kbdrate: 158 , 159  
 kbd\_mode: 158 , 159  
 kill: 114 , 114  
 killall: 171 , 171  
 killall5: 179 , 180  
 klogd: 177 , 178  
 last: 179 , 180  
 lastb: 179 , 180  
 lastlog: 173 , 175  
 ld: 94 , 95  
 ldconfig: 85 , 89  
 ldd: 85 , 89  
 lddlibc4: 85 , 89  
 less: 161 , 161  
 less.sh: 192 , 194  
 lessecho: 161 , 161  
 lesskey: 161 , 161  
 lex: 140 , 141  
 lexgrog: 163 , 166  
 lfskernel-2.6.16.27: 228 , 230  
 libnetcfg: 118 , 119  
 libtool: 117 , 117  
 libtoolize: 117 , 117  
 line: 188 , 190  
 link: 103 , 106  
 lkbib: 149 , 150  
 ln: 103 , 106  
 lnstat: 156 , 157  
 loadkeys: 158 , 159  
 loadunimap: 158 , 159  
 locale: 85 , 89  
 localedef: 85 , 89  
 locate: 138 , 139  
 logger: 188 , 190  
 login: 173 , 175  
 logname: 103 , 106  
 logoutd: 173 , 176  
 logsave: 134 , 135  
 look: 188 , 190  
 lookbib: 149 , 150  
 losetup: 188 , 190  
 ls: 103 , 106  
 lsattr: 134 , 135  
 lsmod: 168 , 169  
 m4: 109 , 109  
 make: 162 , 162  
 makeinfo: 183 , 184  
 man: 163 , 166  
 mandb: 163 , 166  
 manpath: 163 , 166  
 mapscrn: 158 , 159  
 mbchk: 142 , 143  
 mcookie: 188 , 190  
 md5sum: 103 , 106

mdate-sh: 127 , 128  
mesg: 179 , 180  
missing: 127 , 128  
mkdir: 103 , 106  
mke2fs: 134 , 135  
mkfifo: 103 , 106  
mkfs: 188 , 190  
mkfs.bfs: 188 , 190  
mkfs.cramfs: 188 , 190  
mkfs.ext2: 134 , 135  
mkfs.ext3: 134 , 136  
mkfs.minix: 188 , 190  
mkinstalldirs: 127 , 128  
mklost+found: 134 , 136  
mknod: 103 , 106  
mkswap: 188 , 190  
mktemp: 167 , 167  
mk\_cmds: 134 , 135  
mmroff: 149 , 151  
modinfo: 168 , 169  
modprobe: 168 , 169  
more: 188 , 190  
mount: 188 , 190  
mountpoint: 179 , 180  
msgattrib: 146 , 147  
msgcat: 146 , 147  
msgcmp: 146 , 147  
msgcomm: 146 , 147  
msgconv: 146 , 147  
msgen: 146 , 147  
msgexec: 146 , 147  
msgfilter: 146 , 147  
msgfmt: 146 , 147  
msggrep: 146 , 147  
msginit: 146 , 147  
msgmerge: 146 , 147  
msgunfmt: 146 , 147  
msguniq: 146 , 147  
mtrace: 85 , 90  
mv: 103 , 106  
mve.awk: 192 , 194  
namei: 188 , 190  
neqn: 149 , 151  
newgrp: 173 , 176  
newusers: 173 , 176  
ngettext: 146 , 147  
nice: 103 , 106  
nl: 103 , 106  
nm: 94 , 95  
nohup: 103 , 106  
nologin: 173 , 176  
nroff: 149 , 151  
nscd: 85 , 90  
nscd\_nischeck: 85 , 90  
nstat: 156 , 157  
objcopy: 94 , 95  
objdump: 94 , 95  
od: 103 , 106  
oldfuser: 171 , 172  
openvt: 158 , 159  
passwd: 173 , 176  
paste: 103 , 106  
patch: 170 , 170  
pathchk: 103 , 106  
path\_id: 185 , 186  
pcprofiledump: 85 , 90  
perl: 118 , 119  
perl5.8.8: 118 , 119  
perlbug: 118 , 119  
perlcc: 118 , 119  
perldoc: 118 , 119  
perlivp: 118 , 119  
pfbtops: 149 , 151  
pg: 188 , 190  
pgawk: 144 , 145  
pgawk-3.1.5: 144 , 145  
pgrep: 114 , 114  
pic: 149 , 151  
pic2graph: 149 , 151  
piconv: 118 , 119  
pidof: 179 , 180  
ping: 154 , 155  
pinky: 103 , 106  
pivot\_root: 188 , 190  
pkill: 114 , 114  
pl2pm: 118 , 119  
pltags.pl: 192 , 194  
pmap: 114 , 114  
pod2html: 118 , 119  
pod2latex: 118 , 119  
pod2man: 118 , 119  
pod2text: 118 , 119  
pod2usage: 118 , 119  
podchecker: 118 , 119  
podselect: 118 , 120  
post-grohtml: 149 , 151  
poweroff: 179 , 180  
pr: 103 , 106

pre-grohtml: 149 , 151  
printenv: 103 , 106  
printf: 103 , 106  
ps: 114 , 114  
psed: 118 , 120  
psfaddtable: 158 , 159  
psfgettable: 158 , 159  
psfstriptime: 158 , 159  
psfxtable: 158 , 159  
pstree: 171 , 172  
pstree.x11: 171 , 172  
pstruct: 118 , 120  
ptx: 103 , 106  
pt\_chown: 85 , 90  
pwcac: 144 , 145  
pwck: 173 , 176  
pwconv: 173 , 176  
pwd: 103 , 106  
pwunconv: 173 , 176  
py-compile: 127 , 128  
ramsize: 188 , 190  
ranlib: 94 , 95  
raw: 188 , 190  
rcp: 154 , 155  
rdev: 188 , 190  
readelf: 94 , 95  
readlink: 103 , 106  
readprofile: 188 , 190  
reboot: 179 , 180  
ref: 192 , 194  
refer: 149 , 151  
rename: 188 , 190  
renice: 188 , 190  
reset: 111 , 112  
resize2fs: 134 , 136  
resizecons: 158 , 159  
rev: 188 , 190  
rlogin: 154 , 155  
rm: 103 , 106  
rmdir: 103 , 106  
rmmod: 168 , 169  
rmt: 182 , 182  
rootflags: 188 , 190  
routef: 156 , 157  
routel: 156 , 157  
rpcgen: 85 , 90  
rpcinfo: 85 , 90  
rsh: 154 , 155  
rtacct: 156 , 157  
rtmon: 156 , 157  
rtpr: 156 , 157  
rtstat: 156 , 157  
runlevel: 179 , 180  
runttest: 48 , 48  
rview: 192 , 195  
rvim: 192 , 195  
s2p: 118 , 120  
script: 188 , 190  
scsi\_id: 185 , 186  
sdiff: 133 , 133  
sed: 116 , 116  
seq: 103 , 106  
setfdprm: 188 , 190  
setfont: 158 , 159  
setkeycodes: 158 , 159  
setleds: 158 , 159  
setmetamode: 158 , 159  
setsid: 188 , 190  
setterm: 188 , 190  
sfdisk: 188 , 190  
sg: 173 , 176  
sh: 129 , 130  
shasum: 103 , 106  
showconsolefont: 158 , 160  
showkey: 158 , 160  
shred: 103 , 106  
shtags.pl: 192 , 195  
shutdown: 179 , 180  
size: 94 , 96  
skill: 114 , 114  
slabtop: 114 , 114  
sleep: 103 , 107  
sln: 85 , 90  
snice: 114 , 114  
soelim: 149 , 151  
sort: 103 , 107  
splain: 118 , 120  
split: 103 , 107  
sprof: 85 , 90  
ss: 156 , 157  
stat: 103 , 107  
strings: 94 , 96  
strip: 94 , 96  
stty: 103 , 107  
su: 173 , 176  
sulogin: 179 , 180  
sum: 103 , 107  
swapoff: 188 , 191

swapon: 188 , 191  
 symlink-tree: 127 , 128  
 sync: 103 , 107  
 sysctl: 114 , 114  
 syslogd: 177 , 178  
 tac: 103 , 107  
 tack: 111 , 112  
 tail: 103 , 107  
 tailf: 188 , 191  
 talk: 154 , 155  
 tar: 182 , 182  
 tbl: 149 , 151  
 tc: 156 , 157  
 tclsh: 44 , 45  
 tclsh8.4: 44 , 45  
 tcltags: 192 , 195  
 tee: 103 , 107  
 telinit: 179 , 180  
 telnet: 154 , 155  
 tempfile: 167 , 167  
 test: 103 , 107  
 texi2dvi: 183 , 184  
 texi2pdf: 183 , 184  
 texindex: 183 , 184  
 tfmtodit: 149 , 151  
 tftp: 154 , 155  
 tic: 111 , 113  
 tload: 114 , 114  
 toe: 111 , 113  
 top: 114 , 114  
 touch: 103 , 107  
 tput: 111 , 113  
 tr: 103 , 107  
 troff: 149 , 151  
 true: 103 , 107  
 tset: 111 , 113  
 tsort: 103 , 107  
 tty: 103 , 107  
 tune2fs: 134 , 136  
 tunelp: 188 , 191  
 tzselect: 85 , 90  
 udevcontrol: 185 , 186  
 udevd: 185 , 186  
 udevinfo: 185 , 186  
 udevmonitor: 185 , 186  
 udevsettle: 185 , 187  
 udevtest: 185 , 187  
 udevtrigger: 185 , 187  
 ul: 188 , 191  
 umount: 188 , 191  
 uname: 103 , 107  
 uncompress: 152 , 153  
 unexpand: 103 , 107  
 unicode\_start: 158 , 160  
 unicode\_stop: 158 , 160  
 uniq: 103 , 107  
 unlink: 103 , 107  
 updatedb: 138 , 139  
 uptime: 114 , 114  
 usb\_id: 185 , 187  
 useradd: 173 , 176  
 userdel: 173 , 176  
 usermod: 173 , 176  
 users: 103 , 107  
 utmpdump: 179 , 181  
 uuidgen: 134 , 136  
 vdir: 103 , 107  
 vi: 192 , 195  
 vidmode: 188 , 191  
 view: 192 , 195  
 vigr: 173 , 176  
 vim: 192 , 195  
 vim132: 192 , 195  
 vim2html.pl: 192 , 195  
 vimdiff: 192 , 195  
 vimmm: 192 , 195  
 vimspell.sh: 192 , 195  
 vimtutor: 192 , 195  
 vipw: 173 , 176  
 vmstat: 114 , 115  
 vol\_id: 185 , 187  
 w: 114 , 115  
 wall: 179 , 181  
 watch: 114 , 115  
 wc: 103 , 107  
 whatis: 163 , 166  
 whereis: 188 , 191  
 who: 103 , 107  
 whoami: 103 , 107  
 write: 188 , 191  
 xargs: 138 , 139  
 xgettext: 146 , 147  
 xsubpp: 118 , 120  
 xtrace: 85 , 90  
 xxd: 192 , 195  
 yacc: 110 , 110  
 yes: 103 , 107  
 ylwrap: 127 , 128

zcat: 152 , 153  
 zcmp: 152 , 153  
 zdiff: 152 , 153  
 zdump: 85 , 90  
 zegrep: 152 , 153  
 zfgrep: 152 , 153  
 zforce: 152 , 153  
 zgrep: 152 , 153  
 zic: 85 , 90  
 zless: 152 , 153  
 zmore: 152 , 153  
 znew: 152 , 153  
 zsoelim: 163 , 166

## Libraries

ld.so: 85 , 90  
 libanl: 85 , 90  
 libasprintf: 146 , 147  
 libbfd: 94 , 96  
 libblkid: 134 , 136  
 libBrokenLocale: 85 , 90  
 libbsd-compat: 85 , 90  
 libbz2\*: 131 , 132  
 libc: 85 , 90  
 libcom\_err: 134 , 136  
 libcrypt: 85 , 90: 85 , 90  
 libcurses: 111 , 113  
 libdb: 101 , 102  
 libdb\_cxx: 101 , 102  
 libdl: 85 , 90  
 libe2p: 134 , 136  
 libexpect-5.43: 46 , 47  
 libext2fs: 134 , 136  
 libfl.a: 140 , 141  
 libform: 111 , 113  
 libg: 85 , 90  
 libgcc\*: 97 , 100  
 libgettextlib: 146 , 147  
 libgettextpo: 146 , 147  
 libgettextsrc: 146 , 147  
 libhistory: 121 , 122  
 libiberty: 94 , 96  
 libieee: 85 , 90  
 libltdl: 117 , 117  
 libm: 85 , 90  
 libmagic: 137 , 137  
 libmcheck: 85 , 91  
 libmemusage: 85 , 91  
 libmenu: 111 , 113

libncurses: 111 , 113  
 libnsl: 85 , 91  
 libnss: 85 , 91  
 libopcodes: 94 , 96  
 libpanel: 111 , 113  
 libpcprofile: 85 , 91  
 libproc: 114 , 115  
 libpthread: 85 , 91  
 libreadline: 121 , 122  
 libresolv: 85 , 91  
 librpcsvc: 85 , 91  
 librt: 85 , 91  
 libSegFault: 85 , 90  
 libshadow: 173 , 176  
 libss: 134 , 136  
 libstdc++: 97 , 100  
 libsupc++: 97 , 100  
 libtcl8.4.so: 44 , 45  
 libthread\_db: 85 , 91  
 libutil: 85 , 91  
 libuuid: 134 , 136  
 liby.a: 110 , 110  
 libz: 123 , 124

## Scripts

checkfs: 200 , 200  
 cleanfs: 200 , 200  
 console: 200 , 200  
   configuring: 209  
 functions: 200 , 200  
 halt: 200 , 200  
 ifdown: 200 , 200  
 ifup: 200 , 200  
 localnet: 200 , 200  
   /etc/hosts: 219  
   configuring: 218  
 mountfs: 200 , 200  
 mountkernfs: 200 , 200  
 network: 200 , 200  
   /etc/hosts: 219  
   configuring: 222  
 rc: 200 , 200  
 reboot: 200 , 200  
 sendsignals: 200 , 200  
 setclock: 200 , 201  
   configuring: 208  
 static: 200 , 201  
 swap: 200 , 201  
 sysklogd: 200 , 201

configuring: 212  
template: 200 , 201  
udev: 200 , 201

## Others

/boot/config-2.6.16.27: 228 , 230  
/boot/System.map-2.6.16.27: 228 , 230  
/dev/\*: 75  
/etc/fstab: 226  
/etc/group: 81  
/etc/hosts: 219  
/etc/inittab: 179  
/etc/inputrc: 213  
/etc/ld.so.conf: 89  
/etc/lfs-release: 233  
/etc/limits: 174  
/etc/localtime: 88  
/etc/login.access: 174  
/etc/login.defs: 174  
/etc/nsswitch.conf: 88  
/etc/passwd: 81  
/etc/profile: 215  
/etc/protocols: 108  
/etc/resolv.conf: 224  
/etc/services: 108  
/etc/syslog.conf: 177  
/etc/udev: 185 , 187  
/etc/vimrc: 193  
/usr/include/{asm,linux}/\*.h: 83 , 83  
/var/log/btmp: 81  
/var/log/lastlog: 81  
/var/log/wtmp: 81  
/var/run/utmp: 81  
man pages: 84 , 84